

DAFTAR KEPUSTAKAAN

- Aasim, M, Khalid MK, Seyid, IA, and Mehmet, K. 2019. Multiple uses of some important aquatic and semiaquatic medicinal plants. M. Ozturk and K. R. Hakeem (Ed). in **Plant and Human Health**, Vol. 2. Springer Cham, Switzerland. P. 547.
- Abdullah, K. M, Alam, Md M, Iqbal, Z and Naseem, I. 2018. Therapeutic effect of vitamin B3 on hyperglycemia, oxidative stress and DNA damage in alloxan induced diabetic rat model. *Biomedicine and Pharmacotherapy* 105(6):1223–31.
- About El-Soud, Neveen H, Nabila A. El-Lithy, Gamila El-Saeed, Mohamed S. Wahby, Mona Y. Khalil, Fatma Morsy, and Nermeen Shaffie. 2014. Renoprotective effects of caraway (*Carum carvi* L.) essential oil in streptozotocin induced diabetic rats. *Journal of Applied Pharmaceutical Science*. 4(2):27–33.
- Aguila, LDF, Kevin P. Claffey, and Kirwan, JP. 1999. TNF- α impairs insulin signaling and insulin stimulation of glucose uptake in C₂C₁₂ muscle cells. *American Journal of Physiology-Endocrinology and Metabolism*. 276:E849–E855.
- Ahrén, B. 2012. Glucose: Glucose Tolerance. *Encyclopedia of Human Nutrition*. 2: 381–86.
- Ali, R, Billah, M, Hassan, M and Rahman, RM. 2013. *Enhydra fluctuans* Lour.: A review. *Research J. Pharm. and Tech*. 6(9):927–29.
- Ali, R, Kuri, S, Das A, Islam, A and. 2013. Preliminary phytochemical screening and in vitro thrombolytic potential of the methanolic extract of *Enhydra fluctuans* Lour. (Leaves). *International Journal of Pharmamedix India*. 1(2):270–80.
- Alipour, M, Salehi, I and Soufi FG. 2012. Effect of exercise on diabetes-induced oxidative stress in the rat hippocampus. *Iranian Red Crescent Medical Journal*. 14(4):222–28.
- An, Zhibo, Prigeon, RL and Alessio, DAD. 2013. Improved glycemic control enhances the incretin effect in patients with type 2 diabetes. *J Clin Endocrinol Metab*. 98(12):4702–8.
- Ani, V and Naidu, KA. 2008. Antihyperglycemic activity of polyphenolic components of black/bitter cumin *Centrathium anthelminticum* (L.) Kuntze seeds. *European Food Research and Technology*. 226(4):897–903.
- Anonymous. 2000. **Parameter standar umum ekstrak tumbuhan obat**. Direktorat Jendral Pengawasan Obat dan Makanan. Jakarta.
- Anonymous. 2001. OECD guideline for testing of chemical: acute oral toxicity – fixed dose procedure. <http://www.oecd.org>. 12 November 2018.
- Anonymous. 2009. Peraturan kepala badan pengawas obat dan makanan Republik Indonesia Nomor HK.00.06.1.52.4011 tentang penetapan batas maksimum cemaran mikroba dan kimia dalam makanan. Badan Pengawas Obat dan Makanan Republik Indonesia. Jakarta.
- Anonymous. 1999. **Definition, diagnosis and classification of diabetes mellitus and its complications. report of a who consultation. part 1: diagnosis and classification of diabetes mellitus**. Geneva.

- Anonymous. 2014. **Situasi dan analisis diabetes**. Pusat Data dan Informasi Kementerian Kesehatan RI. Jakarta.
- Anonymous. 2019. **Infodatim**. Pusat Data dan Informasi Kementerian Kesehatan RI. Jakarta.
- Anonymous. 2019. **IDF diabetes atlas**, 9th Edition. International Diabetes Federation. Brussels, Belgium.
- Anonymous. 2015. **IDF Atlas**. Seventh Ed. IDF Diabetes Atlas Committee. International Diabetes Federation. Brussels, Belgium.
- Anonymous. 2016. Diabetes Country Profiles 2016. Indonesia. www.who.int. Diakses 12 November 2018.
- Armstrong, MJ, Leon, AA, Canbay, A and Syn, WK. 2014. Extrahepatic complications of nonalcoholic fatty liver disease. *Hepatology*. 59(3):1174–97.
- Aronoff, SL, Kathy, B and Barb, S 2004. Glucose metabolism and regulation: Beyond insulin and glucagon. *Diabetes Spectrum*. 17(3):183–90.
- Arslanian, Silva, Laure El Ghormli, Joon Young Kim, Fida Bacha, Christine Chan, Heba M. Ismail, Lorraine E. Levitt Katz, Lynne Levitsky, Jeanie B. Tryggestad, and Neil H. White. 2018. The shape of the glucose response curve during an oral glucose tolerance test : Forerunner of heightened glycemic failure rates and accelerated decline in β -cell function in today. *Diabetes Care*. 11:1–9.
- Asgary, S, Rahimi, P, Mahzoun, Madani, P. 2012. Antidiabetic effect of hydroalcoholic extract of *Carthamus tinctorius* L. in alloxan-induced diabetic rats. *J Res Med Sci*. 17(4):386–392.
- Ashok, D. Chougale, N. Panaskar Shrimant, M. Gurao Pradeep, and U. Arvindekar Akalpita. 2007. Optimization of alloxan dose is essential to induce stable diabetes for prolonged period. *Asian Journal of Biochemistry*. 2(6):402–8.
- Aslam, I, Shaharyar, M and Afridi, K. 2018. Pharmacognostic characterization of *Beaumontia grandiflora* (Roxb.) Wall. leaf for taxonomic identification for quality control of a drug. *Journal of Applied Research on Medicinal and Aromatic Plants*. 8(6):53–59.
- Athithan, V and Srikumar, K. 2017. 28-homocastasterone down regulates blood glucose, cholesterol, triglycerides, SREBP1c and activates LxR expression in normal and diabetic male rat. *Chemico-Biological Interactions*. 277:8–20.
- Awofisoye, OI, Adeleye, JO, Olaniyi, JA and Esan, A. 2019. Prevalence and correlates of anemia in type 2 diabetes mellitus: A study of a nigerian outpatient diabetic population. *Sahel Medical Journal*. 22:55–63.

- Bacanlı, M, Hatice Gül Anlar, Sevtap Aydın, Tuğbagül Çal, Nuray Arı, Ülkü Ündeğer Bucurgat, A. Ahmet Başaran, and Nurşen Başaran. 2017. D-Limonene ameliorates diabetes and its complications in streptozotocin-induced diabetic rats. *Food and Chemical Toxicology*. 110:434–42.
- Baloyi, CM, Khathi, A, Sibiyi, NH and Ngubane, PS. 2019. The haematological effects of oleanolic acid in streptozotocin-induced diabetic rats: Effects on selected markers. *Journal of Diabetes Research*. 2019:1–9.
- Bele, AA, Khale, A. 2011. Standarization of herbal drug: An overview. *International Research Journal of Pharmacy*. 2(12):56–60.
- Betteridge, DJ. 2007. Effects of pioglitazone on lipid and lipoprotein metabolism. *Diabetes, Obesity and Metabolism*. 9(5):640–47.
- Burdi, DK, Sumera, Q and Ghanghro, AB. 2014. An overview of available hypoglycemic triterpenoids and saponins to cure diabetes mellitus. *International Quarterly Journal of Life Sciences*. 1(3):119–28.
- Cerf, ME. 2013. Beta cell dysfunction and insulin resistance. *Frontiers in Endocrinology*. 4(3):1–13.
- Chanda, S. 2014. Importance of pharmacognostic study of medicinal plants: An overview. *Journal of Pharmacognosy and Phytochemistry*. 2(25):69–73.
- Chaudhuri, A and Sharma, S. 2016. Evaluation of antidiabetic activity of polyherbal formulation in streptozotocin-induced diabetic rats. *Journal of Pharmaceutical and Bioscience*. 4(5):1–6.
- Chege, IN, Okalebo, FA, Guantai, AN, Karanja, S and Derese, S. 2015. Management of type 2 diabetes mellitus by traditional medicine practitioners in Kenya-Key informant interviews. *Pan African Medical Journal*. 22(90):1–8.
- Cheng, D, Liang, B and Li, Y. 2013. Antihyperglycemic effect of *Ginkgo biloba* extract in streptozotocin-induced diabetes in rats. *BioMed Research International*. 2013:1–7.
- Cheng, KC, Li, Y and Cheng, Jt. 2018. The areas Under Curves (AUC) used in diabetes research : Update view. *Integrative Obesity and Diabetes*. 4(3):1–2.
- Chethan, J, Kumar, P , Prakash, HS. 2014. Antidiabetic and antihypertensive potential of selected asteraceae plant species. *American Journal of Advanced Drug Delivery*. 2(3):355–63.
- Chinsembu, KC. 2019. Diabetes mellitus and nature's pharmacy of putative antidiabetic plants. *Journal of Herbal Medicine*. 15(2016):1–12.
- Choudhury, BH, Baruah, AM, Das, P. 2017. Minerals and arsenic composition of twenty five indigenous leafy vegetables of Jorhat District of Assam State, India. *Asian Journal of*

Chemistry. 29(10):2138–42.

Daisy, P., R. Jasmine, S. Ignacimuthu, and E. Murugan. 2009. A novel steroid from *Elephantopus scaber* L. an ethnomedicinal plant with antidiabetic activity. *Phytomedicine*. 16(2–3):252–57.

Deb, S., U. Sharma, S. Das, and R. Sahu. 2016. Pharmacognostic study and development of quality parameters of aerial part of plant *Enhydra fluctuans* DC. *J Pharm Chem Biol Sci*. 4(2):198–207.

Delfita, R, Tjong, DH, Dahelmi, D, Suhatri, S. 2020. **Efek penurunan glukosa darah dari ekstrak etanol dan fraksi aerial *Enhydra fluctuans* Lour. pada tikus putih jantan normal dan diabetes.** Padang, Indonesia. Laporan Penelitian.

Delfita, R and Putra, A.I. 2018. **Skrining fitokimia tawa nan ampek (*Costus Speciosus*, *Calanchoe pinnata*, *Enhydra fluctuans* dan *Panicum auritum*) dan uji aktivitas antidiabetesnya.** IAIN Batusangkar. Batusangkar. Laporan Penelitian.

Deshpande AD, Harris-Hayes M, Schootman, M. 2008. Epidemiology of diabetes and diabetes-related complications. *Phys Ther*. 88(11):1254–64.

Dewalkar, L and Suresh, M. 2018. Standardization of alloxan dose to induce stable experimental diabetes in *Rattus norvegicus*. *World Journal of Pharmaceutical Research*. 7(01):1596–1601.

Dludla, PV, Christo, JF, Muller, EJ, Johan, L, Faadiel, E, Kwazi, BG, Samira, G and Barbara, H. 2017. Aspalathin protects the heart against by up-regulating Nrf2 expression. *Molecules*. 22(129):1–16.

Dua, TK, Dewanjee, S, Khanra, R. 2016. Prophylactic role of *Enhydra fluctuans* against arsenic-induced hepatotoxicity via anti-apoptotic and antioxidant. *Redox Report Communications in Free Radical Research*. 11(6):45–50.

Dua, T K. Dewanjee, S and Khanra, R. 2016. Prophylactic role of *Enhydra fluctuans* against arsenic-induced hepatotoxicity via anti-apoptotic and antioxidant mechanisms. *Redox Report*. 21(4):147–54.

e Silva, E. L, Jonathas, F, Revoredo, L, Joachim, MV, Ricardo, MB and Dan, S. 2016. Combined with HPLC-HRMS-SPE-NMR for identification of antidiabetic compounds in *Eremanthus crotonoides* (Asteraceae). *Molecules*. 21(782):1–11.

Elangovan, A, Abinaya, S, Siva, D, Jeyadevi, R, Dinesh, KL, Guna, R, Gayathri, N and Sivasudha, T. 2019. Antidiabetic and hypolipidemic efficacy of skin and seed extracts of *Momordica cymbalaria* on alloxan induced diabetic model in rats. *Journal of Ethnopharmacology*. 241(5):111989.

- Erukainure, OL, Osaretin, ATE, Folasade, OA, Muhammad, A and Gloria, NE. 2013. Hematological and biochemical changes in diabetic rats fed with fiber-enriched cake.” *Journal of Acute Medicine*. 3(2):39–44.
- Eze, ED, Adam, MA, Josephine, K and Keneth, IK. 2019. Lycopene improves on basic hematological and immunological parameters in diabetes mellitus. *BMC Research Notes*. 12(1):1–6.
- Fernandes, Ana, AH, Ethel, LBN, Katashi, O, Marina. PO, Bruno, PDM, Julliano, F, Campo, G and Ary, FJ. 2010. Influence of rutin treatment on biochemical alterations in experimental diabetes. *Biomedicine and Pharmacotherapy*. 64(3):214–19.
- Frat, U, Sava, K, Abdullah, C, Hseyin, B, Osman, G, Mehmet, SD and Mehmet, NT. 2012. Increased caspase-3 immunoreactivity of erythrocytes in STZ diabetic rats. *Experimental Diabetes Research*. 2012:1–5.
- Fu, J, Hongzhi, Z, Huihui, W, Bei, Y, Rui, Z, Chunwei, L, Zhiyuan, L, Yongyong, H, Yuanyuan, X, Qiang, Z, Weidong, Q, and Jingbo, P. 2015. Protective role of nuclear factor E2-related factor 2 against acute oxidative stress-induced pancreatic β -cell damage. *Oxidative Medicine and Cellular Longevity*. 2015:1–12.
- Gavali, NS, Gauri, P and Atul, S. 2016. A review: Standarization and quality control of polyherbal formulations. *IJSART*. 2(9):131–34.
- Germoush, MO, Hassan, AE, Sherif, H, Emadeldin, MK, May, Bin-Jumah and Ayman, MM. 2020. Consumption of terpenoids-rich *Padina pavonia* extract attenuates hyperglycemia, insulin resistance and oxidative stress, and upregulates Ppary in a rat model of type 2 diabetes. *Antioxidants*. 9(22):1–24.
- Ghosal, M and Mandal, P. 2012. Phytochemical screening and antioxidant activities of two selected ‘Bihi’ fruits used as vegetables in Darjeeling Himalaya. *Int J Pharm Pharm Sci*. 4(2):567–74.
- Giacco, F and Michael, B. 2010. Oxidative stress and diabetic complications. *Circulation Research*. 107(9):1058–70.
- Gonna, H and Kausik KR. 2019. The Importance of dyslipidaemia in the pathogenesis of cardiovascular disease in people with diabetes. *Diabetes, Obesity and Metabolism*. 21(S1):6–16.
- Gonzalez-Burgos, E and Gomez-Serranillos, MP. 2012. Terpene compounds in nature: A review of their potential antioxidant activity. *Current Medicinal Chemistry*. 19(31):5319–41.
- Green A, Doblaz, SB, Walters, DJA, Brasier, AR. 1994. Tumor necrosis factor increases the rate of lipolysis in primary cultures of adipocytes without altering levels of hormone-sensitive lipase. *Endocrinology*. 134(6):2581–88.

- Gupta, D, Jayadev, R, Jaya, PR and Najma, ZB. 1999. Change in the lipid profile, lipogenic and related enzymes in the livers of experimental diabetic rats: Effect of insulin and vanadate. *Diabetes Research and Clinical Practice*. 46(1):1–7.
- Habtemariam, S. 2018. Antidiabetic potential of monoterpenes: A case of small molecules punching above their weight. *International Journal of Molecular Sciences*. 19(1):1–23.
- Hamadi, N, Ahmed, M, Memy, HH, Fatima, Khalifi-Touhami and Osama, B. 2012. Ameliorative effects of resveratrol on liver injury in streptozotocin-induced diabetic rats. *Journal of Biochemical and Molecular Toxicology*. 00(0):1–9.
- Hasan, MN, Farah, S, Begum, R, Khan, MdSH, Ahmed, MU, Matondo, A, Billah, MdM and Akter, S. 2019. Glucose and lipid lowering effects of *Enhydra fluctuans* extract in cadmium treated normal and type-2 diabetic model rats. *BMC Complementary and Alternative Medicine*. 19(1):1–10.
- Hasballah, K, Murniana, S, Renzavaldy, R, Karina, T and Vera, DM. 2018. Acute toxicity and hepatotoxicity evaluation of methanol extract of root bark of *Calotropis gigantea* in rats. *Dhaka University Journal of Pharmaceutical Sciences*. 17(2):243–50.
- Hassan, Z, Mun, FY, Mariam, A and Ahmad, PaMY. 2010. Antidiabetic properties and mechanism of action of *Gynura rpicumbens* water extract in streptozotocin-induced diabetic rats. *Molecules*. 15(12):9008–23.
- Hayden, MR, Poorna, RK, Camila, MM, Guido, L, Javad, H and James, RS. 2007. Longitudinal ultrastructure study of islet amyloid in the HIP rat model of type 2 diabetes mellitus. *Experimental Biology and Medicine*. 232(6):772–79.
- Heylliward, J, Bakhtiar, A, Nurainas, N, Saad, B., Arjet, G. 2012. **Eksplorasi pengetahuan lokal etnomedisin dan tumbuhan obat Indonesia berbasis komunitas**. Padang, Sumatera Barat. Laporan penelitian
- Hibi, M, Sayaka, H, Tohru, Y, Yuki, M, Sumio, K and Mitsuhiro, K. 2019. Effect of short-term increase in meal frequency on glucose metabolism in individuals with normal glucose tolerance or impaired fasting glucose: A randomized crossover clinical trial. *Nutrients*. 11(9):21-26.
- Hossain, E, Sabuj, MS, Hillol, S and Hossain, K. 2016. Nutritive value of Helencha (*Enhydra fluctuans*). *Online Journal of Animal and Feed Research*. 6(1):20–23.
- Ichinose, K, Yohei, M, Yoshihiko, Y, Masaru, K, Kumiko, H, Hiroyuki, Ki, Yuki, T, Hitoshi, S, Yasushi, Y, Naoki, A and Hirofumi, M. 2006. 2-(8-Hydroxy-6-Methoxy-1-Oxo-1H-2-Benzopyran-3-Yl) propionic acid, an inhibitor of angiogenesis, ameliorates renal alterations in obese type 2 diabetic mice. *Diabetes*. 55(5):1232–42.

- Iftikhar, A, Bilal, A, Maryam, I, Wafa, M, Mehwish, B, Bushra, Z, Naseem, A, Hareem, G and Iqra, L. 2020. Effect of *Caesalpinia bonduc* polyphenol extract on alloxan-induced diabetic rats in attenuating hyperglycemia by upregulating insulin secretion and inhibiting JNK signaling pathway. *Oxidative Medicine and Cellular Longevity*. 2020:1–14.
- Ighodaro, OM. 2018. Molecular pathways associated with oxidative stress in diabetes mellitus. *Biomedicine & Pharmacotherapy*. 108:656–62.
- Ighodaro, OM, Abiola, MA and Oluseyi, AA. 2017. Alloxan-induced diabetes, a common model for evaluating the glycemic-gontrol potential of therapeutic compounds and plants extracts in experimental studies. *Medicina (Lithuania)*. 53(6):365–74.
- Ikewuchi, JC. 2012. Alteration of plasma biochemical, haematological and ocular oxidative indices of alloxan induced diabetic rats by aqueous extract of *Tridax procumbens* Linn (Asteraceae). *EXCLI Journal*. 11:291–308.
- Inman, WD, Belmont, Reed, MJ. 1997. Triterpenoid compound for the treatment of diabetes, Patent. (19):1–12.
- Isnawati, A, Mudahar, H, Kamilatunisah, K. 2012. Isolasi dan identifikasi senyawa kumarin dari tanaman *Artemisia annua* (L). *Media of Health Research and Development*. 18(3):107–14.
- Jasmine, R, Kumar, AG and Rajaram, R. 2018. Probing the mechanism of the anti-diabetic potential of a terpenoid from *Elephantopus scaber* L., an indian ethnomedicinal plant in STZ diabetic rats- in vivo and in silico analysis. *Indian Journal of Biochemistry and Biophysics*. 55(6):384–88.
- Jha, V. 2014. Aquatic macrophytes effective in control of diabetes: A review. *Annals of Plant Sciences* 3(3):645–50.
- Jhade, D., D. Ahirwar, R. Jain, N. K. Sharma, and S. Gupta. 2011. Pharmacognostic standardization, physico- and phytochemical evaluation of *Amaranthus spinosus* Linn. root. *Journal of Young Pharmacists*. 3(3):221–25.
- Jiang, Guo-Jun, Xue Han, Yu-Long Tao, Ya-Ping Deng, Jia-Wen Yu, Jian Cai, Guo-Fei Ren, and Yuan-Nan Sun. 2017. metformin ameliorates insulinitis in STZ-induced diabetic mice. *PeerJ*. 5:1–13.
- Jiang, WJ, Yun, CP and Kai, MY. 2018. Cellular signaling pathways regulating β -cell proliferation as a promising therapeutic target in the treatment of diabetes (Review).” *Experimental and Therapeutic Medicine*. 16(4):3275–85.
- Jörns, A., R. Munday, M. Tiedge, and S. Lenzen. 1997. Comparative toxicity of alloxan, n-alkylalloxans and ninhydrin to isolated pancreatic islets in vitro. *Journal of Endocrinology*. 155(2):283–93.

- Kabra, A, Rohit, S, Shivali, S, Ruchika, K and Uttam, S. 2019. Pharmacognostic characterization of *Myrica esculenta* leaves. *Journal of Ayurveda and Integrative Medicine*. 10:18–24.
- Katakami, N. 2018. Mechanism of development of atherosclerosis and cardiovascular disease in diabetes mellitus. *Journal of Atherosclerosis and Thrombosis*. 25(1):27–39.
- Kaur, KK, Gautam, A and Mandeep, S. 2019. Monoterpenes -a class of terpenoid group of natural products as a source of natural antidiabetic agents in the future -a review. *CPQ Nutrition* 3(4):1–21.
- Khalid, Usman. 2016. Kidney ischaemia reperfusion injury in the rat : the scoring system as a valid and reliable tool for histological assessment. *Journal of Histology and Histopathology*. 3(1):2–7.
- Khan, Mohd Habibullah, and P. S. Yadava. 2010. Antidiabetic plants used in Thoubal District of Manipur , Northeast India. *Indian Journal of Traditional*. 9(7):510–14.
- Khan, Zia, Hana, F and Subrata, C. 2005. Towards newer molecular targets for chronic diabetic complications. *Current Vascular Pharmacology*. 4(1):45–57.
- Kodikonda, Madhuri, and Prakash Ramachandra Naik. 2017. Ameliorative effect of borneol, a natural bicyclic monoterpene against hyperglycemia, hyperlipidemia and oxidative stress in streptozotocin-induced diabetic wistar rats. *Biomedicine and Pharmacotherapy*. 96(8):336–47.
- Koneri, R and Suman, S. 2014. Antidiabetic activity of a triterpenoid saponin isolated from *Momordica cymbalaria* Fenzl. *Indian Journal of Experimental Biology*. 52:46–52.
- Konsue, Ampa, Chayan Picheansoonthon, and Chusri Talubmook. 2017. Fasting blood glucose levels and hematological values in normal and streptozotocin-induced diabetic rats of *Mimosa pudica* L. extracts. *Pharmacognosy Journal*. 9(3):315–22.
- Krishnaswamy, N. R and Niranjan, R. 1995. Sesquiterpene lactones from *Enhydra fluctuans*. *Phytochemistry*. 38(2):433–35.
- Kumar, Di, Jyoti, G, Sunil, K, Renu, A, Tarun, K and Ankit, G. 2012. Pharmacognostic evaluation of *Cayratia trifolia* (Linn.) leaf. *Asian Pacific Journal of Tropical Biomedicine* 2(1):6–10.
- Kumar, S, Kumar, V and Prakash, O. 2011. Pharmacognostic study and anti-inflammatory activity of *Callistemon lanceolatus* leaf. *Asian Pacific Journal of Tropical Biomedicine*. 1(3):177–81.
- Kumar, SP, Patro, VJ, Dinda, SC, and Nayak, DP. 2012. Hepatoprotective activity of *Enhydra fluctuans* Lour. aerial parts against CCl₄ induced hepatotoxicity in rats. *International Journal of Research in Ayurveda and Pharmacy*. 3(6):893–96.

- Kunle, OF, Egharevba, HO, Ahmadu, PO. 2012. Standardization of herbal medicines: A review. *International Journal of Biodiversity and Conservation* 4(3):101–12.
- Kurakane, S, Noriko, Y, Hideyo, S and Kiharu, K. 2011. Anti-diabetic effects of *Actinidia arguta* polyphenols on rats and KK-A_Y mice. *Food Science and Technology Research*. 17(2):93–102.
- Kuri, S, Billah, M, Rana, SMM, Naim, Z, Islam M, Hasanuzzaman, Ali, R, Banik, R. 2014. Phytochemical and in vitro biological investigations of methanolic extracts of *Enhydra fluctuans* Lour. *Asian Pacific Journal of Tropical Biomedicine Journal*. 4(4):299–305.
- Lang, CH. 1992. Tumor necrosis factor impairs insulin action on peripheral glucose disposal and hepatic glucose output. *Endocrinology*. 130(1):43–52.
- Lau, Kit-man, Kwok-kin Lai, Cheuk-lun Liu, Jacqueline Chor-wing Tam, Ming-ho To, Hin-fai Kwok, Ching-po Lau, Chun-hay Ko, Ping-chung Leung, Kwok-pui Fung, Simon Kar-sing Poon, and Clara Bik-san Lau. 2012. Synergistic interaction between astragali radix and rehmanniae radix in a chinese herbal formula to promote diabetic wound healing. *Journal of Ethnopharmacology*. 141:250–56.
- Lee, Sang Il, Jeong Sook Kim, Sung Hee Oh, Kun Young Park, Hyun Goo Lee, and Soon Dong Kim. 2008. Antihyperglycemic effect of *Fomitopsis pinicola* extracts in streptozotocin-induced diabetic rats. *Journal of Medicinal Food* 11(3):518–24.
- Levinthal, GN and Tavill, A.1999. Liver disease and diabetes mellitus. *Clinical Diabetes* 17:73–81.
- Li, S, Nosratola, DV, Yuichi, M, Mohammad Hajighasemi-ossareh, Lourdes, R, Aimee Le, Kelly Vo, Jefferson YC, Clarence, EF, Michael JS and Hirohito, I. 2015. Pharmacological activation of nrf2 pathway improves pancreatic islet isolation and transplantation. *Cell Transplantation*. 24(714):2273–83.
- Lippi, G, Giovanni, T, Gian, LS and Gian, CG. 2014. Increased red blood cell distribution width (rdw) is associated with higher glycosylated hemoglobin (HbA_{1c}) in the elderly. *Clinical Laboratory*. 60(12):2095–98.
- Lorenzati B, Zucco C, Miglietta S, Lamberti F, Bruno G. 2010. Oral hypoglycemic drugs: pathophysiological basis of their mechanism of action. *Pharmaceuticals*. 3(9):3005-3020.
- Mabhida, Sihle E., Phiwayinkosi V. Dlodla, Rabia Johnson, Musawenkosi Ndlovu, Johan Louw, Andy R. Opoku, and Rebamang A. Mosa. 2018. Protective effect of triterpenes against diabetes-induced β -cell damage: an overview of in vitro and in vivo studies. *Pharmacological Research*. 137:179–92.
- Mabhida, SE, Rebamang A. Mosa, Dambudzo Penduka, Foluso O. Osunsanmi, Phiwayinkosi V Dlodla, Tryana G. Djarova, and Andy R. Opoku. 2017. A lanosteryl triterpene from *Protorhus longifolia* improves glucose tolerance and pancreatic beta cell ultrastructure in

type 2 diabetic rats. *Molecule*. 22(1252):1–11.

Mahmoud, AM., Omnia, EH, Sanaa, M. Abd El-Twab and Walaa G. Hozayen. 2019. Ferulic Acid protects against methotrexate nephrotoxicity: via activation of Nrf2/ARE/HO-1 signaling and PPAR γ , and suppression of NF-KB/NLRP3 inflammasome axis. *Food and Function*. 10(8):4593–4607.

Malviya, N, Sanjay, J and Sapna, M. 2010. Antidiabetic potential of medicinal plants: Review. *Acta Poloniae Pharmaceutica and Drug Research*. 67(2):113–18.

Matsuda, M and R. DeFronzo. 1999. Insulin sensitivity indices obtained from comparison with the euglycemic insulin clamp. *Diabetes Care*. 22(9):1462–70.

Metwally, NS., Azza, MM and Fatma, SE. 2012. Chemical Constituents of the Egyptian plant *Anabasis articulata* (Forssk) Moq and its antidiabetic effects on rats with streptozotocin-induced diabetic hepatopathy. *Journal of Applied Pharmaceutical Science*. 02(04):54–65.

Misra, H, Manish, S, Narendra, S, Darshana, M, Mehta, BK and Jain, DC. 2011. Antidiabetic activity of medium-polar extract of *Stevia rebaudiana* Bert. (Bertoni) on alloxan-induced diabetic rats. *J Pharm Bioall Sci*. 2011;3:242-8. 3(2):242–48.

Mojab, F, Kamalinejad, M, Ghaderi, N, Vahidipour, HR. 2003. Phytochemical screening of some species of Iranian plants. *Iranian Journal of Pharmaceutical Research*. 13:77–82.

More, TA, Bhaskar, RK, Megha, LN and Akalpita, UA. 2014. Antidiabetic activity of linalool and limonene in streptozotocin-induced diabetic rat: A combinatorial therapy approach. *International Journal of Pharmacy and Pharmaceutical Sciences*. 6(8):159–63.

Müller, S, Martin, S, Koenig, W, Hanifi-Moghaddam, P, Rathmann, P, Haastert, P, Giani, G, Illig, T, Thorand, B and Kolb, H. 2002. Impaired glucose tolerance is associated with increased serum concentrations of interleukin 6 and co-regulated acute-phase proteins but not tnf- α or its receptors. *Diabetologia*. 45(6):805–12.

Murali, R, Arumugam, K and Ramalingam, S. 2013. Protective effects of d-limonene on lipid peroxidation and antioxidant enzymes in streptozotocin-induced diabetic rats. *Basic and Clinical Pharmacology and Toxicology*. 112(3):175–81.

Naidu, PB, Ponmurugan, P, Begum, MS, Mohan, K, Meriga, B, RavindarNaik, R, Saravanan, G. 2015. Diosgenin reorganises hyperglycaemia and distorted tissue lipid profile in high-fat diet-streptozotocin-induced diabetic rats. *Sci Food Agric*. 95(15):3177-82.

Nannipieri, M, Gonzales, C, Baldi, S, Posadas, R, Williams, K, Haffner, S.M, Stern, M.P, Ferrannini, E. 2005. Liver enzymes, the metabolic syndrome, and incident diabetes: the Mexico city diabetes study. *Diabetes Care* 28(7):1757–62.

Nazarian-samani, Z, Robert, DE. Sewell, Zahra, L and Mahmoud Rafeieian-kopaei. 2018. Medicinal plants with multiple effects on diabetes mellitus and its complications: a

- systematic review. *Current Diabetes Reports*. 18(72):1–13.
- Ncube, B., J. J. Nair, L. Rárová, M. Strnad, J. F. Finnie, and J. Van Staden. 2015. Seasonal pharmacological properties and alkaloid content in *Cyrtanthus contractus* N.E. Br.” *South African Journal of Botany* 97:69–76.
- Nikam, PH, Joseph, K, Aruna, J, Vilasrao, K and Aruna, J. 2012. Future trends in standardization of herbal drugs. *Journal of Applied Pharmaceutical Science*. 02(06):38–44.
- Ningdyah, WA, Andi, HA and Afghani, J. 2015. Uji toksisitas dengan metode BSLT (Brine shrimp lethality test) Terhadap hasil fraksinasi ekstrak kulit buah tampoi (*Baccaurea macrocarpa*). *JKK*. 4(1):75–83.
- Nolfe, G, Maria, RS, Rita, WS, Giuseppe, M and Melania, M. 2012. Beyond the morphology of the glucose curve following an oral glucose tolerance test in obese youth. *European Journal of Endocrinology*. 166(1):107–14.
- Nunes, JM and Ethersia, P. 2019. Red blood cell membrane cholesterol in type 2 diabetes mellitus. *Thrombosis Research*. 178(April):91–98.
- Odoh, UE, Onugha, VO and Chukwube, VO. 2016. Evaluation of antidiabetic effect and hematological profile of methanol extract of *Ceiba pentandra* (Malvaceae) stem bark on alloxan-induced diabetic rats. *African Journal of Pharmacy and Pharmacology*. 10(28):584–90.
- Oyedemi, OO, Adewusi, EA, Aiyegoro, OA and Akinpelu, DA. 2011. Antidiabetic and haematological effect of aqueous extract of stem bark of *Azelia africana* (Smith) on streptozotocin-induced diabetic Wistar rats. *Asian Pacific Journal of Tropical Biomedicine*. 1(5):353–58.
- Panigrahi, R and Bhatnagar, S. 2015. Cytotoxic, phytochemical and antioxidant potential of marshy herb *Enhydra fluctuans* Lour. *International Journal of Ethnobiology and Ethnomedicine*. 1(1):1–5.
- Perego, C, Lorenzo DD, Angela, P, Alessandra, G, Alberico, LC and Giuseppe, DN. 2019. Cholesterol metabolism, pancreatic β -cell function and diabetes. *Biochimica et Biophysica Acta - Molecular Basis of Disease* 1865(9):2149–56.
- Phillips, PJ. 2012. Oral glucose tolerance testing. *Australian Family Physician*. 41(6):391–93.
- Pithon, MM 2013. Importance of the Control group in scientific research. *Dental Press Journal of Orthodontics*. 18(6):13–14.
- Prabhakar, P.K., Doble, M. 2008. A target based therapeutic approach towards diabetes mellitus using medicinal plants. *Curr. Diabetes Rev* 4(4):291–308.

- Prasad, SK., Alakh, NS and Hemalatha, S. 2012. Cytomorphological and physicochemical evaluations of *Cryptocoryne spiralis*. *Journal of Herbs, Spices and Medicinal Plants*. 18(4):304–17.
- Panigrahi, R and Bhatnagar, S. 2015. Cytotoxic, phytochemical and antioxidant potential of marshy herb *Enhydra fluctuans* Lour. *International Journal of Ethnobiology and Ethnomedicine* 1(1):1–5.
- Rahmatullah, M, Azam, NK, Khatun,Z, Seraj, K, Islam, F, Rahman, A, Jahan, S , Aziz, S. 2012. Medicinal plants used for treatment of diabetes by the Marakh Sect of the Garo Tribe living in Mymensingh District , Bangladesh. *Afr J Tradit Complement Altern Med*. 9(3):380-385.
- Ramadan, KS, Olfat, AK, Enas, ND, Hanan, SA and Najla, OA. 2013. Hypoglycemic and hepatoprotective activity of *Rosmarinus officinalis* extract in diabetic rats. *Journal of Physiology and Biochemistry*. 69(4):779–83.
- Reaven, GM. 2005. Compensatory hyperinsulinemia and the development of an atherogenic lipoprotein profile: the price paid to maintain glucose homeostasis in insulin-resistant individuals. *Endocrinology and Metabolism Clinics of North America*. 34(1):49–62.
- Reddy, M and Alka, C. 2010. Pharmacognostical studies of *Hymenodictyon orixence* (Roxb.) Mabb. leaf. *International Journal of Ayurveda Research*. 1(2):103.
- Ren, B, Weiwei, Q, Feihua, W, Shanshan, W, Cheng, P, Liying, W, Biao, Z, Shiping, M, and Jingyu, L. 2016. Apigenin and naringenin regulate glucose and lipid metabolism, and ameliorate vascular dysfunction in type 2 diabetic rats. *European Journal of Pharmacology*. 773:13–23.
- Rosenstock, J, Dale, A, Andreas, LB, Thalia, MB, Srikanth, D, Jacob, BJ, Pierre, S, Rafael, V, Hirotaka, W and Melanie, D. 2019. Effect of additional oral semaglutide vs sitagliptin on glycated hemoglobin in adults with type 2 diabetes uncontrolled with metformin alone or with sulfonylurea: The PIONEER 3 randomized clinical trial. *JAMA - Journal of the American Medical Association*. 321(15):1466–80.
- Rourke, JL, Queenie, H and Robert, AS. 2018. AMPK and friends: central regulators of β cell biology. *Trends in Endocrinology and Metabolism*. 29(2):111–22.
- Russell-Jones, D and Rehman, K. 2007. Insulin-associated weight gain in diabetes -causes, effects and coping strategies. *Diabetes, Obesity and Metabolism*. 9(6):799–812.
- Saha, M, Shahanoor, R, Nishat, R, Israt, JT, Sohel, R and Mohammed, R. 2017. An herbal formulation containing *Zingiber officinale* rhizomes and *Allium sativum* cloves can increase oral glucose tolerance in mice. *Biology, Engineering and Medicine*. 2(1):1–3.
- Saha, S and Santanu, P. 2019. A review on phytochemical constituents and pharmacological properties of *Enhydra fluctuans* Lour. *Journal of Pharmacognosy and Phytochemistry*. 8(2):887–93.

- Sakamoto, K, Fumiyo, K, Kazutomi, Y, Akemi, O, Toshiyuki, S, Koji, T, Kazuhiko, S, Munehide, M, Hideaki, K, Hiroshi, M, Hiromu, N, Atsunori, K, and Kesuke, K. 2013. Usefulness of a novel system for measuring glucose area under the curve while screening for glucose intolerance in outpatients. *Journal of Diabetes Investigation*. 4(6):552–59.
- Sakshi, B and Wakode, S. 2016. Standarization of *Artabotrys hexapetalus*. *International Journal of Pharmacognosy and Phytochemical Research*. 8(3):398–406.
- Salehi, M, Benedict, A and David, AD. 2012. Effect of glycemia on plasma incretins and the incretin effect during oral glucose tolerance test. *Diabetes*. 61(11):2728–33.
- Samra, M and Antoine CA. 2012. False estimates of elevated creatinine. *The Permanente Journal*. 16(2):51–52.
- Sannigrahi, S, Upal, KM, Dilip, KP, Arijit, M and Souvik, R. 2009. Hepatoprotective potential of flavonoid rich fraction of *Enhydra fluctuans* against CCl₄-induced oxidative damage in rats. *Pharmacologyonline*. 2:575–86.
- Sannigrahi, S, Upal, KM, Dilipkumar, P, Silpi, LM and Subhasis, M. 2011. Flavonoids of *Enhydra fluctuans* exhibits analgesic and antiinflamantory activity in different animal models. *Pak. J. Pharm. Sci.* 24(3):369–75.
- Santos, FA, Julyanne, TF, Bruno, RA, Tiago, SDM, Armenio André De Carvalho Almeida Da Silva, Gerly Anne De Castro Brito, Mariana, HC and Vietla, SR. 2012. Antihyperglycemic and hypolipidemic effects of α,β -amyrin, a triterpenoid mixture from *Protium heptaphyllum* in mice. *Lipids in Health and Disease*. 11:1–8.
- Sapna, S, Kondalkar, A, Tailang, M and Pathak, AK. 2008. Pharmacognostic and phytochemical investigation of *Stevia rebaudiana*. *Pharmacognosy Magazine*. 4(13):89–95.
- Saravanan, S and Leelevinothan, P. 2015. Role of Thymol on hyperglycemia and hyperlipidemia in high fat diet-induced type 2 diabetic C57BL/6J mice. *European Journal of Pharmacology*. 761:279–87.
- Sarkar, P and Arindam, D. 2016. Evaluation of antioxidant activity of *diplazium esculentum* and *Enhydra fluctuans* of West Bengal. *IOSR Journal of Pharmacy and Biological Sciences (IOSR-JPBS)*. 11(6):45–50.
- Sarma, DSK and Babu, AVS. 2011. Pharmacognostic and phytochemical studies of *Ocimum americanum*. *Journal of Chemical and Pharmaceutical Research*. 3(3):337–47.
- Sarma, U, Borah, VV, Saika, KKR, Hazarika, NK. 2014. *Enhydra fluctuans*: A Review on its pharmacological importance as a medical plant and prevalence and use in North-East India. *International Journal of Pharmacy and Pharmaceutical Sciences*. 6(2):48–50.
- Sayeed, SR, Hossain, A, Shahnaz, R and Ishtiaq, A. 2015. Polyherbal formulation for lowering blood glucose levels : Evaluation of a combination of *Foeniculum vulgare* and *Brassica alba*

- seeds. *World Journal of Pharmacy and Pharmaceutical Science*. 4(10):79–85.
- Scheff, JD, Richard RA, Debra CD, William, JJ and Ioannis, PA. 2011. Assessment of pharmacologic area under the curve when baselines are variable. *Pharmaceutical Research*. 28(5):1081–89.
- Schwinghammer, TL. 2012. “Endocrinologic Disorders.” in *Pharmacotherapy Handbook*, edited by T. Wells, BG, DiPiro, JT, Schwinghammer. McGraw-Hill Education. New York.
- Selles, C, Houria, M, Mohammed El, Amine, D, Meriem, Z and Boufeldja, T. 2012. Anti-diabetic activity of aqueous root extract of *Anacyclus pyrethrum* in streptozotocin-induced-diabetic rats. *Journal of Medicinal Plants Research* 6(16):3193–98.
- Senn, JJ, Peter, JK, Irena, AN and Robert, AM. 2002. Interleukin-6 induces cellular insulin resistance in hepatocytes. *Diabetes*. 51(12):3391–99.
- Sharma, B, Ashwani, M and Rajesh, D. 2018. Mechanistic approach of anti-diabetic compounds identified from natural sources. *Chemical Biology Letters*. 5(2):63–99.
- Sharma, P and Sadhana, S. 2018. Ayurvedic perspective of drug standardization. *International Journal of Research and Analytical Reviews*. 5(2):1801–2.
- Shehata, AM, Bettio, S, Jauch, J, Scior, T, Scherbaum, WA and Ammon, HPT. 2015. 11-Keto- β -boswellic acids prevent development of autoimmune reactions, insulinitis and reduce hyperglycemia during induction of multiple low-dose streptozotocin (mld-stz) diabetes in mice. *Horm Metab Res. Research*. 47:463–69.
- Sheikh, BA, Leelavinothan, P, AR and Ramasamy, C. 2015. Trans-anethole, a terpenoid ameliorates hyperglycemia by regulating key enzymes of carbohydrate metabolism in streptozotocin induced diabetic rats. *Biochimie*. 112:57–65.
- Singh, LW 2011. Traditional Medicinal plants of manipur as anti-diabetics. *Journal of Medicinal Plants Research*. 5(5):677–87.
- Singh, S, Mamta, F, Sadat, A, Muhamad, A, Fahad A. Al-Abbasi, Imran, K and Firoz, A. 2014. Antidiabetic Potential of triterpenoid saponin isolated from *Primula denticulate*. *Pharmaceutical Biology*. 52(6):750–55.
- Somani, R. S and Singhai, K. 2008. Hypoglycaemic and antidiabetic activities of seeds of *Myristica fragrans* in normoglycaemic and alloxan-induced diabetic rats. *Asian Journal of Experimental Sciences*. 22(1):95–102.
- Tafesse, TB, Ariaya, H, Yalemtehay, M and Mekuria, T. 2017. Antidiabetic activity and phytochemical screening of extracts of the leaves of *Ajuga remota* Benth on alloxan-induced diabetic mice. *BMC Complementary and Alternative Medicine*. 17(1):1–9.

- Tanabe, K, Kikuko Amo-Shiinoki, Masayuki, H and Yukio, T. 2017. Interorgan crosstalk contributing to β -cell dysfunction. *Journal of Diabetes Research*. 2017:1–8.
- Tarak, D, Nima, DN, Sumpam, T, Arya, SC and Bhaskar, R. 2011. An inventory of the ethnobotanicals used as anti-diabetic by a rural community of Dhemaji District of Assam, Northeast India. *Journal of Ethnopharmacology*. 1 138:345–50.
- Taskinen, M. R. 2003. Diabetic dyslipidaemia: from basic research to clinical practice. *Diabetologia*. 46(6):733–49.
- Tohma, H, Ahmet, A, Ekrem, K, Ahmet, CG and İlhami, G. 2019. Measurement of anticancer, antidiabetic and anticholinergic properties of sumac (*Rhus coriaria*): analysis of its phenolic compounds by LC–MS/MS. *Journal of Food Measurement and Characterization*. 13(2):1607–19.
- Toma, A, Eyasu, M, Asfaw, D and Birhanu, T. 2012. Antihyperglycemic effect on chronic administration of butanol fraction of ethanol extract of *Moringa stenopetala* leaves in alloxan induced diabetic mice. *Asian Pacific Journal of Tropical Biomedicine* 2:S1606–10.
- Toma, A, Eyasu, M, Yelamtsehay, M, Asfaw, D and Sirichai, A. 2015. Antidiabetic activities of aqueous ethanol and n-butanol fraction of *Moringa stenopetala* leaves in streptozotocin-induced diabetic rats. *BMC Complementary and Alternative Medicine*. 15(1):1–8.
- Tschritter, O, Andreas, F, Fatemeh, S, Fausto, M, Hans, H and Michael, S. 2003. Assessing the shape of the glucose curve during an oral glucose tolerance test. *Diabetes Care*. 26(4):1026–33.
- Udayakumar, R, Sampath, K, Thankaraj, SM, Manoharan, R, Vasudevan, RA, Sei Chang Kim, Andy, G and Chang, WC. 2009. Hypoglycaemic and hypolipidaemic effects of *Withania somnifera* root and leaf extracts on alloxan-induced diabetic rats. *International Journal of Molecular Sciences* 10(5):2367–82.
- Udeogu, C, Ejiofor, CC and Nwakulite, A. 2019. Effects of *Moringa oleifera* leaves methanolic extract on alloxan- induced diabetic albino rats. *Asian Journal of Research in Medical and Pharmaceutical Sciences*. 7(2):1–8.
- Vallon, V and Radko, K. 2011. Pathophysiology of the diabetic kidney. *Compr Physiol*. 1(3):1175–1232.
- Verma, N, and Khosa, RL. 2012. Development of standardization parameters of *Costus speciosus* rhizomes with special reference to its pharmacognostical and HPTLC Studies. *Asian Pacific Journal of Tropical Biomedicine*. S276–83.
- Verma, PR, Prakash, RI and Sumit KA. 2013. Evaluation of antidiabetic antihyperlipidemic and pancreatic regeneration, potential of aerial parts of *Clitoria ternatea*. *Rev Bras Farmacogn*. 23:819–29.

- Wang, YZ, Lei, Y and Chuan, FL. 2018. Protective effect of atorvastatin mediated by HMGCR gene on diabetic rats with atherosclerosis: An in vivo and in vitro study. *Biomedicine and Pharmacotherapy*. 104:240–51.
- Wojdyło, A, Paulina, N, Ángel, Carbonell-Barrachina, A and Francisca, H. 2016. Phenolic compounds, antioxidant and antidiabetic activity of different cultivars of *Ficus carica* L. fruits.” *Journal of Functional Foods* 25:421–32.
- Wolf, G and Fuad NZ. 1999. Molecular mechanisms of diabetic renal hypertrophy. *Kidney International*. 56(2):393–405.
- Yuan, T, Ting, Y, Huan, C, Danli, F, Yangyang, H, Jing, W, Qing, Y, Hong, Yu, Wenfeng Xu and Xiang Xie. 2019. New insights into oxidative stress and inflammation during diabetes mellitus-accelerated atherosclerosis. *Redox Biology*. 20(2018):247–60.
- Zafar, M and Syed Naeem-ul-Hassan Naqvi. 2010. Effects of STZ-Induced diabetes on the relative weights of kidney, liver and pancreas in albino rats: A comparative study. *Int. J. Morphol.* 28(1):135–42.
- Zhang, C, Todorov, I, Lin, CL, Atkinson, M, Kandeel, F, Forman, S and Zeng, D. 2007. Elimination of insulinitis and augmentation of islet beta cell regeneration via induction of chimerism in overtly diabetic NOD mice. *Proceedings of the National Academy of Sciences*. 104(7):2337–42.
- Zhou, W, Yanyun Gu, Hong Li and Min Luo. 2006. Assessing 1-h plasma glucose and shape of the glucose curve during oral glucose tolerance test. *European Journal of Endocrinology*. 155(1):191–97.
- Zhu, Y, Qian Liu, Zhiguang Zhou and Yasuhiro, I. 2017. PDX1, neurogenin-3, and mafa: critical transcription regulators for beta cell development and regeneration. *Stem Cell Research and Therapy*. 8(1):1–7.

