


**GAMBARAN KARAKTERISTIK PASIEN DENGAN SPONDILITIS
TUBERKULOSIS DI RSUP M DJAMIL PADANG TAHUN 2018 - 2020**



**FAKULTAS KEDOKTERAN
UNIVERSITAS ANDALAS
PADANG
2022**

ABSTRACT

CHARACTERISTICS OF PATIENTS WITH TUBERCULOUS SPONDYLITIS AT RSUP.DR. M. DJAMIL PADANG IN 2018 – 2020

By
Salsa Naudzul Athiyyah

Tuberculosis is an infectious disease caused by Mycobacterium tuberculosis which has long been known and is still one of the top 10 causes of death in the world. Tuberculous spondylitis is one of the most common extrapulmonary tuberculosis. This study aims to describe the characteristics of patients diagnosed with tuberculous spondylitis at RSUP Dr. M. Djamil Padang in 2018 – 2020.

This research is a descriptive observational study with a retrospective approach. The sampling method in this study was total sampling with the number of samples in this study was 80 samples. The instrument used in this study is secondary data from medical records. The data obtained will be processed by univariate analysis which will be presented in a frequency distribution table.

The results of this study found that the majority of tuberculous spondylitis patients were in the age group 17-25 years (25%), the ratio between male and female sex was 1:1, the majority of patients came from outside the city of Padang (78.8%), most occupations are housewives (27.5%), and most have no family history of tuberculosis (80%). Local pain was the most common clinical manifestation, as many as 70 people and the most common location of the lesion was in the thoracic region (45%).

Keywords : Tuberculous Spondylitis, tuberculosis, characteristic

ABSTRAK

GAMBARAN KARAKTERISTIK PASIEN DENGAN SPONDILITIS TUBERKULOSIS DI RSUP DR. M. DJAMIL PADANG TAHUN 2018 – 2020

Oleh
Salsa Naudzul Athiyyah

Tuberkulosis merupakan penyakit infeksi menular yang disebabkan oleh *Mycobacterium tuberculosis* telah lama dikenal dan sampai saat ini masih menjadi salah satu dari 10 penyebab kematian di dunia. Spondilitis tuberkulosis merupakan salah satu tuberkulosis ekstraparu yang paling sering dijumpai. Penelitian ini bertujuan untuk mengetahui gambaran karakteristik pasien yang didiagnosis spondilitis tuberkulosis di RSUP Dr. M. Djamil Padang tahun 2018 – 2020.

Jenis penelitian ini merupakan penelitian deskriptif observasional dengan pendekatan retrospektif. Metode pengambilan sampel pada penelitian ini adalah *total sampling* dengan jumlah sampel pada penelitian ini adalah 80 sampel. Instrumen yang digunakan pada penelitian ini merupakan data sekunder dari rekam medis. Data yang diperoleh akan diolah dengan analisis univariat yang kemudian akan disajikan ke dalam tabel distribusi frekuensi.

Hasil penelitian ini di dapatkan sebagian besar pasien spondilitis tuberkulosis berada di kelompok usia 17 – 25 tahun (25%), perbandingan antara jenis kelamin laki – laki dan perempuan adalah 1:1, mayoritas pasien berasal dari luar Padang (78,8%), pekerjaan terbanyak adalah sebagai ibu rumah tangga (27,5%), dan sebagian besar tidak memiliki riwayat keluarga dengan tuberkulosis (80%). Nyeri lokal merupakan manifestasi klinis yang paling banyak dialami yaitu sebanyak 70 orang dan lokasi lesi paling sering berada di regio thorakal (45%).

Kata kunci : Spondilitis tuberkulosis, tuberkulosis, karakteristik