

## DAFTAR PUSTAKA

1. Dendang B. Struktur dan komposisi tegakan hutan di Taman Nasional Gunung Gede Pangrango, Jawa Barat. 2015;1(C):691–5.
2. Huneck S, Yoshimura I. Identification of Lichen Substances. 1996.
3. Balaji P, G.N. Hariharan. In vitro Antimicrobial Activity of Parmotrema praesorediosum Thallus Extracts. Vol. 2, Research Journal of Botany. 2007. p. 54–9.
4. Aravind SR, Sreelekha TT, Dileep Kumar BS, Kumar SN, Mohandas C. Characterization of three depside compounds from a Western Ghat lichen *Parmelia erumpens* Kurok with special reference to antimicrobial and anticancer activity. RSC Adv. 2014;4(65):34632–43.
5. Plaza CM, De Salazar CP, Vizcaya M, Rodríguez-Castillo CG, Medina-Ramírez GE, Plaza RE. Potential antifungal activity of *Cladonia* aff. *rappii* A. Evans. J Pharm Pharmacogn Res. 2017;5(5):301–9.
6. Plaza CM, De Torres LED, Lücking RK, Vizcaya M, Medina GE. Antioxidant activity, total phenols and flavonoids of lichens from Venezuelan Andes. J Pharm Pharmacogn Res. 2014;2(5):138–47.
7. Lage TCA, Maciel TMS, Mota YCC, Sisto F, Sabino JR, Santos JCC, et al. In vitro inhibition of *Helicobacter pylori* and interaction studies of lichen natural products with jack bean urease. New J Chem. 2018;42(7):5356–66.
8. Tandon R, Khanna RD, Dorababu M, Goel RK. Oxidative stress and antioxidants status in peptic ulcer and gastric carcinoma. Indian J Physiol Pharmacol. 2004;48(1):115–8.
9. Ranković B. Lichen secondary metabolites: Bioactive properties and pharmaceutical potential. Lichen Secondary Metabolites: Bioactive Properties and Pharmaceutical Potential. 2015. 1–202 p.

10. Direktorat Jenderal Bina Kefarmasian dan alat Kesehatan. Profil Kefarmasian dan Alat Kesehatan 2011 Direktorat Jenderal Bina Kefarmasian dan Alat Kesehatan. 2012. 53 p.
11. Taylor TN, Hass H, Kerp H. A cyanolichen from the lower Devonian Rhynie chert. *Am J Bot.* 1997;84(7):992–1004.
12. Ahmadjian V. *The lichen symbiosis.* John Wiley & Sons; 1993.
13. Nash T. *lichen Biology.*
14. Ahti T. Cladoniaceae. *Flora Neotrop.* 2000;1–362.
15. GBIF. taksonomi cladonia rappii [Internet]. [cited 2021 Jan 10]. Available from: <https://www.gbif.org/species/3390682>
16. Ahti T, Thomson JW. The Lichen Genus Cladonia in North America. *Bryologist.* 1968;71(3):292.
17. Goward T. *The Lichens of British Columbia Illustrated Keys Part 2 - Fruticose Species.* 1999;327.
18. Ranković B. Lichen secondary metabolites: Bioactive properties and pharmaceutical potential. *Lichen Secondary Metabolites: Bioactive Properties and Pharmaceutical Potential.* 2015. 1–202 p.
19. Burkholder PR, Evans AW, McVeigh I, Thornton HK. Antibiotic Activity of Lichens. *Proc Natl Acad Sci.* 1944;30(9):250–5.
20. Waring B. Light exposure affects secondary compound diversity in lichen communities in Monteverde, Costa Rica. *Pennscience.* 2008;6(2):11–3.
21. Tjitrosoepomo G. *Taksonomi tumbuhan (Schizophyta, Thallophyta, Bryophyta, Pterodophyta).* Gadjah Mada University Press; 1994.
22. Stenroos S. The family Cladoniaceae in Melanesia. 3. Cladonia sections Helopodium, Perviae and Cladonia. In: *Annales Botanici Fennici.* JSTOR; 1988.

p. 117–48.

23. Kosanić M, Ranković B, Stanojković T, Rančić A, Manojlović N. Cladonia lichens and their major metabolites as possible natural antioxidant, antimicrobial and anticancer agents. *LWT - Food Sci Technol.* 2014;59(1):518–25.
24. Pandey A, Composite ALA, Group P. Lichens : A Resource Chest of Herbal Antimicrobial Compounds. 2017;9(2):137–46.
25. Bugni TS, Andjelic CD, Pole AR, Rai P, Ireland CM, Barrows LR. Biologically active components of a Papua New Guinea analgesic and anti-inflammatory lichen preparation. *Fitoterapia.* 2009;80(5):270–3.
26. Koch M, Kehop DA, Kinminja B, Sabak M, Wavimbukie G, Barrows KM, et al. An ethnobotanical survey of medicinal plants used in the East Sepik province of Papua New Guinea. *J Ethnobiol Ethnomed.* 2015;11(1):1–17.
27. Ismed F, Hartati SRI, Mulyadi R, Putra HE, Vidian NP. Isolasi Senyawa Depside-Depso done dari Lichen Sumatera ( *Stereocaulon halei* ) dan Uji Aktivitas Antimikroba serta Anti Tuberkulosis ( Isolation of Depside-Depso done Compound from Sumatran Linchen ( *Stereocaulon halei* ) and Antimicrobial Activity and Anti. *J Ilmu Farm Indones.* 2016;14(1):49–56.
28. Kosanić M, Ristić S, Stanojković T, Manojlović N, Ranković B. Extracts of five Cladonia lichens as sources of biologically active compounds. *Farmacia.* 2018;66(4):644–51.
29. Brisdelli F, Perilli M, Sellitri D, Piovano M, Garbarino JA, Nicoletti M, et al. Cytotoxic activity and antioxidant capacity of purified lichen metabolites: An in vitro study. *Phyther Res.* 2013;27(3):431–7.
30. Ranković B, Kosanić M, Stanojković T, Vasiljević P, Manojlović N. Biological activities of *toninia candida* and *usnea barbata* together with their norstictic acid and usnic acid constituents. *Int J Mol Sci.* 2012;13(11):14707–22.

31. Zaremba LS, Smoleński WH. Optimal portfolio choice under a liability constraint. *Ann Oper Res.* 2000;97(1–4):131–41.
32. Bačkorová M, Bačkor M, Mikeš J, Jendželovský R, Fedoročko P. Variable responses of different human cancer cells to the lichen compounds parietin, atranorin, usnic acid and gyrophoric acid. *Toxicol Vitr.* 2011;25(1):37–44.
33. De Barros Alves GM, De Sousa Maia MB, De Souza Franco E, Galvão AM, Da Silva TG, Gomes RM, et al. Expectorant and antioxidant activities of purified fumarprotocetraric acid from *Cladonia verticillaris* lichen in mice. *Pulm Pharmacol Ther.* 2014;27(2):139–43.
34. Süleyman H, Yildirim D, Aslan A, Göçer F, Gepdiremen A, Güvenalp Z. An investigation of the antiinflammatory effects of an extract from *Cladonia rangiformis* HOFFM. *Biol Pharm Bull.* 2002;25(1):10–3.
35. Karunaratne Veranja, Vinitha M. Thadhani SNK and MIC.  $\alpha$ -glucosidase inhibitors.pdf. 2014. p. 95–8.
36. Luo H, Li C, Kim JC, Liu YP, Jung JS, Koh YJ, et al. Biruloquinone, an acetylcholinesterase inhibitor produced by lichen-forming fungus *Cladonia macilenta*. *J Microbiol Biotechnol.* 2013;23(2):161–6.
37. Sarker SD, Latif Z, Gray AI. Natural Products Isolation: an overview. *Nat Prod Isol.* 2006;864:1–25.
38. Atun S. Metode Isolasi dan Identifikasi Struktural Senyawa Organik Bahan Alam. *J Konserv Cagar Budaya.* 2014;8(2):53–61.
39. DepkesRI. Parameter Standar Umum ekstrak Tumbuhan Obat. Jakarta; 2000.
40. Harborne JB. *Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis.* Springer Netherlands; 2012.
41. Sastrohamidjojo H, Press UGM, Press GMU. *Kromatografi.* Yogyakarta: Liberty; 1985.

42. Bintang M. Biokimia: teknik penelitian. Jakarta: Penerbit Erlangga; 2010.
43. Supratman U. Elusidasi Struktur Senyawa Organik. Bandung: Widya Padjadjaran. 2010;94–102.
44. Kosela S. Cara mudah dan sederhana penentuan struktur molekul berdasarkan spektra data (NMR, MASS, IR, UV). Lembaga Penerbit Fakultas Ekonomi Universitas Indonesia; 2010.
45. Handa SS. An Overview of Extraction Techniques for Medicinal and Aromatic Plants. In: *Extraction Technologies for Medicinal and Aromatic Plants*. 2008. p. 25.
46. Chaplin MF, Bucke C. Enzyme technology. CUP Archive; 1990.
47. McMurry J, Ballantine DS, Hoeger CA, Peterson VE, Castellion M. *Fundamentals of general, organic, and biological chemistry*. Pearson Education; 2010.
48. Blanco G, Blanco A. *Medical biochemistry*. Academic Press; 2017.
49. Umamaheswari M, Asokkumar K, Sivashanmugam AT, Remyaraju A, Subhadradevi V, Ravi TK. In vitro xanthine oxidase inhibitory activity of the fractions of *Erythrina stricta* Roxb. *J Ethnopharmacol*. 2009;124(3):646–8.
50. Cos P, Ying L, Calomme M, Hu JP, Cimanga K, Van Poel B, et al. Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. *J Nat Prod*. 1998;61(1):71–6.
51. Ngurah Wises I, Suastika K. Hubungan Antara Konsentrasi Asam Urat Serum Dengan Resistensi Insulin Pada Penduduk Suku Bali Asli Di Dusun Tenganan Pegringsingan Karangasem. *J Intern Med*. 2009;10(2).
52. Harris MD, Siegel LB, Alloway JA. Gout and hyperuricemia. *Am Fam Physician*. 1999;59(4):925.
53. Ahmad AR. Isolasi dan Elusidasi Struktur Antioksidan dan Penghambat Enzim

- xantin Oksidase Ekstrak Daun Pletekan (*Ruellia tuberosa* L.). Depok Univ Indones. 2012;
54. Murray RK, Granner DK RV. Biokimia Harper Edisi 27. Igarss 2014. 2009.
  55. Singh DP, Singh HB, Prabha R. Plant-microbe interactions in agro-ecological perspectives. *Plant-Microbe Interact Agro-Ecological Perspect.* 2017;1(September):1–657.
  56. Kumalaningsih S. Antioksidan Superoksida dismutase (SOD) Antioxidant centre. Com. 2008.
  57. Isnindar, Subagus Wahyuono EPS. Isolasi dan Identifikasi Senyawa Antioksidan Daun Kesemek (*Diospyros kaki* Thunb .) dengan Metode DPPH ( 2 , 2-Difenil-1- Pikrilhidrazil). *Maj Obat Tradis.* 2011;16(3):157–64.
  58. Zuhra CF, Tarigan JB, Sihotang H. Aktivitas Antioksidan Senyawa Flavonoid DARI Daun Katuk (*Sauropus androgunus* (L) Merr.). *J Biol Sumatra.* 2008;3(1):10–3.
  59. Rohmatussolihat P, Si S. Penyelamat Sel-Sel Tubuh Manusia. 2009;4(1):5–9.
  60. Panagan AT. Pengaruh Penambahan Tepung Wortel (*Daucus carota* L.) Terhadap Bilangan Peroksida dan Asam Lemak Bebas pada Minyak Goreng Curah. *Penelit Sains.* 2011;14(2):18–21.
  61. Amelia P. Isolasi, Elusidasi Strukt dan Uji Akt Antioksidan Senyawa Kim Dari Daun *Garcinia benthami* Pierre Tesis, Fak Mat Dan Ilmu Pengetah Alam, Univ Indones. 2011;
  62. Frengki. Isolasi, Elusidasi dan Uji Bioaktivitas Kandungan Kimia Fraksi Etil Asetat Kulit Batang Tanaman *Calophyllum macrophyllum* Scheff. Universitas Indonesia; 2010.
  63. Sadeer NB, Montesano D, Albrizio S, Zengin G, Mahomoodally MF. The versatility of antioxidant assays in food science and safety—chemistry,

- applications, strengths, and limitations. *Antioxidants*. 2020;9(8):1–39.
64. Huang Q, Xu L, Qu WS, Ye ZH, Huang WY, Liu LY, et al. TLC bioautography-guided isolation of antioxidant activity components of extracts from *Sophora flavescens* Ait. *Eur Food Res Technol*. 2017;243(7):1127–36.
65. Lin KW, Chen YT, Yang SC, Wei BL, Hung CF, Lin CN. Xanthine oxidase inhibitory lanostanoids from *Ganoderma tsugae*. *Fitoterapia* [Internet]. 2013;89(1):231–8. Available from: <http://dx.doi.org/10.1016/j.fitote.2013.06.006>
66. Kong Y, Li X, Zhang N, Miao Y, Feng H, Wu T, et al. Improved bioautographic assay on TLC layers for qualitative and quantitative estimation of xanthine oxidase inhibitors and superoxide scavengers. *J Pharm Biomed Anal*. 2018;150:87–94.
67. Nurmuhaimina SA, Maulia R, Yuniarti I, Umaningrum D. Uji Aktivitas Antioksidan Dari Ekstrak Campuran Tumbuhan Alang-Alang (*Imperata cylindrica*) Dan Lidah Ular (*Hedyotis corymbosa*) Sebagai Peredam Radikal Bebas Asam Linoleat. *J Sains Dan Terap Kim*. 2009;2(1):85–93.
68. Pham N-K-T, Nguyen HT, Dao T-B-N, Vu-Huynh KL, Nguyen T-Q-T, Huynh B-L-C, et al. Two new phenolic compounds from the lichen *Parmotrema cristiferum* growing in Vietnam. *Nat Prod Res* [Internet]. 2021;0(0):1–7. Available from: <https://doi.org/10.1080/14786419.2021.1892672>
69. Spectrometric identification of organic compounds - 7th Ed - Silverstein%2c Webster%2c Kiemle.pdf.
70. Torres-Benítez A, Rivera-Montalvo M, Sepúlveda B, Castro ON, Nagles E, Simirgiotis MJ, et al. Metabolomic Analysis of Two *Parmotrema* Lichens: *P. robustum* (Degel.) Hale and *P. andinum* (Mull. rg.) Hale Using UHPLC-ESI-OT-MS-MS. *Molecules*. 2017;22(11):1–12.
71. Ismed F, Arifa N, Zaini E, Bakhtiar A, Umeda D, Putra OD, et al. Ethyl

- haematommate from stereocaulon graminosum schaeer.: Isolation and crystal structure. *Nat Prod Sci.* 2018;24(2):115–8.
72. Kumar K, Siva B, Sarma VUM, Mohabe S, Reddy AM, Boustie J, et al. UPLC–MS/MS quantitative analysis and structural fragmentation study of five Parmotrema lichens from the Eastern Ghats. *J Pharm Biomed Anal* [Internet]. 2018;156:45–57. Available from: <https://doi.org/10.1016/j.jpba.2018.04.017>
73. Brakni R, Ali Ahmed M, Burger P, Schwing A, Michel G, Pomares C, et al. UHPLC-HRMS/MS Based Profiling of Algerian Lichens and Their Antimicrobial Activities. *Chem Biodivers.* 2018;15(4).
74. Molyneux P. The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin J Sci Technol.* 2004;26(December 2003):211–9.
75. Maesaroh K, Kurnia D, Al Anshori J. Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP dan FIC Terhadap Asam Askorbat, Asam Galat dan Kuersetin. *Chim Nat Acta.* 2018;6(2):93.
76. Poernomo AT, Nataly F. Profil bioautogram bakteriosin dalam sediaan susu probiotik. *Berk Ilm Kim Farm.* 2015;4(1):21–8.
77. Abdulhafiz F, Mohammed A, Kayat F, Bhaskar M, Hamzah Z, Podapati SK, et al. Xanthine oxidase inhibitory activity, chemical composition, antioxidant properties and GC-MS analysis of keladi candik (*Alocasia longiloba* Miq). *Molecules.* 2020;25(11).
78. Susanti H. 393-467-1-Sm(1).