

## DAFTAR PUSTAKA

- Abbas, T.E.E, and N.A. Musharaf. (2008). The effects of germination of low –tannin sorghum grains on its nutrient contents and broiler chicks performance. Pak. *J. Nutr*, 7: 470-474.
- Abun. (2008). *Hubungan mikroflora dengan metabolisme dalam saluran*. Universitas Padjajaran.: Makalah ilmiah. Jurusan Nutrisi dan Makanan Ternak. Fakultas Peternakan.
- Adams, O.L. and E.C. Naber. (1969). Effect of physical and chemical treatment of grains on growth of and feed utilization by the chick. 1. The effect of water and acid treatments of corn, wheat, barley and expanded or germinated grains on chick performance. *Poult. Sci*, 48: 853-858.
- Afsharmanesh M, Paghaleh A S and Kheirandish R. (2012). effects of sprouted and nonsprouted wheat and barley with and without enzyme on intestinal morphometry of broiler chickens. *Comparative Clinical Pathology*, 22: 5.
- Agustriana, R. (2008). *Perkecambahan dan Pertumbuhan Kecambah Leguminoceae dibawah Pengaruh Medan Magnet*. Prosiding Seminar Hasil Penelitian.
- Amrullah, K. L. (2002). *Nutrisi Ayam Broiler*. Bogor: Lembaga Satu Gunungbudi.
- Anderson, J.O., D.C. Dobson and R.K. Wagstaff. (1961). Studies on the value of hulless barley in chick diets and means of increasing this value. *Poult. Sci*, 40: 1571-1584.
- Anggorodi. (1994). *Ilmu Makanan Ternak Umum*. Jakarta : Gramedia Pustaka Utama.
- Anggorodi, R. (1985). *Ilmu Makanan Ternak Umum*. Jakarta: Gramedia Pustaka Utama.
- Aoki, N., Scofield, G., Wang, X., Offler, C., Patrick, J., & Furbank, R. (2006). Pathway of sugar transport in germinating wheat seeds. *Plant Physiol*, 141, 1255-1263.
- Astawan, M. (2003). *Tetap Sehat dengan Produk Makanan Olahan*. Solo: PT. Tiga Pustaka Mandiri.
- Blaxter, K. (1962). The Energy Metabolism of Ruminants. *Hutchinson, London*.

- Chavan, J. and Khadam, S.S. (1989). Nutritional improvement of cereals by sprouting. *Critical Reviews In Food Science And Nutrition*, 28 : 401-437.
- Cuddeford, D. (1989). Hydroponic grass. *In Practice 11 (5)*, 211-214.
- Daud, M. , M. A. Yaman, C.A. Fitri Dan A. Ratnawati. (2020). Penggunaan Pakan Nonkonvensional Sprouted Fodder For Chicken (Sf2c) Terfermentasi Pada Ayam Petelur. *Prosiding Seminar Teknologi Dan Agribisnis Peternakan VII–Webinar: Prospek Peternakan Di Era Normal Baru Pasca Pandemi COVID-19, Fakultas Peternakan Universitas Jenderal Soedirman, 27 Juni 2020, ISBN: 978-602-52203-2-6.*
- Ensminger, M. E. (1992). Animal Sciences. 6 th Ed. *The Interstate and Publisher, Inc. Danville, Illinois.*
- Farrel, D. (1974). Effect of dietary energy concentration on and utilization of energy by broiler composition determined from carcass analysis predicted using triniticum. *Poultry Science 15*, 24-41.
- Finney, P. ( 1982). Effect of germination on cereal and legume nutrient changes and food or feed value: A comprehensive review. *Recent Advanc. in Phytochem*, 17: 229-305.
- Hamid, F. (2001). *The effects of germination and fermentation processes on chemical composition and nutritional value of low - tannin grain sorghu*. M. Sc. Thesis, Faculty of Animal Production, University of Khartoum.
- Hassan, A.B., I.A.M. Ahmed, N.M. Osman, M.M. Eltayeb, G.A. Osman, dan E.E.Babiker. (2006). Effect of processing treatments followed by fermentation on protein content and digestibility of pearl millet (*Pennisetum thypoideum*) protein content and digestibility of pearl millet (*Pennisetum thypoideum*) cultivars. *Pakistan Journal Nutr*, 5(1): 86-89.
- Hung, V., Maeda, T., Yamamoto, S., & Morita, N. (2012). Effects of germination on nutritional composition of waxy wheat. *J. Sci. Food Agric*, 92, 667672.
- Lorenz, K. (1980). Sereal sprouts: composition, nutritive value, food applications. *Critical Reviews in Food Science and Nutrition*, 13(4): 353-385.
- Marton, Mandoki, Kiss and Csapo. (2010). The Role Of Sprouts In Human Nutrition. *Acta University Sapientiae Alimetaria*, 81-117.

- Maynard, L.A. Loosil, J.K. Hintz, H.F and Warner, R.G. (2005). *AnimalNutrition*. New York, USA: (7th Edition) McGraw-Hill Book Company.
- Mc Donald, P. R. (2002). *Animal Nutrition*. New York: 5 th Edition. Longman Scientific and Technical.
- Nio SA, Ballo M. (2010). Peranan air dalam perkecambahan biji. *Jurnal Ilmiah Sains*, 10: 190-195.
- Nithya, K. a. (2007). Effect of processing methods on nutritional and anti-nutritional qualities of hybrid (COHCU-8) and traditional (CO7) pearl millet varieties of India. *Journal of Biological Sciences*, 7 (4), 643-647.
- Nuroso. (2020). *Ayam Kampung Pedaging Hari Per Hari*. Jakarta: Penebar Swadaya.
- Rusydi, M., Noraliza, C., Azrina, A., & Zulkhairi, A. (2011). Nutritional changes in germinated legumes and rice varieties. *Int. Food Res. J*, 705-713.
- Sartika, T. ((2016). *Panen Ayam Kampung 70 Hari*. Jakarta: Penebar Swadaya.
- Scott, M. L., M. C. Neisheim and R. J. Young. (1982). Nutrition of The Chickens. Ithaca, New York. 2nd Ed. Publishing by : M.L. Scott and Assoc: Ithaca, New York.
- Sharif M, Hussain A and Subhani M. (2013). Use of sprouted grains in the diets of poultry and ruminants. *Paripex- Indian Journal of Research*, 2: 4-7.
- Shewry, R. J. (1995). Seed Storage Proteins : Stuctures and Biosynthesis. *The Plant Cell* 7, 945-956.
- Shipard, I. (2005). *How Can I grow and Use Sprouts as Living Food?* Stewart Publishing.
- Sibbald, I. R. (1976). *The effect of level of feed intake on metabolizme energyvalue*. Jakarta: Cet-I. Margie Group.
- Sibbald, I. R. (1980). *Metabolic plus endogenous energy and nitrogen losses of adult cockerels: The Correction Used in Bioassay for true metabolizable Energy*. Canada: Internasional Developompt Research Center.
- Sneath, R. and McIntosh, F. (2003). Review of hydroponic fodder production. *Project report.Meat and Livestock Australia pp*, 1-54.

- Steel,. R. G. D. dan Torrie, J. H. (1995). *Prinsip dan Prosedur Statistika Suatu Pendekatan Geometrik*. Terjemahan B. Sumantri. Jakarta: PT Gramedia.
- Stryer, L. (2000). *Biokimia Vol. 2 Edisi 4*. Jakarta: Buku Kedokteran EGC.
- Suprijatna, E. (2010). Strategi Pengembangan Ayam Lokal Berbasis Sumber Daya. *Prosiding Seminar Nasional Unggas*, (pp. Hal : 55 – 79).
- Sutardi. (1996). *Perubahan Kadar Vitamin E, B, dan Karoten selama perkecambahan Beberapa Kacang-Kacangan*. (laporan penelitian) Fakultas Teknologi Pertanian Universitas Gajah Mada.
- Sutopo, L. ( 1993). *Teknologi Benih*. edisi Revisi. Cetakan ke-3. Jakarta: PT Raja.
- Taylor, J. N. (1985). Protein body degradation in the starchy endosperm of germinating sorghum. *J. Exp.Bot*, 36, 1287-1295.
- Tian, B., Xie, B., Shi, J., Wu, J., Cai, Y., Xu, T., et al. (2010). Physicochemical changes of oat seeds during germination. *Food Chem*, 119, 1195-1200.
- Tillman, A. D. (1998). *Ilmu Pakan Dasar*. Yogyakarta: Gadjah Mada University Press.
- Tilman. (1991). *Ilmu Makanan Ternak Dasar*. Yogyakarta: Gajah Mada University Press.
- Tizazu S, Urga K, Belay A, Abuye C and Retta N. (2011). Effect of germination on mineral bioavailability of sorghum-based complementary foods. *African Journal of Food, Agriculture, Nutrition and Development*, 11: 5083-5095.
- Tjitosoepomo, G. (1994). *Morfologi Tumbuhan*. Yogyakarta: Gajah Mada University Press.
- Wahyu, J. (2004). *Kecernaan Protein*. Yogyakarta: Gajah Mada University Press.
- Youssef, M., El-Fishawy, F., Ramadan, E., & Abd El-Rahman, A. (2013). Nutritional assessment of barley, talbina and their germinated products. *Sci. J. Crop Sci*, 2, 8-19.

