

## Daftar Pustaka

- [1] Moravec and H. Peter, “Robot,” *Encyclopedia Britannica*, 2021. <https://www.britannica.com/technology/robot-technology> (accessed May 02, 2021).
- [2] D. J. Kriegman, E. Triendl, and T. O. Binford, “*Stereo vision and Navigation in Buildings for Mobile robots*,” *IEEE Trans. Robot. Autom.*, vol. 5, no. 6, pp. 792–803, 1989, doi: 10.1109/70.88100.
- [3] F. Rubio, F. Valero, and C. Llopis-Albert, “A review of *mobile robots*: Concepts, methods, theoretical framework, and applications,” *Int. J. Adv. Robot. Syst.*, vol. 16, no. 2, pp. 1–22, 2019, doi: 10.1177/1729881419839596.
- [4] M. Ben-Ari and F. Mondada, “Elements of Robotics,” *Elem. Robot.*, pp. 1–308, 2017, doi: 10.1007/978-3-319-62533-1.
- [5] D. Lambrinos, R. Möller, T. Labhart, R. Pfeifer, and R. Wehner, “*Mobile robot employing insect strategies for navigation*,” *Rob. Auton. Syst.*, vol. 30, no. 1, pp. 39–64, 2000, doi: 10.1016/S0921-8890(99)00064-0.
- [6] L. Sabattini, A. Levratti, F. Venturi, E. Amplo, C. Fantuzzi, and C. Secchi, “Experimental comparison of 3D vision sensors for *mobile robot* localization for industrial application: Stereo-camera and RGB-D sensor,” *2012 12th Int. Conf. Control. Autom. Robot. Vision, ICARCV 2012*, vol. 2012, no. December, pp. 823–828, 2012, doi: 10.1109/ICARCV.2012.6485264.
- [7] M. A. Brunsvold and D. D. S. Ms, “Vision for *Mobile robot* Navigation: A Survey,” vol. 24, no. 2, pp. 237–267, 2002.
- [8] R. Barber, J. Crespo, C. Gómez, A. C. Hernández, and M. Galli, “*Mobile robot* Navigation in Indoor Environments: Geometric, Topological, and Semantic Navigation,” *Appl. Mob. Robot.*, 2019, doi: 10.5772/intechopen.79842.
- [9] A. Milella, G. Reina, and R. Siegwart, “Computer vision methods for improved *mobile robot* state estimation in challenging terrains,” *J. Multimed.*, vol. 1, no. 7, pp. 49–61, 2006, doi: 10.4304/jmm.1.7.49-61.
- [10] R. Nurlaili, I. A. Sulistijono, and A. Risnumawan, “*Mobile robot* Position

- Control Using Computer Vision," *IES 2019 - Int. Electron. Symp. Role Techno-Intelligence Creat. an Open Energy Syst. Towar. Energy Democr. Proc.*, pp. 382–386, 2019, doi: 10.1109/ELECSYM.2019.8901619.
- [11] H. B. Zhang, K. Yuan, and J. D. Liu, "A fast and robust vision system for autonomous *mobile robots*," *Rissp 2003*, vol. 2003-Octob, no. October, pp. 60–65, 2003, doi: 10.1109/RISSP.2003.1285549.
  - [12] M. BÉLANGER-BARRETTE, "Robotic vision systems: What is doable?," 2016. <https://www.controleng.com/articles/robotic-vision-systems-what-is-doable/> (accessed Feb. 06, 2021).
  - [13] H. Schumann-Olsen, "Why 3D machine vision? What's wrong with 2D machine vision?," 2018. <https://blog.zivid.com/why-3d-machine-vision-whats-wrong-with-2d-machine-vision> (accessed Jun. 11, 2021).
  - [14] T. Arden, "Better Machine Vision: The Benefits of Combining 2D and 3D (Part Two)," 2017. <https://www.qualitymag.com/blogs/14-quality-blog/post/94055-better-machine-vision-the-benefits-of-combining-2d-and-3d-part-two> (accessed Jun. 14, 2021).
  - [15] T. D. A. Prasad, K. Hartmann, W. Weihs, S. E. Ghobadi, and A. Sluiter, "First steps in enhancing 3D vision technique using 2D / 3D sensors," *11. Comput. Vis. Winter Work. 2006*, pp. 82–86, 2006, [Online]. Available: <http://cmp.felk.cvut.cz/cvww2006/papers/14/14.pdf>
  - [16] M. Bai, Y. Zhuang, and W. Wang, "Stereovision based obstacle detection approach for *mobile robot* navigation," *Proc. 2010 Int. Conf. Intell. Control Inf. Process. ICICIP 2010*, no. PART 2, pp. 328–333, 2010, doi: 10.1109/ICICIP.2010.5565220.
  - [17] W. Kazmi, S. Foix, G. Alenyà, and H. J. Andersen, "Indoor and outdoor depth imaging of leaves with time-of-flight and *stereo vision* sensors: Analysis and comparison," *ISPRS J. Photogramm. Remote Sens.*, vol. 88, pp. 128–146, 2014, doi: 10.1016/j.isprsjprs.2013.11.012.
  - [18] Z. Kerkaou and M. El Ansari, "Support vector machines based stereo matching method for advanced driver assistance systems," *Multimed. Tools Appl.*, vol. 79, no. 37–38, pp. 27039–27055, 2020, doi: 10.1007/s11042-020-

09260-3.

- [19] K. Zhou, X. Meng, and B. Cheng, “Review of Stereo Matching Algorithms Based on Deep Learning,” *Comput. Intell. Neurosci.*, vol. 2020, no. 1, 2020, doi: 10.1155/2020/8562323.
- [20] M. Humenberger, C. Zinner, M. Weber, W. Kubinger, and M. Vincze, “A fast stereo matching algorithm suitable for embedded real-time systems,” *Comput. Vis. Image Underst.*, vol. 114, no. 11, pp. 1180–1202, 2010, doi: 10.1016/j.cviu.2010.03.012.
- [21] M. Humenberger, C. Zinner, and W. Kubinger, “Performance evaluation of a census-based stereo matching algorithm on embedded and multi-core hardware,” *ISPA 2009 - Proc. 6th Int. Symp. Image Signal Process. Anal.*, pp. 398–403, 2009, doi: 10.1109/ispa.2009.5297702.
- [22] J. Lee, D. Jun, C. Eem, and H. Hong, “Improved census transform for noise robust stereo matching,” *Opt. Eng.*, vol. 55, no. 6, p. 063107, 2016, doi: 10.1117/1.oe.55.6.063107.
- [23] N. Isakova, S. Başak, and A. C. Sönmez, “FPGA design and implementation of a real-time *stereo vision* system,” *INISTA 2012 - Int. Symp. Innov. Intell. Syst. Appl.*, vol. 20, no. 1, pp. 15–26, 2012, doi: 10.1109/INISTA.2012.6247007.
- [24] J. Ko and Y. S. Ho, “Stereo matching using census transform of adaptive window sizes with gradient images,” *2016 Asia-Pacific Signal Inf. Process. Assoc. Annu. Summit Conf. APSIPA 2016*, pp. 2–5, 2017, doi: 10.1109/APSIPA.2016.7820827.
- [25] Lucy Hattersley, “Raspberry Pi 3B+ Specs and Benchmarks,” 2018. <https://magpi.raspberrypi.org/articles/raspberry-pi-3bplus-specs-benchmarks> (accessed Jun. 17, 2021).
- [26] Z. Zhang and S. Member, “A Flexible New Technique.pdf,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 22, no. 11, pp. 1330–1334, 2000.
- [27] K. Sadekar, “Making A Low-Cost Stereo Camera Using OpenCV,” 2021. <https://learnopencv.com/making-a-low-cost-stereo-camera-using-opencv/#importance-of-stereo-calibration-and-rectification> (accessed Sep. 04, 2021).

- [28] O. N. Dahl, “What Is an H-Bridge?,” 2018. <https://www.build-electronic-circuits.com/h-bridge/> (accessed Jun. 17, 2021).
- [29] A. S. Ketelaars, “Degree project DC Motor driver for low RPM,” 2016.
- [30] ST, “L298 Data Sheet.,” *Current*, no. October, 2000.
- [31] D. Drive, R. Note, C. Principles, and M. Robotics, “Differential Drive Kinematics,” vol. 1, no. 3, pp. 1–5.
- [32] S. D and S. R, “High-accuracy stereo depth maps using structured light,” *IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit. (CVPR 2003)*, vol. 1, pp. 195–202, 2003.
- [33] S. D and P. C, “Learning conditional random fields for stereo,” *IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit. (CVPR 2007)*, 2007.
- [34] H. H and S. D, “Evaluation of cost functions for stereo matching,” *IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit. (CVPR 2007)*, 2007.

