

## DAFTAR PUSTAKA

- Abdullah, L., P.D.M.H Karti., S. Harjosoewignjo. 2005. Reposisi Tanaman Pakan Dalam Kurikulum Fakultas Peternakan. Prosiding Lokakarya Nasional Tanaman Pakan Ternak. Puslitbang Peternakan. P 11-17.
- Aye, P.A. 2016. Comparative nutritive value of *Moringa oleifera*, *Tithonia diversifolia* and *Gmelina arborea* leaf meals animal production and health sciences department. *American Journal of Food and Nutrition* 6(1):23–32.
- Astuti, A., A. Agus dan S.P.S. Budhi. 2009. Pengaruh Penggunaan High Quality Feed Supplement Terhadap Konsumsi dan Kecernaan Nutrien Sapi Perah Awal Laktasi. *Buletin Peternakan* 33(2) : 88-87.
- Atmojo, S.W. 2003. Peranan Bahan Organik Terhadap Kesuburan Tanah dan Upaya Pengelolaannya. Universitas Sebelas Maret Press: Surakarta.
- Aye, P.A. 2016. Comparative nutritive value of *Moringa oleifera*, *Tithonia diversifoli* and *Gmelina arborea* leaf meals. *Am J Food Nutr* 6(1): 23-32.
- Barrientos, L., J.J. Scott and P.P. Murty. 1994. Specificity Of Hydrolysis of Phytic Acid By Alkaline Phytase From Lily Pollen. *Plant Physiology*, 106(4), 1489-1495.
- Bohn, L., A.S. Meyer and S.K. Rasmussen. 2008. Phytate : impact on environment and human nutri-tion. A challenge for molecular breeding. *J. Zhejiang Univ. Sci. B*, 9, 165–191. Doi: 10.1631/Jzus.B0710640.
- Coelho, M. B., and E.T. Kornegay. 1996. Kornegay, E.T. (Ed.) : Phytase In Animal Nutrition.
- Cosgrove, D.J. 1980. Inositol Phosphates: Their Chemistry, Biochemistry and Physiology. Elsevier, New York.
- Davies, H.L. 1982. A Course Manual Nutrition and Growth. Australian Vicechancellors Committe, Melbourne.
- Dewi, I.M. 2008. Isolasi bakteri dan uji aktifitas kitinase termofilik kasar dari sumber air panas tinggi raja, Simalungun, Sumatera Utara. Tesis. Sekolah Pascasarjana Universitas Sumatera Utara, Medan .
- Dvořáková, J. 1998. Phytase: Sources, Preparation and Exploitation. *Folia Microbiologica*, 43(4), 323-338.
- Fasuyi, A.O., F.A.S Dairo and F.J. Ibitayo. 2010. Ensiling Wild Sunflower (*Tithonia diversifolia*) Leaves with Sugar Cane Molasses. *Livestock Research for Rural Development* 22(3).

- Hakim, N dan Agustian. 2012. *Tithonia* Untuk Pertanian Berkelanjutan. Padang : Andalas University Press.
- Hakim, N and Agustian. 2012. Application of organic fertilizer tithonia plus to control iron toxicity and reduce commercial fertilizer application on new paddy field. *J. Trop. Soils* 17 :135-142.
- Hakim, N. 2001. Kemungkinan Penggunaan *Tithonia diversifolia* Sebagai Sumber Bahan Organik Dan Nitrogen. Laporan Penelitian Pusat Penelitian Pemanfaatan Iptek Nuklir (P3in) Unand, Padang g. 8 Hal.
- Hakim, N. 2001. Kemungkinan penggunaan *Tithonia diversifolia* sebagai sumber bahan organik dan unsur hara. Laporan Pusat Penelitian Pemanfaatan Iptek Nuklir (P3in). Universitas Andalas. 49 Hal.
- Hara, A., S. Manabe, A. Kondo and T. Funaguma. 1985. A new type of phytase from pollen of typha *Latifolia lounge*. *Agric. Biol. Chem.* 49, 3539-3544.
- Hidayat, C. 2016. Utilization of phytase to overcome phytic acid in broiler diet. *Wartazoa* 26(2): 57–68.
- Jamarun, N., Arief, T. Astuti. 2019. Pemanfaatan Pucuk Tebu (*Saccharum officinarum*) dan Titonia (*Tithonia diversifolia*) Fermentasi Sebagai Pakan Ternak Penggemukan Guna Percepatan Swasembada Daging. Dalam Prosiding: Seminar Hasil Penelitian. Universitas Andalas, Padang.
- Jamarun, N., Elihasridas, R. Pazla and Fitriyani. 2017. In-Vitro Nutrients Digestibility of The Combination Titonia (*Tithonia diversifolia*) and Napier Grass (*Pennisetum purpureum*). Proceedings of The 7th International Seminar on Tropical Animal Production, September 12-14, 2017, Yogyakarta, Indonesia.
- Jamarun, N., Elihasridas, R. Pazla and Fitriyani. 2017. In Vitro Nutrients Digestibility and Rumen Fluid Characteristics of The Combination Titonia (*Tithonia difersivolia*) and Napier Grass (*Pennisetum purpureum*). Proceedings Of The 3th Nasional Seminar on Cows and Buffalo, Oktober 4-5, 2017, Padang g, Indonesia.
- Jamarun, N., R. Pazla, A. Jayanegara and G. Yanti. 2020. Chemical composition and rumen fermentation profile of mangrove leaves (*Avicennia marina*) from West Sumatera, Indonesia. *Biodiversitas* 21(11): 5230–36.
- Jin, L.Z., Y.W. Ho, N. Abdullah and S. Jalaldin. 1997. Probiotic in poultry: models of action. *J. Worlds Poult. Sci.* 53: 351-368.
- Johnson, L.F and M.E. Tate, 1969. structure of phytic acid. *Can. J. Chem.* 47:63 – 73.

- Kartadisastra, H.R. 1997. *Penyediaan dan Pengelolaan Pakan Ternak Ruminansia*. Kanisius. Yogyakarta.
- Lai, L.R., S.C. Hsieh, H.Y. Huang, and C. Chou. 2013. Effect of lactic fermentation on the total phenolic, saponin and phytic acid contents as well as anti-colon cancer cell proliferation activity of soymilk. *Journal of Bioscience and Bioengineering* 115(5): 552–56.
- Lay, W.B. 1994. *Analisis Mikroba Di Laboratorium*. PT Raja Grafindo Persada, Jakarta.
- Lubis, D.A. 1992. *Ilmu Makanan Ternak*. PT Pembangunan. Jakarta.
- Maenz, D.D. 2001. Enzymatic characteristics of phytases as they relate to their use in animal feeds. *Enzymes In Farm Animal Nutrition*, 61-84.
- Mahecha, L., and M. Rosales. 2005. Nutritional value of the foliage of wild sunflower (botón de oro; (*Tithonia diversifolia*) [hems]. gray) for tropical animal production. *Livestock Research for Rural Development* 17(9): 100.
- Malaka, R. 1997. Effect of Curdlan, a Bacteria Polysaccharide on the Physical Properties and Microstructure of Acid Milk Curd by Lactic Acid Fermentation. Miyazaki University, Japan.
- Mirawati, A. Djulardi and Y. Marlida. 2013. Improving the quality of palm ketnel cake through fermentation by *Eupenicillium javanicum* as poultry ration. *Pakistan Journal of Nutrition* 12(12): 1085–88.
- Mohamed, M.E.F., and R.F. Frye. 2011. Inhibitory Effects of Commonly Used Herbal Extracts on Udp-Glucuronosyltransferase 1a4, 1a6, and 1a9 Enzyme Activities. *Drug Metabolism And Disposition*, 39(9), 1522-1528.
- Mohamed, R.K., E.A.A. Arab, A.Y. Gibriel, N.M.H Rasmy, F.M.A. Salem. 2011. Effect of legume processing treatments individually or in combination on their phytic acid content. *African Journal of Food Science and Technology* 2(2): 36–46.
- Montesqrit, D. Ananta. Dan Y. Mimi. 2015. Pengaruh Penggunaan Semak Kembang Bulan (*Tithonia diversifolia*) Terhadap Produktifitas dan Kualitas Itik Lokal Sumatera Barat. Universitas Andalas. Padang.
- Nuraini, Muslim, Mirzah and Wizna. 2016. Determination of inoculum dose and old fermentation of *Tithonia diversifolia* plants with *Aspergillus ficuumas* feed protein sources of high carotenoid. *International Journal of Veterinary Sciences and Animal Husbandry* 2018; 3(2): 01-07.
- Oluwasola, T.A, and F.A.S Dairo. 2016. Proximate composition, amino acid profile and some anti-nutrients of *Tithonia diversifolia* cut at two different times. *African Journal of Agricultural Research* 11(38): 3659–



- Pallauf, J. and G. Rimbach. 1999. Effect of Supple-Mental Phytase on Mineral and Trace Elementbioavailability and Heavy Metal Accumulationin Pigs With Different Type of Diets. In : M.B.Coelho and E.T. Kornegay (Eds). Phytase Inanimal Nutrition and Waste Management. Abasf Reference Manual. Ed Ke-2. Basf corporation. Hlm. 481-495.
- Parakkasi, A. 1999. Ilmu Nutrisi dan Makanan Ternak Ruminansia. Universitas Indonesia Press, Jakarta.
- Park, W.Y., T. Matsui, C. Konishi, S.W. Kim, F. Yano, H Yano. 1999. Formaldehyde treatment suppresses ruminal degradation of phytate in soyabean meal and rapeseed meal. *Br J Nutr* 81(6): 467–71.
- Pazla, R. 2018. Pemanfaatan Pelepah Sawit dan Titonia (*Tithonia diversifolia*) Dalam Ransum Kambing Peranakan Etawa Untuk Menunjang Program Swasembada Susu 2020. Universitas Andalas.
- Pazla, R. 2020. Effects of supplementation with phosphorus, calcium and manganese during oil palm frond fermentation by phanerochaete chrysosporium on ligninase enzyme activity. *Biodiversitas* 21(5): 1833–38.
- Pazla, R. 2021. Quality evaluation of tithonia (*tithonia diversifolia*) with fermentation using *Lactobacillus plantarum* and *Aspergillus ficuum* at different incubation times. *Biodiversitas* 22(9).
- Pazla, R., Adrizal and R. Sriagtula. 2021. Intake, nutrient digestibility and production performance of pesisir cattle fed *Tithonia diversifolia* and calliandra calothyrsus-based rations with different protein and energy ratios. *Advances in Animal and Veterinary Sciences* 9(10): 1608–15.
- Pazla. R., M. Zain, H.I. Ryanto and A. Dona. 2018. Supplementation of minerals (phosphorus and sulfur) and *saccharomyces cerevisiae* in a sheep diet based on a cocoa by-product. *Pakistan Journal of Nutrition* 17(7): 329–35.
- Piliang, W.G. 1997. Nutrisi Mineral. Edisi Ke-2. Institut Pertanian Bogor Press. Bogor.
- Poernomo, A.T., I. Isnaeni, D. Agus, A.C. Dewi, D. Suryagma. 2017. Pengaruh nutrisi pada produksi dan karakterisasi protease dari bakteri termofilik isolat Is-1 lumpur Sidoarjo. *Jurnal farmasi dan Ilmu Kefarmasian Indonesia* 4(2): 52–59.
- Powar, V.K and V. Jagannathan. 1982. Purification and properties of phytate-specific phosphatase from *Bacillus subtilis*. *J. Bacteriol.* 151, 1102-1108.

- Pratiwi, S. 2017. Pengaruh Lama Fermentasi dan Dosis Inokulum *Bacillus amiloliquifaciens* Terhadap Kandungan Nutrisi Daun Paitan (*Tithonia diversifolia*). Skripsi. Padang : Universitas Andalas.
- Putra, A.Y. Trisna, Rosida and K. Azmir. 2019. Chemical and sensory characteristic of sorghum (*Sorghum bicolor*) tapai with traditional packaging. *Food Science Tech Journal* 1(2): 92–99.
- Pujaningsih, R. 2004. Aktivitas enzim fitase dalam upaya peningkatan ketersediaan fosfor pada fermentasi dedak padi dengan cairan rumen. Skripsi. Fakultas Peternakan. Universitas Diponegoro. Semarang.
- Ravindran, V., W.L. Bryden and E.T. Kornegay. 1995. Phytases: Occurrence, Bioavailability and Implications In Poultry Nutrition. *Poultry and Avian Biology Reviews* 6: 125-143 (5.1.9).
- Reddy, N.R and M.D Pierson. 1994. Reduction in Antinutritional and Toxic Components in Plant Foods (A) by Fermentation. *Food Research International* 27(3): 281–90.
- Rostinawati, T. 2008. Skrining dan Identifikasi Bakteri Penghasil Enzim Kitinase Dari Air Laut di Perairan Pantai Pondok Bali. Penelitian Mandiri. Fakultas Farmasi Universitas Padjadjaran Jatinangor.
- Santosa, E. 2007. Mikroba Pelarut Fosfat. Metode Analisis Biologi Tanah. Balai Besar Litbang Sumberdaya Lahan Pertanian Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian. Bogor. Hal 55-68
- Scout, J.J. 1991. Alkaline Phytase Activity In Nonionic Detergent Extracts of Legume Seeds. *Plant Physiol.* 95, 1298-1301. 65.
- Scout, J.J. and F.A Loewus. 1986. A Calcium Activated Phytase From Pollen of *Lilium longiflorum*. *Plant Physiol.* 82, 333-335.
- Selle, P.H, and V. Ravindran. 2007. Microbial Phytase in Poultry Nutrition. *Anim Feed Sci Technol* 135(1): 41.
- Selle, P.H., V. Ravindran, R.A Caldwell and W.L Bryden. 2021. Phytate and Phytase : Consequences for Protein Utilisation. (2000): 255–78.
- Shieh, T.R. and J.H. Ware. 1968. Survey of Microorganisms For The Production of Extracellular Phytase. *Applied Microbial.* 16 (9) : 1348-1351.
- Simell, M., M. Turunen, J. Piironen and T. Vaara. Feed and Food Applications of Phytase. Lecture At 3 Rd Meet. Industrial Applications of Enzymes, Barcelona, Spain. 1989.
- Siregar, S.B. 1994. Ransum Ternak Ruminansia. Penebar Swadaya. Jakarta.
- Sneath, P.H.A., N.S. Mair, M.E. Sharpe and J.G. Holt. 1994.

Bergey's Manual of Determinative Bacteriology, Ninth Edition.

- Sripo, K., Phianmongkhol and T.I Wirjantoro. 2016. Effect of inoculum levels and final pH values on the antioxidant properties of black glutinous rice solution fermented by *Lactobacillus bulgaricus*. *Int Food Res Journal* 23 (5): 2207–13.
- Steel, C. J. dan J. H. Torrie. 1995. Prinsip dan Prosedur Statistik. Jakarta: PT. Gramedia.
- Sunarlim, R., H. Setiyanto and M. Poeloengan. 2010. Pengaruh Kombinasi Starter Bakteri *Lactobacillus bulgaricus*, *Streptococcus thermophilus* dan *Lactobacillus plantarum* Terhadap Sifat Mutu Susu Fermentasi. Seminar Nasional Teknologi Peternakan dan Veteriner, 270-278.
- Surjowardojo, P., S. Suyadi and L. Hakim. 2008. Ekspresi produksi susu pada sapi perah mastitis. *Ternak Tropika Journal of Tropical Animal Production*, 9(2): 1-11.
- Tjitrosoepomo, H.S. 1998. Botani Umum. UGM Press. Yogyakarta.
- Turk, M. 1990. Cereal and Microbial Phytase, Phytase Degradation, Mineral Binding and Absorption. Chalmers University of Technology.
- Udding, R., B. Nohong dan M. Munir. 2014. Analisis kandungan protein kasar (PK) dan serat kasar kombinasi rumput gajah (*Pennisetum purpureum*) dan tumpi jagung yang terfermentasi. *Jurnal Galung Tropika*, 3(3), 201-207.
- Vihinen, M. And P. Manstala. 1989. Microbial Amylolytic Enzymes. *Biochem Mol Bio*. Vol. 24 No. 329-418.
- Warwick, E. J., J.W. Astuti dan W. Hardjosubroto. 1990. Pemuliaan Ternak. Gadjah University Press, Yogyakarta.
- Williams D.J. 1985. Australian Mealybugs. London: British Museum (Natural History).
- Wyss, M., L. Pasamontes, R. Remy, J. Kohler, E. Kuszniir, M. Gadiant, F. Muller, and A.P.G.M.V. Loon. 1998. Comparison of The Thermostability Properties of Three Acid Phosphatase From Molds: *Aspergillus fumigatus* Phytase, *A. niger* Phytase and *A. Niger* pH 2,5 Acid Phosphatase. *Appl. Environ. Microbiol.* 64, 4446-4451.
- Yankee, T.M., L.M. Keshvara, S. Sawasdikosol, M.L. Harrison and R.L. Geahlen. 1999. Inhibition of signaling through the b cell antigen receptor by the protooncogene product, c-cbl, requires syk tyrosine 317 and the c-cbl phosphotyrosine-binding domain. *The Journal of Immunology*, 163(11), 5827-5835.