

DAFTAR PUSTAKA

1. MacMahon C, Parrington L. Not All Athletes Are Equal, But Don't Call Me an Exerciser: Response to Araujo and Scharhag¹. *Scandinavian Journal of Medicine & Science in Sports*. 2017;27(8):904-6.
2. Maron BJ, Thompson PD, Ackerman MJ, Balady G, Berger S, Cohen D, et al. Recommendations and considerations related to preparticipation screening for cardiovascular abnormalities in competitive athletes: 2007 update: a scientific statement from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: endorsed by the American College of Cardiology Foundation. *CIRCULATION*. 2007;115(12):1643-55.
3. Andersen JJ. *The State of Running 2019*. Fort Collins, CO: RunRepeat <https://runrepeat.com/state-of-running>. 2020.
4. Burkule N. Marathon running for amateurs: Benefits and risks. *Journal of Clinical and Preventive Cardiology*. 2016;5(4):113.
5. Lewicka-Potocka Z, Dąbrowska-Kugacka A, Lewicka E, Kaleta AM, Dorniak K, Daniłowicz-Szymanowicz L, et al. The “athlete’s heart” features in amateur male marathon runners. *Cardiology Journal*. 2019.
6. Baggish AL, Battle RW, Beaver TA, Border WL, Douglas PS, Kramer CM, et al. Recommendations on the Use of Multimodality Cardiovascular Imaging in Young Adult Competitive Athletes: A Report from the American Society of Echocardiography in Collaboration with the Society of Cardiovascular Computed Tomography and the Society for Cardiovascular Magnetic Resonance. *Journal of the American Society of Echocardiography*. 2020;33(5):523-49.
7. D’Ascenzi F, Caselli S, Solari M, Pelliccia A, Cameli M, Focardi M, et al. Novel echocardiographic techniques for the evaluation of athletes’ heart: a focus on speckle-tracking echocardiography. *European journal of preventive cardiology*. 2016;23(4):437-46.
8. Forsythe L, George K, Oxborough D. Speckle tracking echocardiography for the assessment of the athlete’s heart: Is it ready for daily practice? *Current Treatment Options in Cardiovascular Medicine*. 2018;20(10):83.
9. Haque T. Myocardial strain imaging using two and three-dimensional speckle tracking echocardiography: clinical applications. *Cardiovascular Journal*. 2019;11(2):167-82.
10. Karlsen S, Dahlslett T, Grenne B, Sjøli B, Smiseth O, Edvardsen T, et al. Global longitudinal strain is a more reproducible measure of left ventricular function than ejection fraction regardless of echocardiographic training. *Cardiovascular ultrasound*. 2019;17(1):18.
11. Pelliccia A, Caselli S, Sharma S, Basso C, Bax JJ, Corrado D, et al. European Association of Preventive Cardiology (EAPC) and European Association of Cardiovascular Imaging (EACVI) joint position statement: recommendations for the indication and interpretation of cardiovascular imaging in the evaluation of the athlete’s heart. *European heart journal*. 2018;39(21):1949-69.
12. Arbab-Zadeh A, Perhonen M, Howden E, Peshock RM, Zhang R, Adams-Huet B, et al.

- Cardiac remodeling in response to 1 year of intensive endurance training. *CIRCULATION*. 2014;130(24):2152-61.
13. Gligoroska JP, Dejanova B, Manchevska S, Poposka L, Emini E. Phenomenon of Athlete's heart, positive physiological adaptation to exercise: when and how? *Research in Physical Education, Sport and Health*. 2020.
 14. Arena R, Myers J, Williams MA, Gulati M, Kligfield P, Balady GJ, et al. Assessment of functional capacity in clinical and research settings: a scientific statement from the American Heart Association Committee on Exercise, Rehabilitation, and Prevention of the Council on Clinical Cardiology and the Council on Cardiovascular Nursing. *CIRCULATION*. 2007;116(3):329-43.
 15. Banks L, Bentley RF, Currie KD, Vecchiarelli E, Aslam A, Connelly KA, et al. Cardiac Remodeling in Middle-Aged Endurance Athletes and Recreationally Active Individuals: Challenges in Defining the "Athlete's Heart". *Journal of the American Society of Echocardiography*. 2020;33(2):247-9.
 16. Lakatos BK, Molnár AA, Kiss O, Sydó N, Tokodi M, Solymossi B, et al. Relationship between cardiac remodeling and exercise capacity in elite athletes: incremental value of left atrial morphology and function assessed by three-dimensional echocardiography. *Journal of the American Society of Echocardiography*. 2020;33(1):101-9. e1.
 17. D'Andrea A, Radmilovic J, Carbone A, Mandoli GE, Santoro C, Evola V, et al. Speckle tracking evaluation in endurance athletes: the "optimal" myocardial work. *The international journal of cardiovascular imaging*. 2020:1-10.
 18. Solberg EE, Borjesson M, Sharma S, Papadakis M, Wilhelm M, Drezner J, et al. Sudden cardiac arrest in sports—need for uniform registration: A Position Paper from the Sport Cardiology Section of the European Association for Cardiovascular Prevention and Rehabilitation. *European journal of preventive cardiology*. 2016;23(6):657-67.
 19. McKinney J, Velghe J, Fee J, Isserow S, Drezner JA. *Defining athletes and exercisers*. Elsevier; 2019.
 20. Bernardo BC, Ooi JY, Weeks KL, Patterson NL, McMullen JR. Understanding key mechanisms of exercise-induced cardiac protection to mitigate disease: current knowledge and emerging concepts. *Physiological reviews*. 2018;98(1):419-75.
 21. Kim JH, Ko Y-A, Hedley J, MacNamara J, Awad M, Taylor W, et al. The impact of moderate distance recreational running and ageing on cardiac physiology. *Heart*. 2017;103(3):219-26.
 22. Foulds HJ, Cote AT, Phillips AA, Charlesworth SA, Bredin SS, Burr JF, et al. Characterisation of baroreflex sensitivity of recreational ultra-endurance athletes. *European Journal of Sport Science*. 2014;14(7):686-94.
 23. Zilinski JL, Contursi ME, Isaacs SK, Deluca JR, Lewis GD, Weiner RB, et al. Myocardial adaptations to recreational marathon training among middle-aged men. *Circulation: Cardiovascular Imaging*. 2015;8(2):e002487.
 24. Motoki H, Borowski AG, Shrestha K, Troughton RW, Tang WW, Thomas JD, et al. Incremental prognostic value of assessing left ventricular myocardial mechanics in patients with chronic systolic heart failure. *Journal of the American College of Cardiology*. 2012;60(20):2074-81.
 25. Takigiku K, Takeuchi M, Izumi C, Yuda S, Sakata K, Ohte N, et al. Normal range of left

- ventricular 2-dimensional strain. *Circulation Journal*. 2012;76(11):2623-32.
26. Abduch MCD, Alencar AM, Mathias Jr W, Vieira MLdC. Cardiac mechanics evaluated by speckle tracking echocardiography. *Arquivos brasileiros de cardiologia*. 2014;102(4):403-12.
 27. Di Salvo G, Pergola V, Fadel B, Al Bulbul Z, Caso P. Strain echocardiography and myocardial mechanics: from basics to clinical applications. *Journal of cardiovascular echography*. 2015;25(1):1.
 28. Voigt J-U, Pedrizzetti G, Lysyansky P, Marwick TH, Houle H, Baumann R, et al. Definitions for a common standard for 2D speckle tracking echocardiography: consensus document of the EACVI/ASE/Industry Task Force to standardize deformation imaging. *European Heart Journal-Cardiovascular Imaging*. 2015;16(1):1-11.
 29. Blessberger H, Binder T. Two dimensional speckle tracking echocardiography: basic principles. *Heart*. 2010;96(9):716-22.
 30. Davis AM, Adams D, Venkateshvaran A, Alenezi F. Speckle tracking strain echocardiography: What sonographers need to know! *Journal of the Indian Academy of Echocardiography & Cardiovascular Imaging*. 2017;1(2):133.
 31. Brown J, Jenkins C, Marwick TH. Use of myocardial strain to assess global left ventricular function: a comparison with cardiac magnetic resonance and 3-dimensional echocardiography. *Am Heart J*. 2009;157(1):102. e1-. e5.
 32. Sharma M, Kamal R, Chawla K. Correlation of body composition to aerobic capacity; A cross sectional study. *International Journal of Applied Research*. 2016;2(1):38-42.
 33. Auliadina D, Amilia F, Nuarti N, Jayanti R, editors. Abdominal Circumference, Body Fat Percent, and VO₂ Max in Pilgrims of Hulu Sungai Tengah Regency. *Journal of Physics: Conference Series*; 2019: IOP Publishing.
 34. Swain DP, Brawner CA, Medicine ACoS. ACSM's resource manual for guidelines for exercise testing and prescription: Wolters Kluwer Health/Lippincott Williams & Wilkins; 2014. 120-3 p.
 35. Rocha AMd, Herdy AH, Souza Pd. Comparative analysis of direct and indirect methods for the determination of maximal oxygen uptake in sedentary young adults. *International Journal of Cardiovascular Sciences*. 2019;32:362-7.
 36. Rusdiana A. Analysis Differences of VO₂max between Direct and Indirect Measurement in Badminton, Cycling and Rowing. *International Journal of Applied Exercise Physiology*. 2020;9(3):162-70.
 37. Peserico CS, Mezzaroba PV, Nogueira GA, Moraes SMFd, Machado FA. Comparison between direct and indirect methods for the determination of the maximal oxygen uptake in female runners. *Revista Brasileira de Medicina do Esporte*. 2011;17:270-3.
 38. Kokkinos P, Kaminsky LA, Arena R, Zhang J, Myers J. New generalized equation for predicting maximal oxygen uptake (from the Fitness Registry and the Importance of Exercise National Database). *The American journal of cardiology*. 2017;120(4):688-92.
 39. Jang WY, Kang DO, Park Y, Lee J, Kim W, Choi JY, et al. Validation of FRIEND and ACSM Equations for Cardiorespiratory Fitness: Comparison to Direct Measurement in CAD Patients. *Journal of clinical medicine*. 2020;9(6):1889.
 40. Kaminsky LA, Myers J, Arena R. Determining cardiorespiratory fitness with precision: compendium of findings from the FRIEND registry. *Progress in cardiovascular diseases*.

2019;62(1):76-82.

41. Radi B, Arso I, Sarvasti D, Tadjoeidin Y, Tjahjono C. Pedoman Uji Latih Jantung: Prosedur dan Interpretasi. Jakarta: PERKI. 2016:29-31.
42. Moreira JB, Wohlwend M, Wisløff U. Exercise and cardiac health: physiological and molecular insights. *Nature Metabolism*. 2020;2(9):829-39.
43. Barbier J, Lebillier E, Ville N, Rannou-Bekono F, Carré F. Relationships between sports-specific characteristics of athlete's heart and maximal oxygen uptake. *European Journal of Cardiovascular Prevention & Rehabilitation*. 2006;13(1):115-21.
44. Holschen JC. The female athlete. *Southern medical journal*. 2004;97(9):852-9.
45. Amstrong N. Aerobic Fitness of children and adolescent. *Jornal de Pediatria*. 2006;82:406.
46. Wibowo C, Dese DC. Hubungan indeks masa tubuh dengan VO₂max pada Atlet bolabasket. *Journal Physical Education, Health and Recreation*. 2019;3(2):19-25.
47. Durmic T, Djelic M, Lovic D, Gavrilovic T, Cirkovic A, Zdravkovic M. Body composition, blood pressure and cardiorespiratory functional capacity in elite athletes. *Science & Sports*. 2017;32(3):e81-e91.
48. Nottin S, Doucende G, Schuster-Beck I, Dautat M, Obert P. Alteration in left ventricular normal and shear strains evaluated by 2D-strain echocardiography in the athlete's heart. *The Journal of physiology*. 2008;586(19):4721-33.
49. Butz T, Van Buuren F, Mellwig K, Langer C, Plehn G, Meissner A, et al. Two-dimensional strain analysis of the global and regional myocardial function for the differentiation of pathologic and physiologic left ventricular hypertrophy: a study in athletes and in patients with hypertrophic cardiomyopathy. *The international journal of cardiovascular imaging*. 2011;27(1):91-100.
50. Cappelli F, Toncelli L, Cappelli B, De Luca A, Stefani L, Maffulli N, et al. Adaptive or maladaptive hypertrophy, different spatial distribution of myocardial contraction. *Clinical physiology and functional imaging*. 2010;30(1):6-12.
51. Galderisi M, Lomoriello VS, Santoro A, Esposito R, Olibet M, Raia R, et al. Differences of myocardial systolic deformation and correlates of diastolic function in competitive rowers and young hypertensives: a speckle-tracking echocardiography study. *Journal of the American Society of Echocardiography*. 2010;23(11):1190-8.
52. Simsek Z, Hakan Tas M, Degirmenci H, Gokhan Yazıcı A, Ipek E, Duman H, et al. Speckle tracking echocardiographic analysis of left ventricular systolic and diastolic functions of young elite athletes with eccentric and concentric type of cardiac remodeling. *Echocardiography*. 2013;30(10):1202-8.
53. Weiner RB, Hutter AM, Wang F, Kim J, Weyman AE, Wood MJ, et al. The impact of endurance exercise training on left ventricular torsion. *JACC: Cardiovascular Imaging*. 2010;3(10):1001-9.
54. D'Ascenzi F, Pelliccia A, Alvino F, Solari M, Loffreno A, Cameli M, et al. Effects of training on LV strain in competitive athletes. *Heart*. 2015;101(22):1834-9.
55. Caselli S, Montesanti D, Autore C, Di Paolo FM, Pisicchio C, Squeo MR, et al. Patterns of left ventricular longitudinal strain and strain rate in Olympic athletes. *Journal of the American Society of Echocardiography*. 2015;28(2):245-53.
56. Szauder I, Kovács A, Pavlik G. Comparison of left ventricular mechanics in runners versus bodybuilders using speckle tracking echocardiography. *Cardiovascular ultrasound*.

2015;13(1):1-7.

57. Stojković M, Čvorović A, Jeknić V, Kukić F. Influence of two-month training program on anthropometry and VO₂ max in recreational athletes. *International journal of physical education, fitness and sports*. 2017:19-24.
58. Bahram ME, Najjarian M, Sayyah M, Mojtahedi H. The effect of an eight-week aerobic exercise program on the homocysteine level and VO₂max in young non-athlete men. *KAUMS Journal (FEYZ)*. 2013;17(2):149-56.
59. Tomescua V, Urzealãa C, Teodorescua S. Effect of Aerobic Training on Ventilatory Thresholds, Aerobic and Anaerobic Thresholds in Recreational Endurance Athletes. 2016.
60. Gianturco L, Bodini B, Gianturco V, Lippo G, Solbiati A, Turiel M. Left ventricular longitudinal strain in soccer referees. *Oncotarget*. 2017;8(24):39766.

