

DAFTAR PUSTAKA

1. Badan Pusat Statistik, Badan Koordinasi Keluarga Berencanaan Nasional, Departemen Kesehatan & Macro International. Survei Demografi dan Kesehatan Indonesia 2012. 16 (2012) doi:10.1111/j.1471-0528.2007.01580.x.
2. Kementerian Kesehatan Republik Indonesia. *Survey Demografi Kesehatan Indonesia 2010*. (2010).
3. World Health Organization. 2006. *Defining Sexual Health: Report of a technical consultation don sexual health*.
https://www.who.int/reproductivehealth/publications/sexual_health/defining_sexual_health.pdf?ua=1. Diakses 1 Maret 2020.
4. Wijayanti, H. N. Hubungan Berat Badan Bayi Baru Lahir Dengan Kejadian Ruptur Perineum Persalinan Normal Pada Ibu Primigravida. *PLACENTUM J. Ilm. Kesehat. dan Apl.* 7, 26 (2019).
5. Fonti, Y., Giordano, R., Cacciare, A., Romano, M. & La Rosa, B. Post partum pelvic floor changes. *J. Prenat. Med.* 3, 57–9 (2009).
6. Mohamed A. 2016. Risk factors of Birth related Perineal Trauma among Low Risk Parturient Women and Nursing Implication. IOSR. Journal of Nursing and Helath science (IOSR-JNHS) e-ISSN: 2320-1959, p-ISSN: 2320-1940, Volume 5, issue 1 Ver. I PP 40-48.
7. Sa, B., Pacheco-da-costa, S., Gutie, C. & Navarro-braza, B. European Journal of Obstetrics & Gynecology and Reproductive Biology Cultural adaptation and validation of the Pelvic Floor Distress Inventory Short Form (PFDI-20) and Pelvic Floor Impact Questionnaire Short Form (PFIQ-7) Spanish versions. 170, 281–285 (2013).
8. Cunningham, Leveno, Bloom, Dashe, Casey et.al. *William Obstetrics. mc graw hill* (Mc Graw Hill Education, 2018).
9. Suto, M., Takehara, K., Misago, C. & Matsui, M. Prevalence of Perineal Lacerations in Women Giving Birth at Midwife-Led Birth Centers in Japan : A Retrospective Descriptive Study. 16–19 (2015) doi:10.1111/jmwh.12324.
10. Good, M. M. & Solomon, E. R. Pelvic Floor Disorders. *Obstet. Gynecol. Clin.*

- NA 46, 527–540 (2019)
11. Tami, L. *dkk.* Questionnaires to evaluate pelvic floor dysfunction in the postpartum period : a systematic review. 409–424 (2018).
 12. Zuchelo LTS, Bezerra IMP, Da Silva ATM, *dkk.* Questionnaires to evaluate pelvic floor dysfunction in the postpartum period: a systematic review. *Int J Womens Health.* 2018;10:409-424. Published 2018 Aug 8. doi:10.2147/IJWH.S164266
 13. Pangastuti, N., Iman, S. B., Denny, A., & Emilia, O. Validation Test Indonesian Pelvic Floor Distress Inventory-20 (Indonesian PFDI-20). *Journal of the Medical Sciences (Berkala ilmu Kedokteran)*, 2020, 52:2.
 14. Paulsen F, W. J. Panggul dan Rongga Retroperitoneal Panggul dan Situs Retroperitoneal. in *Sobotta, Atlas Anatomi Manusia 217* (Penerbit Buku Kedokteran EGC, 2015).
 15. Gynecology, N. obstetric and. *No Title.* (Elsevier Inc, Philadelphia, 2018).
 16. Hsieh, W. *dkk.* Taiwanese Journal of Obstetrics & Gynecology Prevalence and contributing factors of severe perineal damage following episiotomyassisted vaginal delivery. *Taiwan. J. Obstet. Gynecol.* 53, 481–485 (2014).
 17. Mora-hervás, I., Sánchez, E. & Carmona, F. Perineal Trauma in Primiparous Women with Spontaneous Vaginal Delivery : Episiotomy or Second Degree Perineal Tear ? 2–6 (2015) doi:10.15296/ijwhr.2015.16.
 18. Vale, M. *dkk.* Risk factors for severe obstetric perineal lacerations. (2015). doi:10.1007/s00192-015-2795-5.
 19. Prawiroharjo, S. Ilmu Kebidanan. (2011).
 20. Beckman C, Ling F, Barzansky B, Herbert W, Laube D, S. R. *Obstetrics and Gynecology.* (Wolters Kluwer Lippincott Williams & Wilkins, 2010).
 21. Penelitian, A. Gambaran Faktor Risiko Prolaps Organ Panggul Pasca Persalinan Vaginal di Daerah Istimewa Yogyakarta Risk Factors for Pelvic Organ Prolapse in Women with History of Vaginal Delivery in Yogyakarta. 50, 102–108 (2018).
 22. Krakowsky, Y. & Grober, E. D. review A practical guide to female sexual dysfunction : An evidence-based review for physicians in Canada. 12, 211– 216 (2018).
 23. Faubion, S. S., Rullo, J. E. & Clinic, M. Sexual Dysfunction in Women: A Practical Approach (2015).

24. Lawrence, L. The effect of perineal lacerations on pelvic floor function and anatomy at six months postpartum in a prospective cohort of nulliparous women. *Eff. perineal laseration* 43, 293–302 (2017).
25. Questionnaire, I. Association of Delivery Mode With Pelvic Floor Disorders After Childbirth. 21204, (2018).
26. Hallock, J. L. & Handa, V. L. The Epidemiology of Pelvic Floor Disorders and Childbirth : An Update. *Obstet. Gynecol. Clin. NA* 43, 1–13 (2016).
27. Karp, D. R., Shinnick, J., Hudson, C. O. & Northington, G. M. Health Care – Seeking Characteristics of Women With Pelvic Floor Disorders After Obstetric Anal Sphincter Injury. 00, 1–5 (2018).
28. Barber MD, Chen Z, Lukacz E, dkk. *Further Validation of the Short Form Versions of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ)*. *Neurology and urodynamics*; 30(4):541-46 (2011).
29. Letouzey V, dkk. *Original article: Can PFDI or PFIQ be used to predict outcome in pelvic reconstructive surgery*. Gynecology and Obstetrics Department, Caremeau University Hospital, France, *Progress en urologie* 23;940-45 (2013).
30. Wibisono D. 2013. Panduan Penyusunan Skripsi, Tesis & Disertasi. Yogyakarta. CV. Andi Offset. Siyoto S, Sodik MA. Dasar Metodologi Penelitian. 1 ed. Yogyakarta: Literasi Media Publishing; (2015).
31. Waldenström U, Ekéus C. Risk of obstetric anal sphincter injury increases with maternal age irrespective of parity: A population-based register study. *BMC Pregnancy Childbirth*. 2017;17(1):1–10.
32. Pangastuti N. Robekan Perineum pada Persalinan Vaginal di Bidan Praktek Swasta (BPS) Daerah Istimewa Yogyakarta Indonesia Tahun. 2014;179–87.
33. Martínez-Galiano J, Hernández-Martínez A, Rodríguez-Almagro J, DelgadoRodríguez M. Quality of Life of Women after Giving Birth: Associated Factors Related with the Birth Process. *J Clin Med*. 2019;8(3):324.
34. Triviño-Juárez, J.M.; Romero-Ayuso, D.; Nieto-Pereda, B.; Forjaz, M.J.; Criado-Álvarez, J.J.; Arruti-Sevilla, B.; Avilés-Gamez, B.; OliverBarrecheguren, C.; Mellizo-Díaz, S.; Soto-Lucía, C.; dkk. Health related quality of life of women at the sixth week and sixth month postpartum by mode of birth. *Women Birth* 2017, 30, 29–39.

35. Chang, S.-R.; Chen, K.-H.; Lin, M.-I.; Lin, H.-H.; Huang, L.-H.; Lin, W.-A. A repeated measures study of changes in health-related quality of life during pregnancy and the relationship with obstetric factors. *J. Adv. Nurs.* 2014, 70, 2245–2256.
36. Bai, G.; Raat, H.; Jaddoe, V.W.V.; Mautner, E.; Korfage, I.J. Trajectories and predictors of women's health-related quality of life during pregnancy: A large longitudinal cohort study. *PLoS ONE* 2018, 13, e0194999.
37. Calou, C.G.; de Oliveira, M.F.; Carvalho, F.H.; Soares, P.R.; Bezerra, R.A.; de Lima, S.K.; Antezana, F.J.; de Souza Aquino, P.; Castro, R.C.; Pinheiro, A.K. Maternal predictors related to quality of life in pregnant women in the Northeast of Brazil. *Health Qual. Life Outcomes* 2018, 16, 109.
38. Seppänen, P.; Sund, R.; Ala-Kokko, T.; Roos, M.; Uotila, J.; Helminen, M.; Suominen, T. Obstetric patients' health-related quality of life before and after intensive care. *Aust. Crit. Care* 2018.
39. Seppänen, P.M.; Sund, R.T.; Ala-Kokko, T.I.; Uotila, J.T.; Helminen, M.T.; Suominen, T.M. Health-related quality of life after obstetric intensive care admission: Comparison with the general population. *J. Crit. Care* 2018, 43, 276–280.
40. Prick, B.W.; Bijlenga, D.; Jansen, A.G.; Boers, K.E.; Scherjon, S.A.; Koopmans, C.M.; van Pampus, M.G.; Essink-Bot, M.L.; van Rhenen, D.J.; Mol, B.W.; dkk. Determinants of health-related quality of life in the postpartum period after obstetric complications. *Eur. J. Obs. Gynecol. Reprod. Biol.* 2015, 185, 88–95.
41. Park, S.; Choi, N.-K. The relationships between timing of first childbirth, parity, and health-related quality of life. *Qual. Life Res.* 2018, 27, 937–943.
42. Borgonovi, F.; Pokropek, A. Education and Self-Reported Health: Evidence from 23 Countries on the Role of Years of Schooling, Cognitive Skills and Social Capital. *PLoS ONE* 2016, 11, e0149716.
43. Islam, A.; Hanif, A.; Ehsan, A.; Arif, S.; Niazi, S.K.; Niazi, A.K. Morbidity from episiotomy. *J. Pak. Med. Assoc.* 2013, 63, 696–701.
44. Priddis, H.; Schmied, V.; Dahlen, H. Women's experiences following severe perineal trauma: A qualitative study. *BMC Womens Health* 2014, 14, 32.
45. Amorim, M.; Silva, S.; Kelly-Irving, M.; Alves, E. Quality of life among parents of preterm infants: A scoping review. *Qual. Life Res.* 2018, 27, 1119–1131.

46. Fazari A, Fahad A. iMedPub Journals Perineal Tears in Childbirth – A Review Abstract. J Univers Surg. 2020;8:6–9.
47. Ryan G, Daryl G, Hasthika E. Perineal Tears - A review. R Aust Coll Gen Pract. 2018;47(5643):933.
48. Scheer I, Thakar R, Sultan AH. Mode of Delivery after Previous Obstetric Anal Sphincter Injuries (OASIS)-a reappraisal?. Int Uroginecol J. 2009;20:10095-101.

