

DAFTAR PUSTAKA

- Allum, J., D. Bringloe, dan A. Roberts. 2007. Chromosome doubling in a *Rosa rugosa* Thunb. hybrid by exposure of in vitro nodes to oryzalin: the effects of node length, oryzalin concentration and exposure time. *Plant Cell Rep* 26:1977-1984.
- Badan Pusat Statistik. 2019. Produksi Tanaman Buah-Buahan. Publikasi Hortikultura. <https://www.bps.go.id/indicator/55/62/1/produksi-tanaman-buah-buahan.html> [diakses: 5 Agustus 2019]
- Bae, S.J., I. M. Mazharul, H. Y. Kim, dan K. B. Lim. 2020. Induction of Tetraploidy in Watermelon with Oryzalin Treatments. *Horticultural Science and Technology* 38(3):385-393.
- Banyai, W., R. Sangthong, P. Karaket, M. Inthima, dan K. S. Mii. 2010. Overproduction of artemisinin in tetraploid *Artemisia annua* L. *Plant Biotechnology* 27(5):427-433.
- Cahyono, B. 1996. *Budidaya Semangka Hibrida Jenis Semangka Unggul Berbiji*. CV : Aneka, Solo.
- Damayanti, F. 2007. Analisis jumlah kromosom dan anatomi stomata pada beberapa plasma nutfah pisang (*Musa* sp) asal Kalimantan Timur. *Biosientiae*, 5 1-12.
- Damayanti, M.N. 2009. Kajian Keberhasilan Pelaksanaan Kemitraan dalam Meningkatkan Pendapatan Antara Petani Semangka di Kabupaten Kebumen Jawa Tengah dengan CV Bimandiri. [Skripsi]. Bogor. Fakultas Pertanian. Institut Pertanian Bogor. 135 hal.
- Defiani, M.R. dan S. N. Wayan. 2014. Aplikasi Oryzalin dan Sinar Gamma pada Tanaman Pacar Air. *dalam Seminar Nasional dan Teknologi*. Universitas Udayana, Bali.
- Dhooghe, E., S. Denis, T. Eechkaut, D. Reheul, dan C. Van Labeke. 2009. In vitro induction of tetraploids in ornamental Ranunculus. *Euphytica* 168:33-40.
- Ewald, D., K. Ulrich, dan G. Naujoks. 2009. Introduction of tetraploid poplar and black locust plants using colchicine: chloroplast number as an early marker for selecting polyploids in vitro. *Plant Cell Tissue and Organ Culture* 99:353-357.
- Gultom dan Tumiur. 2016. Pengaruh Pemberian Kolkisin Terhadap Jumlah Kromosom Bawang Putih (*Allium Sativum*) Lokal Kultivar Doulu. *Jurnal Biosains* 165-172.

- Handayani, T., W. Witjaksono, dan U. K. Nugraheni. 2017. Induksi tetraploid pada tanaman jambu biji merah (*Psidium guajava* L.) secara in vitro. *Biologi Indonesia* 13(2):271-278.
- Hoshino, Y., Miyashita, dan T. Thomas. 2011. In vitro culture of endosperm and its application in plant breeding: approaches to polyploidy breeding. *Scientia Horticulturae* 130(1):1-8.
- Jones, J., T. Ranney, dan T. Eaker. 2008. A novel method for inducing polyploidy in Rhododendron seedlings. *Journal American Rhododendron Society* 62:130-135.
- Joshi, P. dan R. C. Verma. 2004. High Frequency production of colchicine induced autotetraploid in faba bean (*Vicia faba* L.). *Cytologia* 69(2):141-147.
- Kaensaksiri, T., P. Soontornchainaksaeng, N. Soonthornchareonnon, dan S. Prathanturarug. 2011. In vitro induction of polyploidy in *Centella asiatica* (L.) Urban. *Plant Cell Tissue and Organ Culture* 107:187–194.
- Kainth, D.S. dan J. W. Grosser. 2010. Induction of autotetraploids in pummelo (*Citrus grandis* L. Osbeck) through colchicine treatment of meristematically active seeds in vitro. *Proceeding. Fla. State Horticulture Society* 123:44–48.
- Kalie, M.B. 2004. *Bertanam Semangka*. Penebar Swadaya, Jakarta.
- Kanchanapoom, K. dan K. Koarapatchaikol. 2012. In vitro induction of tetraploid plants from callus cultures of diploid bananas (*Musa acuminata*, AA group) ‘Kluai Leb Mu Nang’ and ‘Kluai Sa’. *Euphytica* 183:111–117.
- Kermani, M.J., V. Sarasan, A. V. Roberts, K. Yokoya, J. Wentworth, dan V. K. Sieber. 2003. Oryzalin induced chromosome doubling in Rosa and its effect on plant morphology and pollen viability. *Theoretical Applied Genetics* 107(7):1195–1200.
- Kosmiatin, M., C. Martasari, F. A. Kurniawati, R. G. N. Prasetia, dan P. S. Dewi. 2019. Analysis of Stomata, Chloroplast, and Chromosome of Local Mandarin Citrus (*Citrus reticulata*) Plants Grown from Endosperm Culture. *IOP Conference Series: Earth and Environmental Science* 406(1):012010.
- Lehrer, J.M., M. H. Brand, dan J. D. Lubell. 2008. Induction of tetraploidy in meristematically active seeds of Japanese barberry (*Berberis thunbergii* var. *atropurpurea*) through exposure to colchicine and oryzalin. *Scientia Horticulturae* 119(1):67-71.
- Liu, S., S. Chen, Y. Chen, Z. Guan, D. Yin, dan Chen. 2011. In vitro induced tetraploid of *Dendranthema nankingense* (Nakai) Tzvel. shows an

- improved level of abiotic stress tolerance. *Scientia Horticulturae* 127(3):411-419.
- Lozykowska, S.K. 2003. Determination of the ploidy level in chamomile (*Chamomilla recutita* (L.) Rausch.) strains in a-bisabolol. *Journal of Applied Genetics* 44(2):151-155.
- Miguel, T.P. dan K. W. Leonhardt. 2011. In vitro polyploid induction of orchids using oryzalin. *Scientia Horticulturae* 130(1):314–319.
- Noh, J., J. M. Kim, S. Sheikh, S. G. Lee, J. H. Lim, M. H. Seong, dan G. T. Jung. 2013. Effect of heat treatment around the fruit set region on growth and yield of watermelon [*Citrullus lanatus* (Thunb.) Matsum. and Nakai]. *Physiology and molecular biology of plants : an international journal of functional plant biology* 19(4):509-514.
- Podwyszyńska, M., I. Sowik, A. Machlańska, D. Kruczyńska, dan B. Dyki. 2017. In vitro tetraploids induction of *Malus x domestica* Borkh. using leaf or shoot explants. *Scientia Horticulturae* 226:379-388.
- Poerba, Y.S., W. Witjaksono, F. Ahmad, dan T. Handayani. 2014. Induksi dan karakterisasi pisang mas lumut tetraploid. *Jurnal Biologi Indonesia* 10(2):191-200.
- Prajnanta, F. 2003. *Agribisnis Semangka Non Biji*. 5th ed. Penebar Swadaya, Jakarta. 184 hal.
- Rahmi, P., Witjaksono, dan D. Ratnadewi. 2018. Induksi Poliploidi Tanaman Kangkung (*Ipomoea aquatica* Forsskal) Kultivar Salina In Vitro dengan Oryzalin. *Jurnal Biologi Indonesia* 15(1):1-8.
- Rego, M., E. Rego, C. Bruckner, dan F. Finger. 2011. In Vitro Induction of Autotetraploids from diploid yellow passion fruit mediated by colchicine and oryzalin. *Plant Tissue Org Cult* 107:451-459.
- Ridwan, T. Handayani, I. Riastiwi, dan Witjaksono. 2018. Bibit jati tetraploid lebih toleran terhadap cekaman kekeringan daripada bibit jati diploid asalnya. *Wallacea* 7(1):1-11.
- Samadi, B. 2007. *Budidaya Semangka Tanpa Biji*. Kanisius, Yogyakarta.
- Sattler, M., C. R. Carvalho , dan W. R. Clarindo. 2016. The polyploidy and its key role in plant breeding. *Planta* 243(2):281-296.
- Soedarya, A.P. 2009. *Agribisnis Semangka : Budidaya-Usaha-Pengolahan*. Pustaka Grafika, Bandung. 176 hal.
- Strachan, S.D. dan F. D. Hess. 1983. The biochemical mechanism of action of the dinitroaniline herbicide oryzalin. *Pesticide Biochemistry and Physiology* 20(2):141-150.

- Sukamto, L.A., F. Ahmad, dan A. H. Wawo. 2010. Pengaruh oryzalin terhadap tingkat ploidi tanaman garut (*Maranta arundinacea L.*). *Buletin Penelitian Tanaman Rempah dan Obat* 21(2):93-102.
- Suryo. 2008. *Sitogenetika*. Gajah Mada University Press, Yogyakarta. 443 hal.
- Syukriani, L. 2004. Poliploidisasi Genotipe Semangka (*Citrullus vulgaris* Schrad.) dengan menggunakan kolkisin. [Skripsi]. Padang. Fakultas Pertanian. Universitas Andalas. 45 hal.
- Tavan, M., M. Mirjalili, dan G. Karimzadeh. 2015. In vitro polyploidy induction: changes in morphological, anatomical and phytochemical characteristics of *Thymus persicus* (Lamiaceae). *Plant Cell Tissue and Organ Culture* 122:573-583.
- Thao, N.T.P., K. Ureshino, I. Miyajima, Y. Ozaki, dan H. Okubo. 2003. Induction of tetraploids in ornamental Alocasia through colchicine and oryzalin treatments. *Plant Cell Tissue and Organ Culture* 72:19-25.
- Viehmannová, I., E. Fernández, M. Bechyne, dan M. Vyvadilová. 2009. In vitro induction of polyploidy in yacon (*Smallanthus sonchifolius*). *Plant Cell Tissue and Organ Culture* 97(1):21-25.
- Wallaart, E., N. Pras, dan W. J. Quax. 1999. Seasonal Biosynthetic of Artemisinin and *Artemisia Annua* Plants Compared with the Wild-Type. *Planta Medica* 65(8):723-728.
- Wang, X., H. Wang, X. Zhang, J. Luo, C. Shi, dan K. Duan. 2015. Morphological, cytological and fertility consequences of a spontaneous tetraploid of the diploid pear (*Pyrus pyrifolia* Nakai) cultivar 'Cuiguan'. *Scientia Horticulturae* 189:59-65.
- Widoretno, W. 2016. In vitro induction and characterization of tetraploids patchouli (*Pogostemon cablin* Benth.) plant. *Plant Cell Tissue and Organ Culture* 125(2):261-267.
- Wihardjo, S.F.A. 1993. *Bertanam Semangka*. 1st ed. Yayasan Kanisius, Yogyakarta. 107 hal.
- Wulansari, A., A. Martin, T. M. Ermayanti, dan D. E. Rantau. 2016. Perbanyak beberapa aksesi talas (*Colocasia esculenta* L.) diploid secara kultur jaringan dan konservasinya mendukung diversifikasi pangan. dalam *Seminar Nasional Riset Pangan, Obat-Obatan dan Lingkungan Untuk Kesehatan*. Bogor. hal. 11-20.
- Yamazaki, M. dan H. Ueda. 1997. Stimulation of Leukocytes by Vegetable and Fruit Juice. dalam H. Ohigashi, T. Osawa, J. Terao, Yoshikawa T, dan Watanabe S (ed.). *Food Factors for Cancer Prevention*. Springer, Tokyo. hal. 159-161.

- Zamariola, L., C. L. Tiang, N. Storme, W. Pawlowski, dan D. Geelen. 2014. Chromosome segregation in plant meiosis. *Front Plant Science* 5:279.
- Zhang, W., H. Hao, L. Ma, C. Zhao, dan X. Yu. 2010. Tetraploid muskmelon alters morphological characteristics and improves fruit quality. *Scientia Horticulturae* 125(3):396-400.
- Zhang, N., H. X. Zeng, X. F. Shi, J. Ren, W. S. CHeng, Y. X. Yang, Y. H. Li, dan Y. H. Sun. 2014. Selection of Tetraploid of a Yellow Flesh Mini-Watermelon Using Oryzalin. *Advance Material Research* 838-841:2449-2454.

