

DAFTAR PUSTAKA

1. Aziz Z, Abdul Rasool Hassan B. The effects of honey compared to silver sulfadiazine for the treatment of burns: A systematic review of randomized controlled trials. *Burns* [Internet]. 2017;43(1):50–7. Available from: <http://dx.doi.org/10.1016/j.burns.2016.07.004>
2. Putri INW. Perbandingan Efektivitas Silver Sulfadiazine dan Madu dalam Penyembuhan Luka Bakar. *Essence Sci Med J*. 2018;15–8.
3. WHO. Burns [Internet]. World Health Organization. 2018. p. 1–7. Available from: https://www.who.int/violence_injury_prevention/burns/en/
4. Badan Penelitian dan Pengembangan Kesehatan. Laporan Nasional RKD 2018 [Internet]. Badan Penelitian dan Pengembangan Kesehatan. 2018. p. 198. Available from:
http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
5. Vaghardoost R, Mousavi Majd SG, Tebyanian H, Babavalian H, Malaei L, Niazi M, et al. The Healing Effect of Sesame Oil, Camphor and Honey on Second Degree Burn Wounds in Rat. *World J Plast Surg* [Internet]. 2018;7(1):67–71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/29651394%0Ahttp://www.ncbi.nlm.nih.gov/pmc/articles/PMC5890368>
6. Jeschke MG, van Baar ME, Choudhry MA, Chung KK, Gibran NS, Logsetty S. Burn injury. *Nat Rev Dis Prim* [Internet]. 2020;6(1). Available from: <http://dx.doi.org/10.1038/s41572-020-0145-5>
7. Qian LW, Fourcaudot AB, Leung KP. Silver Sulfadiazine Retards Wound Healing and Increases Hypertrophic Scarring in a Rabbit Ear Excisional Wound Model. *J Burn Care Res*. 2017;38(1):e418–22.
8. Carpenter G. Epidermal growth factor. In: *Handbook of Experimental Pharmacology Exp Pharmacol*. 1981. p. 90–126.
9. King L, Jr, Carpenter G. Biochemistry and physiology of the skin. In: L Goldsmith (ed1), *Epidermal Growth Factor*. 1983. p. 269–81.
10. Yassue-cordeiro PH, Zandonai H, Genesi BP. Development of Chitosan / Silver Sulfadiazine / Zeolite Composite Films for Wound Dressing. *Pharmaceutics*. 2019;1–23.

- 
11. Mimura ECM, Favoreto JPM, Favero ME, Bonifacio KL, Peixe TS, Morita AA, et al. Silver serum levels in burned patients treated with silver sulfadiazine and its toxicity on inflammatory cells. *Burns*. 2020;46(5):1120–7.
 12. Dinar Erina Destyani PutriPutri S. Peranan epidermal growth factor pada penyembuhan luka pasien ulkus diabetes. *Farmaka*. 2018;14(4):61–9.
 13. Barrientos S, Stojadinovic O, Golinko MS, Brem H, Tomic-Canic M. Growth factors and cytokines in wound healing. *Wound Repair Regen*. 2008;16(5):585–601.
 14. Steed D. Modulating Wound Healing in Diabetes. In: The Diabetic Foot 6th ed. 2001.
 15. Acosta JB, Savigne W, Valdez C, Franco N, Alba JS, Rio A Del, et al. Epidermal growth factor intralesional infiltrations can prevent amputation in patients with advanced diabetic foot wounds. *Int Wound J*. 2006;3(3):232–9.
 16. Sobyanin V, Sadykov V, Kirillov V, Kuzmin V, Kuzin N. Syngas As A Fuel For IC And Diesel Engines : Efficiency And Harmful Emissions Cut-off. Proc Int Hydrog Energy Congr Exhib IHEC 2005. 2005;77(x):13–5.
 17. NIH. Burn. National Institute of General MEdical Sciences. 2020. p. 1–3.
 18. Lopez-ojeda W, Pandey A, Alhajj M, Oakley AM. Anatomy , Skin (Integument) Blood Supply and Lymphatics. NCBI Bookshelf. 2020;1–7.
 19. Yousef H, Alhajj M, Sharma S. Anatomy , Skin (Integument), Epidermis Anatomy , Skin (Integument), Epidermis. Eur PMC. 2017;1–7.
 20. Malik AK, Khanna K, Dhatarwal SK, Gill M. Histopathological Evaluation of Burn Injury. *Int J Eth Trauma Vict*. 2021;7(1).
 21. Kara YA. Burn etiology and pathogenesis. In: Hot Topics in Burna Injuries. 2018. p. 17–33.
 22. Anggowsito JL. Luka Bakar Sudut Pandang Dermatologi. *J Widya Med* [Internet]. 2014;2(2):115–20. Available from: <http://journal.wima.ac.id/index.php/JWM/article/view/852>
 23. Yastı AÇ, Şenel E, Saydam M, Özok G, Çoruh A, Yorgancı K. Yanık yaralanmaları tedavi algoritması. *Ulus Travma ve Acil Cerrahi Derg*. 2015;21(2):79–89.
 24. Schaefer TJ, Lopez ON. Burn resuscitation and management. NCBI Bookshelf. 2021;1–6.
 25. Singh S, Young A, McNaught CE. The physiology of wound healing. *Surg (United Kingdom)* [Internet]. 2017;35(9):473–7. Available from: <http://dx.doi.org/10.1016/j.mpsur.2017.06.004>
 26. Oaks RJ, Cindass R. Silver Sulfadiazine. NCBI Bookshelf. 2021;1–4.

27. Shao W, Liu H, Liu X, Wang S, Wu J, Zhang R, et al. Development of silver sulfadiazine loaded bacterial cellulose/sodium alginate composite films with enhanced antibacterial property. *Carbohydr Polym* [Internet]. 2015;132:351–8. Available from: <http://dx.doi.org/10.1016/j.carbpol.2015.06.057>
28. Wen X, Zheng Y, Wu J, Yue L, Wang C, Luan J, et al. In vitro and in vivo investigation of bacterial cellulose dressing containing uniform silver sulfadiazine nanoparticles for burn wound healing. *Prog Nat Sci Mater Int* [Internet]. 2015;25(3):197–203. Available from: <http://dx.doi.org/10.1016/j.pnsc.2015.05.004>
29. Han SK. Growth factor therapy. In: Innovations and Advances in Wound Healing. 2016. p. 201–203.
30. Shpichka A, Butnaru D, Bezrukov EA, Sukhanov RB, Atala A, Burdakovskii V, et al. Skin tissue regeneration for burn injury. *Stem Cell Res Ther*. 2019;10(1):1–16.
31. Guo HF, Hamid RA, Ali RM, Chang SK, Rahman MH, Zainal Z, et al. Healing properties of epidermal growth factor and tocotrienol-rich fraction in deep partial-thickness experimental burn wounds. *Antioxidants*. 2020;9(2).
32. Lin LX, Wang P, Wang YT, Huang Y, Jiang L, Wang XM. Aloe vera and Vitis vinifera improve wound healing in an in vivo rat burn wound model. *Mol Med Rep*. 2016;13(2):1070–6.
33. Rathnakar B, Rao BSS, Prabhu V, Chandra S, Rai S, Rao ACK, et al. Photo-biomodulatory response of low-power laser irradiation on burn tissue repair in mice. *Lasers Med Sci* [Internet]. 2016;31(9):1741–50. Available from: <http://dx.doi.org/10.1007/s10103-016-2044-2>