

DAFTAR PUSTAKA

1. Frykberg, Zgonis T, Armstrong DG, et al. Diabetic foot disorders: a clinical practice guideline. American College of Foot and Ankle Surgeon: 2000;39(5): 1.
2. Fauci AS, Kasper DS, Longo DL et al. Harrison's principles of internal medicine. United States: McGraw Hill. 2008.
3. Praveena D. L, Shashi MU, Shimikore SS. A oneyear cross sectional study on role of Wagner's classification in predicting the outcome in diabetic foot ulcer patients. International Surgery Journal. July 2018; 5(7).
4. Reiber GE. Diabetic foot care. Financial implications and practice guidelines. Diabetes care. 1992;15:29-31.
5. Merza Z, Tesfaye S. The risk factors for diabetic foot ulceration. The Foot 2003;13:125-129.
6. Akther JM, Khan IA, Shahpurkar VV, et al. Evaluation of Diabetic Foot according to Wagner's classification in a rural Teaching hospital. Br J Diabetes Vasc Dis. 2011;11(2):74.
7. Oyibo SO, Jude EB, Tarawneh I, et al. A comparison of two diabetic foot ulcer classification systems: the Wagner and the University of Texas wound classification systems. Diabetes Care 2001;24(1):84-8.
8. Calhoun JH, Cantrell J, Cobos J, et al. Treatment of diabetic foot infections: Wagner classification, therapy, and outcome. Foot Ankle. 1988;9(3):101-6.
9. Kim SY, Kim TH, Choi JY, et al. Predictors for Amputation in Patients with Diabetic Foot Wound
10. Orborien M, Agbo SP, Ajiboye LO. Risk Factors for Amputation in Patients with Diabetic Foot Diseases in Sokoto, Nigeria. 2018; 10: 645-53.

11. Quilici MTV, Fiol FSD, Vieira AEF, et al. Risk Factors for Foot Amputation in Patients Hospitalized for Diabetic Foot Infection. *Journal of Diabetes Research*. 2016.
12. Sarfo-Kantanka O, Sarfo FS, Kyei I, et al. Incidence and determinants of diabetes-related lower limb amputations in Ghana, 2010–2015- a retrospective cohort study. 2019; 19: 27.
13. Nanwani B, Shankar P, Kumar R, et al. Risk Factors of Diabetic Foot Amputation in Pakistani Type II Diabetes Individuals. *Cureus*. 2019; 11(6).
14. Ugwu E, Adeleye O, Gezawa I, et al. Predictors of lower extremity amputation in patients with diabetic foot ulcer: findings from MEDFUN, a multi-center observational study. *Journal of Foot and Ankle Research*; 2019: 12(34).
15. Lavery LA, Hunt NA, Ndip A, et al. Impact of chronic kidney disease on survival after amputation in individuals with diabetes. *Diabetes Care*. 2010. 33(11):2365-9. (13)
16. Marshall MC Jr. Diabetes in African Americans. *Postgrad Med J*. 2005.81(962):734-40 (14)
17. Singh N, Armstrong DG, Lipsky BA. Preventing foot ulcers in patients with diabetes. *JAMA*. 2005. 293(2):217-28. (9)
18. Lipsky BA, Berendt AR, Cornia PB, et al. 2012 infectious diseases society of america clinical practice guideline for the diagnosis and treatment of diabetic foot infections. *J Am Podiatr Med Assoc*. 2013. 103 (1):2-7. . (10)
19. Rice JB, Desai U, Cummings AK, et al. Burden of diabetic foot ulcers for Medicare and private insurers. *Diabetes Care*. 2014. 37 (3):651-8. 25
20. Walsh JW, Hoffstad OJ, Sullivan MO, et al. Association of diabetic foot ulcer and death in a population-based cohort from the United Kingdom. *Diabet Med*. 2016 Nov. 33 (11):1493-8.
21. Boulton AJ, Kirsner RS, Vileikyte L. Clinical practice. Neuropathic diabetic foot ulcers. *N Engl J Med*. 2004.351(1):48-55.


22. Naemi R, Chatzistergos P, Suresh S, et al. Can plantar soft tissue mechanics enhance prognosis of diabetic foot ulcer?. *Diabetes Res Clin Pract.* 2017.126:182-91.
23. Tentolouris N, Marinou K, Kokotis P, et al. Sudomotor dysfunction is associated with foot ulceration in diabetes. *Diabet Med.* 2009.(3):302-5.
24. K Tanzim, K Romesh. *Diabetic Foot Ulcer.* Medscape. 2020.
25. Steed DL. Debridement. *Am J Surg.* 2004. 187 (5A):71S-4S.
26. Frykberg RG, Bevilacqua NJ, Habershaw G. Surgical off-loading of the diabetic foot. *J Am Podiatr Med Assoc.* 2010. 100 (5):369-84.
27. Lipsky BA, Berendt AR, Deery HG, et al. Diagnosis and treatment of diabetic foot infections. *Plast Reconstr Surg.* 2006. 117(7 Suppl):212S-238S.
28. Arora S, Pomposelli F, LoGerfo FW, et al. Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization. *J Vasc Surg.* 2002. 35(3):501-5.
29. Ehrenreich M, Ruszczak Z. UPADte on tissue-engineered biological dressings. *Tissue Eng.* 2006.12(9):2407-24.
30. Streit M, Braathen LR. Apligraf--a living human skin equivalent for the treatment of chronic wounds. *Int J Artif Organs.* 2000.23(12):831-3.
31. Hwang YG, Lee JW, Park KH, et al. Allogeneic keratinocyte for intractable chronic diabetic foot ulcers: a prospective observational study. *Int Wound J.* 2019.
32. Demiri E, Foroglou P, Dionysiou D, et al. Our experience with the lateral supramalleolar island flap for reconstruction of the distal leg and foot: a review of 20 cases. *Scand J Plast Reconstr Surg Hand Surg.* 2006. 40(2):106-10.
33. Khunkaew S, Fernandez R, Sim J. Health-related quality of life among adults living with diabetic foot ulcers: a meta-analysis. *Qual Life Res.* 2018.
34. Ramsey SD, Newton K, Blough D, et al. Incidence, outcomes, and cost of foot ulcers in

- patients with diabetes. *Diabetes Care*. 1999 Mar. 22(3):382-7.
35. Reiber GE, Lipsky BA, Gibbons GW. The burden of diabetic foot ulcers. *Am J Surg*. 1998 Aug. 176(2A Suppl):5S-10S.
 36. Galkowska H, Olszewski WL, Wojewodzka U, et al. Neurogenic factors in the impaired healing of diabetic foot ulcers. *J Surg Res*. 2006 Aug. 134(2):252-8.
 37. Chammas NK, Hill RL, Edmonds ME. Increased Mortality in Diabetic Foot Ulcer Patients: The Significance of Ulcer Type. *J Diabetes Res*. 2016. 2016:2879809.
 38. Chen SY, Giurini JM, Karchmer AW. Invasive Systemic Infection After Hospital Treatment for Diabetic Foot Ulcer: Risk of Occurrence and Effect on Survival. *Clin Infect Dis*. 2017 Feb 1. 64 (3):326-34.
 39. Jain AKC. A new classification of diabetic foot complications.: a simple and effective teaching tool. *The Journal of Diabetic Foot Complication*. 2012; 4(1):1-5.
 40. Game F. Classification of diabetic foot ulcers. *Diabetes Metab Res Rev* 2016; 32(Suppl. 1): 186–194.
 41. Frykberg RG. Diabetic Foot Ulcers: Pathogenesis and Management. *American Family Physician*. 2002; 66(9)
 42. Monteiro- Soares M, Boyko EJ, Jeffcoate, et al. Diabetic foot ulcer classifications: A critical review. *Diabetes Metab Res Rev*. 2020;36(S1):e3272
 43. Jesus-Silva SG, Oliveira JP, Brianezi MHC, et al. Analysis of risk factors related to minor and major lower limb amputations at a tertiary hospital. *J Vasc Bras*. 2017; 16(1):16-22
 44. Perez MCR, Chines C, Garcia AP, et al. Major amputations in type 2 diabetes between 2001 and 2015 in Spain: regional differences. *BMC Public Health*. 2020; 20: 54.
 45. Costa WJT, Penha-Silva N, Bezerra IMP, et al. Analysis of Diabetes Mellitus-Related Amputations in the State of Espírito Santo, Brazil. *Medicina*. 2020; 56: 287.
 46. Boyko EJ, Seelig AD, Ahroni JH. Limb- and person-level risk factors for lower-limb

- amputation in the prospective seattle diabetic foot study. *Diabetes Care*. 2018;41:891–8.
47. Alves FLMT, Laporta GZ. Prevalence and factors associated with lower limb amputation in individuals with type II diabetes mellitus in a referral hospital in Fortaleza, Ceara, Brazil: A hospital-based cross-sectional study. *Heliyon*. 2020.
48. Fan L, Wu XJ. Sex difference for the risk of amputation in diabetic patients: A systematic review and meta-analysis. . *PLoS ONE*. 2021; 16(3): e0243797
49. Shatnawi NJ, Al-Zoubi NA, Hawamdeh HM, et al. Predictors of major lower limb amputation in type 2 diabetic patients referred for hospital care with diabetic foot syndrome. *Targets and Therapy*. 2018; 11: 313–319
50. Liu M, Zhang W, Yan Z, Yuan X. Smoking increases the risk of diabetic foot amputation: A meta-analysis. *Exp Therc Med*. 2018; 15: 1680-5.
51. Fu XL, Ding H, Miao WW, Chen HL. Association Between Cigarette Smoking and Diabetic Foot Healing: A Systematic Review and Meta-Analysis. *The International Journal of Lower Extremity Wounds*. 2018.
52. Clair C, Cohen MJ, Eichler F, et al. The Effect of Cigarette Smoking on Diabetic Peripheral Neuropathy: A Systematic Review and Meta-Analysis. *J Gen Intern Med*. 2015; 30(8):1193–203.
53. Santos VD, Silveira DR, Caffaro RA. Risk factors for primary major amputation in diabetic patients. *Sao Paulo Med J*. 2006;124(2):66-70.
54. Olafsdottir AF, Svensson AM, Pivodic A, et al. Excess risk of lower extremity amputations in people with type 1 diabetes compared with the general population: amputations and type 1 diabetes. *BMJ Open Diab Res Care*. 2019;7:e000602.
55. Hallstrom S, Svensson AM, Pivodic A, et al. Risk factors and incidence over time for lower extremity amputations in people with type 1 diabetes: an observational cohort study of 46,088 patients from the Swedish National Diabetes Registry. *Diabetologia*. 2021;

64:2751–61.

56. Edakepuram U, C Sheeja P, Gopi EV. A prospective cohort study of hypoalbuminemia as risk factor of wound healing in diabetic foot: a study from tertiary hospital in south India. *Int Surg J.* 2017;4(9): 3141-5.
57. Gulcu A, Etili M, Karahan O, Aslan A. Analysis of routine blood markers for predicting amputation/re-amputation risk in diabetic foot. *Int Wound J.* 2020;17:1996–2004.
58. Barnes JA, Eid MA, Creager MA, et al. Epidemiology and Risk of Amputation in Patients With Diabetes Mellitus and Peripheral Artery Disease. *Arterioscler Thromb Vasc Biol.* 2020;40:1808–17.
59. Pemayun TGD, Naibaho RM, Novitasari D, et al. Risk factors for lower extremity amputation in patients with diabetic foot ulcers: a hospital-based casecontrol study. *Diabetic Foot & Ankle.* 2015; 6: 29629.
60. Kim J, Chun D, Kim S, et al. Trends in Lower Limb Amputation in Patients with Diabetic Foot Based on Vascular Intervention of Peripheral Arterial Disease in Korea: a Population-based Nationwide Study. *J Korean Med Sci.* 2019; 8;34(26):e178.
61. Humpries MD, Brunson A, Li CS, et al. Amputation trends for patients with lower extremity ulcers due to diabetes and peripheral artery disease using statewide data. *Journal of Vascular Surgery.* 2016: 1748-51.
62. Weledji EP, Fokam P. Treatment of the diabetic foot – to amputate or not?. 2014; 14:83.
63. Mahmoud SM, Abdelrahim AI, Widatalla AH, et al. Diabetic foot in patients below 40 years of age. *Int J Diabetes Dev Ctries.* 2015
64. AlRubean K, Derwish MA, Ouizi S, et al. Diabetic Foot Complications and Their Risk Factors from a Large Retrospective Cohort Study. *PLOS One.* 2015; 10(5): e0124446
65. Tong T, Yang C, Tian W, et al. Phenotypes and outcomes in middle-aged patients with diabetic foot ulcers: a retrospective cohort study. *Journal of Foot and Ankle Research.*



2020; 13:24

66. Purwanti OS, Yetti K, Herawati T. Duration of Diabetic Correlated Diseases with Diabetic Foot Ulcers at Dr Moewardi Hospital Of Surakarta. International Conference on Health and Well-Being. 2016: 359-63
67. Dinh T, Veves A. The influence of gender as a risk factor in diabetic foot ulceration. Wounds. 2008 May;20(5):127-31. PMID: 25942414.
68. Navarro FM, Lopes APA, Arruda GO, et al. Differences between genders in relation to factors associated with risk of diabetic foot in elderly persons: A cross-sectional trial. Journal of Clinical & Translational Endocrinology. 2016; 6: 30–36
69. Xia N, Morteza A, Yang F, et al. Review of the role of cigarette smoking in diabetic foot. J Diabetes Investig. 2019; 10: 202–215
70. Yazdanpanah L, Shahbazian H, Nazari I, et al. Incidence and Risk Factors of Diabetic Foot Ulcer: A Population-Based Diabetic Foot Cohort (ADFC Study)—Two-Year Follow-Up Study. International Journal of Endocrinology. 2018.
71. Khan MIH, Azhar U, Zubair F, Khan ZA. Can we link foot ulcer with risk factors in diabetics? A study in a tertiary care hospital. Pak J Med Sci. 2018; 34(6): 1375-80.
72. Brownrigg JRW, Apelqvist J, Bakker K, et al. Evidence-based Management of PAD & the Diabetic Foot. European Journal of Vascular and Endovascular Surgery. 2013; 45(6): 673-81.
73. Richard JLM, Sotto A, Lavigne JP. New insights in diabetic foot infection. World J Diabetes. 2011; 2(2): 24-32.
74. Volmer-Thole M, Lobmann R. Neuropathy and Diabetic Foot Syndrome. Int J Mol Sci. 2016; 17: 917
75. Bondor CI, Veresiu IA, Florea B, et al. Epidemiology of Diabetic Foot Ulcers and Amputations in Romania: Results of a Cross-Sectional Quality of Life Questionnaire

Based Survey. J Diabet Res. 2016

76. Lu Q, Wang J, Wei X, et al. Risk Factors for Major Amputation in Diabetic Foot Ulcer Patients. Targets and Therapy. 2021;14: 2018-26.

Lee JH, Yoon JS, Lee HW., et al. Risk factors affecting amputation in diabetic foot. Yeungnam Univ J Med. 2020;37(4):314-20.

