

## DAFTAR PUSTAKA

- Alberto, J., & Costa, V. (2007). *Carbon dioxide fixation by Chlorella kessleri , C . vulgaris , Scenedesmus obliquus and Spirulina sp . cultivated in flasks and vertical tubular photobioreactors.* 1349–1352. <https://doi.org/10.1007/s10529-007-9394-6>
- Bai, M. Der, Cheng, C. H., Wan, H. M., & Lin, Y. H. (2011). Microalgal pigments potential as byproducts in lipid production. *Journal of the Taiwan Institute of Chemical Engineers*, 42(5), 783–786. <https://doi.org/10.1016/j.jtice.2011.02.003>
- Bohne, F., & Linden, H. (2002). *Regulation of carotenoid biosynthesis genes in response to light in Chlamydomonas reinhardtii.* 1579, 26–34.
- Borkenstein, C. G., Knoblechner, J., Frühwirth, H., & Schagerl, M. (2011). Cultivation of Chlorella emersonii with flue gas derived from a cement plant. *Journal of Applied Phycology*, 23(1), 131–135. <https://doi.org/10.1007/s10811-010-9551-5>
- BP. (2020). Statistical Review of World Energy, 2020 | 69th Edition. Bp, 66. <https://www.bp.com/content/dam/bp/business-sites/en/global/corporate/pdfs/energy-economics/statistical-review/bp-stats-review-2020-full-report.pdf>
- Bratu, A., Mihalache, M., Hangani, A., Chira, N. A., Todaşcă, M. C., & Roşca, S. (2013). Quantitative determination of fatty acids from fish oils using GC-MS method and 1H-NMR spectroscopy. *UPB Scientific Bulletin, Series B: Chemistry and Materials Science*, 75(2), 23–32.
- Cavonius, L. R., Carlsson, N. G., & Undeland, I. (2014). Quantification of total fatty acids in microalgae: Comparison of extraction and transesterification methods. *Analytical and Bioanalytical Chemistry*, 406(28), 7313–7322. <https://doi.org/10.1007/s00216-014-8155-3>
- Chakraborty, N., Mukherjee, I., Santra, A. K., Chowdhury, S., Chakraborty, S., Bhattacharya, S., Mitra, A. P., & Sharma, C. (2008). Measurement of CO<sub>2</sub>, CO, SO<sub>2</sub>, and NO emissions from coal-based thermal power plants in India. *Atmospheric Environment*, 42(6), 1073–1082. <https://doi.org/10.1016/j.atmosenv.2007.10.074>
- Chhandama, M. V. L., Satyan, K. B., Changmai, B., Vanlalveni, C., & Rokhum, S. L. (2021). Microalgae as a feedstock for the production of biodiesel: A review. *Bioresource Technology Reports*, 15(July), 100771. <https://doi.org/10.1016/j.biteb.2021.100771>

- Chiu, S. Y., Kao, C. Y., Huang, T. T., Lin, C. J., Ong, S. C., Chen, C. Da, Chang, J. S., & Lin, C. S. (2011). Microalgal biomass production and on-site bioremediation of carbon dioxide, nitrogen oxide and sulfur dioxide from flue gas using Chlorella sp. cultures. *Bioresource Technology*, 102(19), 9135–9142. <https://doi.org/10.1016/j.biortech.2011.06.091>
- Cordero, B. F., Couso, I., Leon, R., Rodriguez, H., & Vargas, M. A. (2012). Isolation and characterization of a lycopene ε-cyclase gene of Chlorella (Chromochloris) zofingiensis. Regulation of the carotenogenic pathway by nitrogen and light. *Marine Drugs*, 10(9), 2069–2088. <https://doi.org/10.3390/md10092069>
- Cuellar-Bermudez, S. P., Garcia-Perez, J. S., Rittmann, B. E., & Parra-Saldivar, R. (2015). Photosynthetic bioenergy utilizing CO<sub>2</sub>: An approach on flue gases utilization for third generation biofuels. *Journal of Cleaner Production*, 98, 53–65. <https://doi.org/10.1016/j.jclepro.2014.03.034>
- De Moraes, M. G., Vaz, B. D. S., De Moraes, E. G., & Costa, J. A. V. (2015). Biologically Active Metabolites Synthesized by Microalgae. *BioMed Research International*, 2015. <https://doi.org/10.1155/2015/835761>
- Dineshkumar, R., & Sen, R. (2020). A sustainable perspective of microalgal biorefinery for co-production and recovery of high-value carotenoid and biofuel with CO<sub>2</sub> valorization. *Biofuels, Bioproducts and Biorefining*, 14(4), 879–897. <https://doi.org/10.1002/bbb.2107>
- Eckert, M., Hirschberg, J., Hagen, C., Botany, G., Jena, F., Planetarium, A., & Jena, D. (2000). *Phytoene Desaturase Is Localized Exclusively in the Chloroplast and Up-Regulated at the mRNA Level during Accumulation of Secondary Carotenoids in Haematococcus pluvialis (Volvocales, Chlorophyceae)* 1, 2. 122(April), 1261–1268.
- Elhadi Suliman, A. M., Abel Rahman, E. H., & Ahmed, W. A. (2020). Capabilities of Algae to Be Utilized As a Renewable Energy Source PDF. *Academic Journal of Life Sciences*, 63, 18–26. <https://doi.org/10.32861/ajls.63.18.26>
- Ertit Taştan, B., Duygu, E., İlbaş, M., & Dönmez, G. (2016). Enhancement of microalgal biomass production and dissolved inorganic C fixation from actual coal flue gas by exogenous salicylic acid and 1-triacontanol growth promoters. *Energy*, 103, 598–604. <https://doi.org/10.1016/j.energy.2016.03.020>
- Faried, M., Samer, M., Abdelsalam, E., Yousef, R. S., Attia, Y. A., & Ali, A. S. (2017). Biodiesel production from microalgae: Processes, technologies and recent advancements. *Renewable and Sustainable Energy Reviews*, 79(July 2016), 893–913. <https://doi.org/10.1016/j.rser.2017.05.199>

- Ferreira, G. F., Ríos Pinto, L. F., Maciel Filho, R., & Fregolente, L. V. (2019). A review on lipid production from microalgae: Association between cultivation using waste streams and fatty acid profiles. *Renewable and Sustainable Energy Reviews*, 109(July 2018), 448–466. <https://doi.org/10.1016/j.rser.2019.04.052>
- Ferreri, C. (2013). Omega 3 Fatty Acids and Bioactive Foods: From Biotechnology to Health Promotion. In *Bioactive Food as Dietary Interventions for Liver and Gastrointestinal Disease* (1st ed.). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-397154-8.00084-1>
- Hanagata, N., Takeuchi, T., Fukuju, Y., Barnes, D. J., & Karube, I. (1992). Tolerance of microalgae to high CO<sub>2</sub> and high temperature. *Phytochemistry*, 31(10), 3345–3348. [https://doi.org/10.1016/0031-9422\(92\)83682-O](https://doi.org/10.1016/0031-9422(92)83682-O)
- Hu, Q., Sommerfeld, M., Jarvis, E., Ghirardi, M., Posewitz, M., Seibert, M., & Darzins, A. (2008). Microalgal triacylglycerols as feedstocks for biofuel production: Perspectives and advances. *Plant Journal*, 54(4), 621–639. <https://doi.org/10.1111/j.1365-313X.2008.03492.x>
- Huang, J. C., Wang, Y., Sandmann, G., & Chen, F. (2006). Isolation and characterization of a carotenoid oxygenase gene from Chlorella zofingiensis (Chlorophyta). *Applied Microbiology and Biotechnology*, 71(4), 473–479. <https://doi.org/10.1007/s00253-005-0166-8>
- Iwasaki, I., Hu, Q., Kurano, N., & Miyachi, S. (1998). Effect of extremely high-CO<sub>2</sub> stress on energy distribution between photosystem I and photosystem II in a “high-CO<sub>2</sub>” tolerant green alga, *Chlorococcum littorale* and the intolerant green alga *Stichococcus bacillaris*. *Journal of Photochemistry and Photobiology B: Biology*, 44(3), 184–190. [https://doi.org/10.1016/S1011-1344\(98\)00140-7](https://doi.org/10.1016/S1011-1344(98)00140-7)
- Jesus, P. da C. C. de, Mendes, M. A., Perpétuo, E. A., Basso, T. O., & Nascimento, C. A. O. do. (2021). Extracellular carotenoid production and fatty acids profile of *Parachlorella kessleri* under increased CO<sub>2</sub> concentrations. *Journal of Biotechnology*, 329(June 2020), 151–159. <https://doi.org/10.1016/j.jbiotec.2021.02.004>
- Kao, C. Y., Chen, T. Y., Chang, Y. Bin, Chiu, T. W., Lin, H. Y., Chen, C. Da, Chang, J. S., & Lin, C. S. (2014). Utilization of carbon dioxide in industrial flue gases for the cultivation of microalga *Chlorella* sp. *Bioresource Technology*, 166, 485–493. <https://doi.org/10.1016/j.biortech.2014.05.094>
- Kativu, E. (2011). *Carbon Dioxide Absorption Using Fresh Water Algae and Identifying Potential Uses of Algal Biomass*. 133.

- Lafarga, T., & Clemente, I. (2020). Carotenoids from microalgae. In *Carotenoids: Properties, Processing and Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-817067-0.00005-1>
- Mata, T. M., Martins, A. A., & Caetano, N. S. (2010). Microalgae for biodiesel production and other applications: A review. *Renewable and Sustainable Energy Reviews*, 14(1), 217–232. <https://doi.org/10.1016/j.rser.2009.07.020>
- Moreno, R., Aita, G. M., Madsen, L., Gutierrez, D. L., Yao, S., Hurlburt, B., & Brashear, S. (2013). Identification of naturally isolated Southern Louisiana's algal strains and the effect of higher CO<sub>2</sub> content on fatty acid profiles for biodiesel production. *Journal of Chemical Technology and Biotechnology*, 88(5), 948–957. <https://doi.org/10.1002/jctb.3930>
- Pancha, I., Chokshi, K., Maurya, R., Trivedi, K., Patidar, S. K., Ghosh, A., & Mishra, S. (2015). Salinity induced oxidative stress enhanced biofuel production potential of microalgae *Scenedesmus* sp. CCNM 1077. *Bioresource Technology*, 189, 341–348. <https://doi.org/10.1016/j.biortech.2015.04.017>
- Perdana, B. A., Dharma, A., Zakaria, I. J., & Syafrizayanti. (2021). Freshwater pond microalgae for biofuel: Strain isolation, identification, cultivation and fatty acid content. *Biodiversitas*, 22(2), 505–511. <https://doi.org/10.13057/biodiv/d220201>
- Pertumbuhan, L., Chlorella, S., Perbedaan, B., Dan, N., Kawaroe, M., Prartono, T., Sunuddin, A., Sari, D. W., & Augustine, D. (1996). According to Different Concentration of Nutrient and Photoperiod ). 1, 73–77.
- Praveenkumar, R., Kim, B., Choi, E., Lee, K., Park, J. Y., Lee, J. S., Lee, Y. C., & Oh, Y. K. (2014). Improved biomass and lipid production in a mixotrophic culture of *Chlorella* sp. KR-1 with addition of coal-fired flue-gas. *Bioresource Technology*, 171, 500–505. <https://doi.org/10.1016/j.biortech.2014.08.112>
- Radmann, E. M., Camerini, F. V., Santos, T. D., Alberto, J., & Costa, V. (2011). Isolation and application of SO X and NO X resistant microalgae in biofixation of CO 2 from thermoelectricity plants. *Energy Conversion and Management*, 52(10), 3132–3136. <https://doi.org/10.1016/j.enconman.2011.04.021>
- Rehmanji, M., Suresh, S., Nesamma, A. A., & Jutur, P. P. (2021). Microalgal cell factories, a platform for high-value-added biorenewables to improve the economics of the biorefinery. In *Microbial and Natural Macromolecules*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-820084-1.00027-2>

- Ríos, S. D., Castañeda, J., Torras, C., Farriol, X., & Salvadó, J. (2013). Lipid extraction methods from microalgal biomass harvested by two different paths: Screening studies toward biodiesel production. *Bioresource Technology*, 133, 378–388. <https://doi.org/10.1016/j.biortech.2013.01.093>
- Rodrigues, D. B., Flores, É. M. M., Barin, J. S., Mercadante, A. Z., Jacob-Lopes, E., & Zepka, L. Q. (2014). Production of carotenoids from microalgae cultivated using agroindustrial wastes. *Food Research International*, 65(PB), 144–148. <https://doi.org/10.1016/j.foodres.2014.06.037>
- Rouxel, C., Dubois, N., Kaas, R., Grouas, S., Lukomska, E., Coz, L., & Cadoret, J. (2012). Enhancement of neutral lipid productivity in the microalga Isochrysis affinis Galbana (T-Iso) by a mutation-selection procedure. *Biotechnology and Bioengineering*, 109(11), 2737–2745.
- Safi, C., Zebib, B., Merah, O., Pontalier, P. Y., & Vaca-Garcia, C. (2014). Morphology, composition, production, processing and applications of Chlorella vulgaris: A review. *Renewable and Sustainable Energy Reviews*, 35, 265–278. <https://doi.org/10.1016/j.rser.2014.04.007>
- Sajjadi, B., Chen, W. Y., Raman, A. A. A., & Ibrahim, S. (2018). Microalgae lipid and biomass for biofuel production: A comprehensive review on lipid enhancement strategies and their effects on fatty acid composition. *Renewable and Sustainable Energy Reviews*, 97(November 2017), 200–232. <https://doi.org/10.1016/j.rser.2018.07.050>
- Talebi, A. F., Mohtashami, S. K., Tabatabaei, M., Tohidfar, M., Bagheri, A., Zeinalabedini, M., Hadavand Mirzaei, H., Mirzajanzadeh, M., Malekzadeh Shafaroudi, S., & Bakhtiari, S. (2013). Fatty acids profiling: A selective criterion for screening microalgae strains for biodiesel production. *Algal Research*, 2(3), 258–267. <https://doi.org/10.1016/j.algal.2013.04.003>
- Tang, D., Han, W., Li, P., Miao, X., & Zhong, J. (2011). CO<sub>2</sub> biofixation and fatty acid composition of Scenedesmus obliquus and Chlorella pyrenoidosa in response to different CO<sub>2</sub> levels. *Bioresource Technology*, 102(3), 3071–3076. <https://doi.org/10.1016/j.biortech.2010.10.047>
- Wang, B., Li, Y., Wu, N., & Lan, C. Q. (2008). CO<sub>2</sub> bio-mitigation using microalgae. *Applied Microbiology and Biotechnology*, 79(5), 707–718. <https://doi.org/10.1007/s00253-008-1518-y>
- Yadav, G., Karemore, A., Dash, S. K., & Sen, R. (2015). Performance evaluation of a green process for microalgal CO<sub>2</sub> sequestration in closed photobioreactor using flue gas generated in-situ. *Bioresource Technology*, 191, 399–406. <https://doi.org/10.1016/j.biortech.2015.04.040>

Zhao, B., & Su, Y. (2014). Process effect of microalgal-carbon dioxide fixation and biomass production: A review. *Renewable and Sustainable Energy Reviews*, 31, 121–132. <https://doi.org/10.1016/j.rser.2013.11.054>

