

## DAFTAR PUSTAKA

- Adeyemi. D., Omobola. A., Olarinde. S. 2009. Anti Hyperglycemic Activities of *Annona Muricata* (Linn). Afr J tradit complement altern med. 6(1),62-69.
- Adewole. S. O and Ojewole. J. A. O. 2006. Rotective Effect of *Annona Muricata Linn. (Annonaceae)* Leaf Aqueous Extract on Serum Lipid Profiles And Oxidative Stress In Hepatocytes of Streptozotocin-Treated Diabetic Rats, afr. J. Trad. Cam. 6 (1): 30 – 41.
- Adewole Stephen O and Ojewole John A. O. 2006. Immunohistochemical and Biochemical Effects of *Annona muricata linn. (Annonaceae)* Leaf Aqueous Extract on Pancreatic  $\beta$ -cells of Streptozotocin-Treated Diabetic Rats, Pharmacologyonline 2: 335-355.
- Agu. K.C and Okolie. P.N. 2017. Proximate Composition, Phytochemical Analysis, and In Vitro Antioxidant Potentials of Extracts of *Annona muricata* (Soursop). Food Sci Nutr. 1–8.
- Agullo, G.; Gamet-Payrastre, L.; Manenti, S.; Viala, C.; Re'me'sy, C.; Chap, H.; Payrastre, B. 1997. Relationship Between Flavonoid Structure And Inhibition Of Phosphatidylinositol 3-Kinase: A Comparison With Tyrosine Kinase And Protein Kinase C Inhibition. Biochem. Pharmacol. 53, 1649–1657
- Araya H, Sahai M, Singh S et al. 2002. Squamocin-O-1 and squamocin-O-2, New Adjacent Bistetrahydrofuran Acetogenins From The Seeds of *Annona squamosa*. Phytochemistry 61:999–1004
- Asare G A, Afriyie D, Ngala R A, Abutiate H, Doku D, Mahmood S A, and Habibur Rahman. 2015. Antiproliferative Activity of Aqueous Leaf Extract of *Annona muricata L.* on the Prostate, BPH-1 Cells, and Some Target Genes. Integrative Cancer Therapies 1–10.
- Asma O.E Mohammedb. W.A, Darwisha. M.O. 2020. Review of Phytochemical and Medical Applications of *Annona Muricata* Fruits. Journal of Chemical Reviews. Volume 2, Issue 1, Pages 70-79.
- Augusto F, Valente ALP, Tada ES, Rivellino SR. 2000. Screening of Brazilian fruit aromas using solid-phase microextraction gas chromatography-mass spectrometry. J Chromatogr A 873:117–127.
- Badrie, N., & Schauss, A. G. 2010. Soursop (*Annona muricata L.*): composition, nutritional value, medicinal uses, and toxicology. In Bioactive foods in promoting health. Academic Press. pp. 621-643.

- Balusamy, S. R., Perumalsamy, H., Huq, M. A. & Balasubramanian, B. 2018. Anti-Proliferative Activity Of *Origanum Vulgare* Inhibited Lipogenesis And Induced Mitochondrial Mediated Apoptosis In Human Stomach Cancer Cell Lines. *Biomed Pharmacother*, 108, 1835–1844
- Bai F, Matsui T, Ohtani-Fujita N, Matsukawa Y, Ding Y, Sakai T. 1998. Promoter activation and following induction of the p21/WAF1 gene by flavone is involved in G1 phase arrest in A549 lung adenocarcinoma cells. *FEBS Lett.* 437:61–64.
- Benavente-García, O.; Castillo, J.; Marián, F. R.; Ortún, A.; Del Rio, J. A. 1997. Uses And Properties Of Citrus Flavonoids. *J. Agric. Food Chem.* 45, 4505–4515
- Banjarnahor. S.D.S and Nina Artanti. N. 2014. Antioxidant Properties of Flavonoids. *Med J Indones.* 23 : 239-44.
- Barrachina, I., Neske, A., Granell, S., Bermejo, A., Chahboune, N., El Aouad, N., Zafra-Polo, M. C. 2004. Tucumanin, a  $\beta$ -Hydroxy- $\gamma$ -lactone Bistetrahydrofuranic Acetogenin from *Annona cherimolia*, is a Potent Inhibitor of Mitochondrial Complex I. *Planta Medica*, 70(9), 866–868.
- Bartley. J. P. 1987. Volatile constituents of *custard apple*. *Chromatographia* 23:129–131
- Baskar. R., Rajeswari. V, Kumar. T. S. 2007. In Vitro Antioxidant Studies In Leaves of *Annona* Species. *Ind J Exp Biol.* 45:480–485.
- Benavente-García, O.; Castillo, J.; Lorente, J.; Alcaraz, M.; Yanéz, J.; Martínez, C.; Vicente, V.; Lozano, J. A. 2005. Antiproliferative Activity Of Several Phenolic Compounds Against Melanoma Cell Lines: Relationship Between Structure And Activity. *Agro Food Ind. Hi-Tech* 2005, 4, 30–34.
- Benavente-García, O., & Castillo, J. 2008. Update on Uses and Properties of Citrus Flavonoids: New Findings in Anticancer, Cardiovascular, and Anti-inflammatory Activity. *Journal of Agricultural and Food Chemistry*, 56(15), 6185–6205.
- Bhalke. R. D., and Chavan. M. J. 2011. Analgesic and CNS depressant activities of extracts of *Annona reticulata* Linn. bark. *Phytopharmacology* 1:160–165
- Bicas. J. L., Molina G., Dionísio. A. P. 2011. Volatile Constituents Of Exotic Fruits From Brazil. *Food Res Int* 44:1843–1855.

- Brown. J. P. 1980. A Review of The Genetic Effects of Naturally Occurring Flavonoids, Anthraquinones and Related Compounds. *Mutat. Res.* 75: 243-277.
- Borup-Grochtmann, I., and Kingston. D. G. I. 1982. Aporphine Alkaloids From *Annona acuminata*. *Journal of Natural Products*, 45 (1), 102.
- Campos. F. R., Batista. R. L., and Batista. C. L. 2008. Isoquinoline Alkaloids From Leaves of *Annona sericea* (*Annonaceae*). *Biochem Syst Ecol.* 36: 804- 806.
- Caparros-Lefebvre and John Steele. 2005. Atypical Parkinsonism On Guadeloupe, Comparison With The Parkinsonism–Dementia Complex Of Guam, And Environmental Toxic Hypotheses. *Environmental Toxicology And Pharmacology*. 19 (3), 407–413.
- Castaneda. P., Garcia. E., Mata. R., and Rico. V. 1994. Constituents of *Annona glabra*. *Fitoterapia* 65, 478-478.
- Carlos. A. T. Siqueira. O., Adilson. S. 2011. Chemical Constituents Of The Volatile Oil From Leaves Of *Annona Coriacea* And *In Vitro* Antiprotozoal Activity. *Revista Brasileira de Farmacognosia Brazilian Journal of Pharmacognosy*. 21(1): 33-40.
- Cassady. J. M. 1990. Natural Products as a Source of Potential Cancer Chemotherapeutic and Chemopreventative Agents. *Journal of Natural Products*, 53 (1), 23-41.
- Castro, I; Villegas, JR; Soeder, B; Castro, O; Soeder, B. 1996. Oxoaporphine Alkaloids from *Annona purpurea* wood. *Fitoterapia*. 67 (2), 181-182.
- Chang, F.R., Chen. C. Y., Hsieh, T.J., Cho, C. P., Wu, Y. C. 2000. Chemical Constituents From *Annona glabra* III. *J.Chin. Chem. Soc.* 47: 913–920.
- Chang. FR; Wei, JL; Teng, CM; Wu, YC. 1998a. Antiplatelet aggregation constituents from *Annona purpurea*. *Journal of Natural Products*. 61 (12):1457-1461.
- Chang Fang-Rong, Jien-Lin Chen, Hui-Fen Chiu. 1998. Acetogenins From Seeds Of *Annona Reticulata*, *Phytochemistry*, Vol. 47, No. 6, pp. 1057-1061.
- Chang FR and Wu YC. 2001. Novel cytotoxic *Annonaceous* acetogenins from *Annona muricata*. *J Nat Prod* 64(7): 925-31.

- Champy, P., Höglinder, G. U., Féger, J., Gleye, C. 2004. Annonacin, a Lipophilic Inhibitor of Mitochondrial Complex I, Induces Nigral and Striatal Neurodegeneration in Rats: Possible Relevance for Atypical Parkinsonism in Guadeloupe. *Journal of Neurochemistry*. 88(1), 63-69.
- Chang, FR; Wei, JL; Teng, CM; Wu, YC. 1998b. Two new 7-dehydroaporphine alkaloids and antiplatelet action aporphines from the leaves of *Annona purpurea*. *Phytochemistry*. 49 (7):2015-2018.
- Chang FR, Chen CY, Hsieh TJ, Cho CP, Wu YC. 2000. Chemical constituents from *Annona glabra* III. *J Chin Chem Soc-taip*. 47(4B): 913-20.
- Chang Fang-Rong, Liaw Chih-Chuang, Chih-Yuan Lin. 2003. New Adjacent Bis-Tetrahydrofuran Annaceous Acetogenins from *Annona muricata*, *Planta Med*. 69(3): 241-246.
- Chavan J, Dinesh R. Kolhe, Pravin S. Wakte. 2012. Analgesic and Antiinflammatory Activity of Kaur-16-en-19-oic acid from *Annona reticulata* L. Bark, *Phytother. Res*. 26: 273–276.
- Chavan, M. J., Wakte, P. S., & Shinde, D. B. 201). Analgesic and anti-inflammatory activities of 18-acetoxy-ent-kaur-16-ene from *Annona squamosa* L. bark. *Inflammopharmacology*, 19(2): 111–115.
- Chen, C.-Y.; Chang, F.-R.; Wu, Y.-C. 1997. Cherimoline, a novel alkaloid from the stems of *Annona cherimola*. *Tetrahedron Lett*. 38, 6247–6248.
- Chen, C.Y., Chang, F.R., Chiu, H.F., Wu, M.J., Wu, Y.C., 1999a. Aromin-A, an annonaceous acetogenins from *Annona cherimola*. *Phytochemistry* 51 (2), 429-433.
- Chen, C.Y., Chang, F.R., Teng, C.M., Wu, Y.C., 1999b. Cheritamine, a new N-fatty acyl tryptamine and other constituents from the stems of *Annona cherimola*. *Journal of the Chinese Chemical Society* 46(1), 77-86.
- Chen, C.Y.; Chang, F.R.; Pan, W.B.; Wu, Y.C. 2001. Four alkaloids from *Annona cherimola*. *Phytochemistry*. 56,753–757.
- Chen CH, Tian-J.H, Tsan-Zon Liu, Chi-Liang Chern, Pei-Ying Hsieh, and Chung-Yi Chen. 2004. Annoglabayin, a Novel Dimeric Kaurane Diterpenoid, and Apoptosis in Hep G2 Cells of Annomontacin from the Fruits of *Annona glabra*. *J. Nat. Prod.* 67, 1942-1946.

- Chen Y, Chen J, Xiang Li. 2011. Cytotoxic Bistetrahydrofuran *Annonaceous* Acetogenins from the Seeds of *Annona squamosal*, Journal of Natural Products, 74(11): 2477–2481.
- Chuang H, Pei-Wen Hsieh, Yu-Liang Yang. 2008. Cyclopeptides with Anti-inflammatory Activity from Seeds of *Annona montana*, J. Nat. Prod. 71, 1365–1370.
- Coria-Téllez, A.V.; Montalvo-Gónzalez, E.; Yahia, E.M.; Obledo-Vázquez, E.N. 2018. *Annona muricata*: A comprehensive review on its traditional medicinal uses, phytochemicals, pharmacological activities, mechanisms of action and toxicity. Arab. J. Chem. 11, 662–691.
- Cortés D., Myint S. H., Dupont B. and Davoust D. (1993 b) “Bioactive Acetogenins from Seeds of *Annona cherimolia*.” Phytochemistry, 32 (6) : 1475-1482.
- Cruz-Chacón IDL González-Esquínca AR, Fefer PG, García LFJ. Liriodenine, early antimicrobial defence in *Annona diversifolia*. Z Naturforsch C. 2011; 66: 377-384.
- Cruz PEO, Costa EV, Moraes VRS, Nogueira PCL, Vendramin ME, Barison A, et al. Chemical constituents from the bark of *Annona salzmannii* (Annonaceae). BiochemSyst Ecol. 2011; 39: 872-875.
- Costa EV, Cruz PEO, Lourenco CC, Moraes VRS, Nogueira PCL, Salvador MJ. 2013. Short Communication, Antioxidant and antimicrobial Activities of Aporphinooids and Other Alkaloids From The Bark of *Annona salzmannii* A. DC. (Annonaceae). Nat Prod Res. 27 (11): 1002-1006.
- Costa EV and Pinheiro B .2009. Antimicrobial and antileishmanial activity of essential oil from the leaves of *Annona foetida* (Annonaceae), Quim. Nova, Vol. 32, 1, 78-81.
- Costa EV, Pinheiro MLB, Xavier CM, Silva JRA, Amaral AC, Souza ADL, et al. 2006. A Pyrimidine- $\beta$ -carboline and other alkaloids from *Annona foetida* with antileishmanial activity. J Nat Prod. 69: 292-294.
- Costa E V, Lívia Macedo Dutraa , Hugo César Ramos de Jesusa , Paulo Cesar de Lima Nogueira, Valéria Regina de Souza Moraes. 2011. Chemical Composition and Antioxidant, Antimicrobial, and Larvicidal Activities of the Essential Oils of *Annona salzmannii* and *A. pickelii* (Annonaceae).

- Costa EV, Pinheiro MLB, Souza ADLD, Barison A, Campos FR, Valdez RH, et al. 2011. Trypanocidal activity of oxoaporphine and pyrimidine-  $\beta$ -carboline alkaloids from the branches of *Annona foetida* Mart. (*Annonaceae*). *Molecules*. 16: 9714-9720.
- Cruz-Chacón IDL, González-Esquinca AR. 2012. Liriodenine alkaloid in *Annona diversifolia* during early development. *Nat Prod Res*. 26, 1, 42-49.
- da C Alves T, Gonçalves MRS, Correia FCS et al. 2014. New acetogenins from the seeds of *Annona coriacea*. *Helv Chim Acta* 97:1469–1474
- Damasceno DC, Volpato GT, Sartori TC, Rodrigues PF, et al. 2002. Effects of *Annona squamosa* extract on early pregnancy in rats. *Phytomedicine* 9: 667-672.
- Dang QL, Kim WK, Nguyen CM et al (2011) Nematicidal and antifungal activities of annonaceous acetogenins from *Annona squamosa* against various plant pathogens. *J Agric Food Chem* 59:11160–11167.
- De Filips, R.A.; Maina, S.L.; Crepin, J. 2004. Medicinal Plants of the Guianas (Guyana, Surinam, French Guiana); Department of Botany, National Museum of Natural History, Smithsonian Institution: Washington, DC, USA.
- De Oliveira, A.B.; De Oliveira, G.G.; Carazza, F.; Maia, J.G.S. 1987. Geovanine, a New Azaanthracene Alkaloid From *Annona ambotay* Aubl. *Phytochemistry*, 26, 2650–2651.
- Dholvitayakhun A, Trachoo N, Sakee U, Cushnie TP (2013) Potential applications for *Annona squamosa* leaf extract in the treatment and prevention of foodborne bacterial disease. *Nat Prod Commun* 8:385–388.
- Dong L, Jingguang Y, Lan S, Xiuzhen L, Shaorong G, Jitian L (1998) Studies on chemical constituents of the seeds from *Annona reticulata* (*Annonaceae*). *Nat Prod Res Dev* 10:1–7.
- Dos, S.A.F.; Sant'Ana, A.E. 2000. The molluscicidal activity of plants used in Brazilian folk medicine. *Phytomedicine*, 6, 431–438.
- Duret P., Gromek D., Hocquemiller R. and Cavé A. 1994 “Isolation and Structure of Three New Bis-Tetrahydrofuran Acetogenins from the Roots of *Annona cherimolia*.” *Journal of Natural Products*, 57 (7) : 911-916.
- Dutra LM, Costa EV, Souza Moraes VRS, Nogueira, PCL, Vendramin ME,

- Barison A. 2012. Chemical constituents from the leaves of *Annona pickelii* (Annonaceae). Biochem Syst Ecol.; 41: 115-118.
- Duval R A, Philippe D, Guy L, Eva P, Reynald H. 2005. Semisynthesis and biological activity of aminoacyl triesters of squamocin, an *annonaceous* acetogenin. Bioorganic & Medicinal Chemistry. 13, 11, 3773-3781.
- Egydio APM, Valvassoura TA, Santos DY.A. 2013 Geographical variation of isoquinoline alkaloids of *Annona crassiflora* Mart. from cerrado, Brazil. Biochem Syst Ecol.; 46: 145-151.
- Egydio-Brandão, Anary Priscila Monteiro, Novaes, Paula1 and Santos, Déborah Yara Alves Cursino dos. 2017. Alkaloids from *Annona*: Review from 2005 to 2016. JSM Biochemistry & Molecular Biology. 4(3):1031.
- El-Darier SM and Abdelhady, E. F. 2017. Phytochemistry and Cytotoxic Activity of *Annona squamosa* L. Fruit Pulp against Human Carcinoma Cell Lines. Cancer Biology. 7(3).
- Elattar TM, Virji AS. 2000. Effect of tea polyphenols on growth of oral squamous carcinoma cells in vitro. Anticancer Res;20:3459–3465.
- Elattar TM, Virji AS. 2000. The inhibitory effect of curcumin, genistein, quercetin and cisplatin on the growth of oral cancer cells in vitro. Anticancer Res;20:1733–1738.
- Fall D, Badiane M, Ba D, Loiseau P, Bories C, Gleye C, Laurens A, Hocquemiller R (2003) Antiparasitic effect of Senegalese *Annonaceae* used in traditional medicine. Dakar Med 48:112–116.
- Fang Y.Z., S. Yang, and G. Wu. 2002. Free radicals, antioxidants, and nutrition. Nutrition, vol. 18, no. 10, pp. 872–879.
- Fatema I B, Chowdhury N S, Charu T K, Liya F I and Nafia Sultana. 2021. Phytochemical and Pharmacological Studies of the genus *Annona*: A Review. International Journal of Recent Innovations in Academic Research. 5(1):23-24.
- Fenge WGS, Lu Z, Yan Z, Jon TS, Jerry LM. 1995. Additional bioactive acetogenins, annomutacin from the leaves of *Annona muricata* and (2,4- trans and cis)-10r-Annonacin-a-ones, from the leaves of *Annona muricata*. *J Nat Prod* 58(9): 1430-37.
- Flora Priyadarshini, J., Sivakumari, K., Selvaraj, R., Ashok, K., Jayaprakash, P., & Rajesh, S. 2018. Green Synthesis Of Silver Nanoparticles

From Propolis. Reserch Journal Life Science Bioinformatics  
Pharmactical Chemical Science, 4, 23-36.

Fofana S, Ziyaev R, Abdusamatov A, Zakirov SK. 2011. Alkaloids from *Annona muricata* leaves. *Chem Nat Compd* 47: 321. doi: 10.1007/s10600-011-9921-5.

Fofana S, Keita A, Balde S, Ziuaev R, Aripova SF. 2012. Alkaloids from leaves of *Annona muricata*. *Chem Nat Comp.*; 48: 714-714.

Formagio A.S.N., Maria do Carmo Vieira, et al. 2013. Composition and Evaluation of the Anti-Inflammatory and Anticancer Activities of the Essential Oil from *Annona sylvatica* A. St.-Hil. *J Med Food* 16 (1) 2013, 20–25.

Fresno A. Villar del and Cañavate J. L. R. 1983 “Alkaloids from *Annona cherimolia* Seed.” *Journal of Natural Products*, 46 (3) : 438.

Fukai T, Sakagami H, Toguchi M, Takayama F, Iwakura I, Atsumi T, Ueha T, Nakashima H, Nomura T. 2000. Cytotoxic activity of low molecular weight polyphenols against human oral tumor cell lines. *Anticancer Res.* 20: 2525–2536.

Gavamukulya Y, Abou-Elella F, Wamunyokoli F, and AEI-Shemy H. 2014. Phytochemical screening, anti-oxidant activity and in vitro anticancer potential of ethanolic and water leaves extracts of *Annona muricata* (Graviola). *Asian Pacific Journal of Tropical Medicine*. 7(Suppl 1): S355-S363.

Geum-soog Kim, Lu Zeng, Feras alali. 1998. Muricoreacin And Murihexocin C, Mono-Tetrahydrofuran Acetogenins, From The Leaves Of *Annona muricata*. *Phytochemistry*. Vol. 49. No 2. pp.565-571.

Geurts F. 1981. *Annonaceous Fruits*, Royal Tropical Amesterdam the Netherland.16 pp.

Gleye C, Duret P, Laurens A, Hocquemiller R, Cave' A. 1998. cis-monotetrahydrofuran acetogenins from the roots of *Annona muricata*. *J.Nat Prod* 61(5): 576-9. doi: 10.1021/np970494m

Gleye C, Raynaud S, Fourneau C, Laurens A, Lapre'vote O, Serani L. 2000. Cohibins C and D, two important metabolites in the biogenesis of acetogenins from *Annona muricata* and *Annona nutans*. *J Nat Prod* 63(9): 1192-6.

Gleye C, Akendengue B, Laurens A, Hocquemiller R. 2001. Coronin from roots of *Annona muricata*, a putative intermediate in acetogenin biosynthesis (1). *Planta Med* 67(6): 570-2.

Gyesi, J.N., Opoku, R and Borquaye. L.S. 2019. Chemical Composition, Total Phenolic Content, and Antioxidant Activities of the Essential Oils of the Leaves and Fruit Pulp of *Annona muricata* L. (Soursop) from Ghana. Biochemistry Research International Volume 2019, Article ID 4164576, 9 pages.

Gupta-Elera, Andrew R. Garrett, Andres Martinez. 2011. The antioxidant properties of the cherimoya (*Annona cherimola*) fruit, 44. 2205-2209.

Gomes de Melo, Thiago Antônio, Valérium Thijan. 2010. Antiproliferative Activity, Antioxidant Capacity and Tannin Content in Plants of Semi-Arid Northeastern Brazil, Molecules. 15, 8534-8542.

González-Trujano, M.E.; Navarrete, A.; Reyes, B.; Hong, E. 1998. shot communication Some Pharmacological Effects of The Ethanol Extract of Leaves of *Annona diversifolia* on The Central Nervous System in Mice. Phyther. Res. 12, 600–602.

Gu. Z. M. Xin-ping Fang, Matthew J Rleser 1993. New Cytotoxic Annonaceous Acetogenins: Bullatanocin and cis- and trans-Bullatanocinone, From *Annona bullata* (Annonaceae) Tetr & dron Vol. 49. No 4. pp 747-754

Hasrat, JA; De Bruyne, T; De Bakcer, JP; Vauquelin, G; Vlietinck, AJ. 1997. Isoquinoline derivatives isolated from the fruit of *Annona muricata* as 5-HTergic 5-HT1A receptor agonists in rats: unexploited antidepressive (lead) products. Journal of Pharmacy and Pharmacology. 49 (11), 1145-1149.

Haykal T, Nasr P, Hodroj M. 2019. *Annona cherimola* Seed Extract Activates Extrinsic and Intrinsic Apoptotic Pathways in Leukemic Cells. Toxins. 11. 506.

Han D, Tachibana H, Yamada K. 2001. Inhibition of environmental estrogen-induced proliferation of human breast carcinoma MCF-7 cells by flavonoids. In Vitro Cell Dev Biol Anim. 37:275–282.

Hisham A., Sunitha C., Sreekala U., Pieters L., De Bruyne T., Van den Heuvel H. and Claeys M. 1994. Reticulacinone, an Acetogenin from *Annona reticulata*. Phytochemistry, 35 (5) : 1325-1329.

Hopp DC, Zeng L, Gu ZM, Kozlowski JF, McLaughlin JL. 1997. Novel mono- tetrahydrofuran ring acetogenins, from the bark of *Annona squamosa*, showing cytotoxic selectivities for the human pancreatic carcinoma cell line, PACA-2. *J Nat Prod* 60(6): 581-6.

- Hopp DC, Alali FQ, Gu ZM, McLaughlin JL (1998) Three new bioactive bis-adjacent THFring acetogenins from the bark of *Annona squamosa*. *Bioorg Med Chem* 6:569–575.
- Huang, H. C.; Wang, H. R.; Hsieh, L. M. 1994. Antiproliferative Effect of Baicalein, a Flavonoid From Chinese Cerb, on Vascular Smooth Muscle Cell. *Eur. J. Pharmacol.* 251, 91–93
- Hui, YH; Wood, KV; Mc Laughlin, JL. 1992. Bullatencin, 4-deoxyasimicin, and the uvriamicins: additional bioactive *annonaceous* acetogenins from *Annona bullata Rich.* (Annonaceae). *Natural Toxins.* 1 (1), 4-14.
- Hui, YH; Ruprecht, JK; Liu, YM; Anderson, JE; Smith, DL; Chang, CJ; Mc Laughlin, JL. 1989. Bullatacin and bullatacinone: two highly potent bioactive acetogenins from *Annona bullata*. *Journal of Natural Products*, , 52 (3), 463-477.
- Hummer, K. E, N. Bassil, and W. Njuguna. 2011 . *Fragaria*. In C. Kole [ed.], Wild crop relatives: Genomic and breeding resources. Springer, Berlin, Germany. pp 17–44
- Jamkhande P G, Ajgunde B R and Judge D R. 2017. *Annona cherimola Mill.* (Custard apple): a Review On Its Plant Profile, Nutritional Values, Traditional Claims And Ethnomedicinal Properties. Orient Pharm Exp Med.
- Jansen, P.C.M.; Jukema, J.; Oyen, L.P.A.; van Lingen, T.G. 1991. *Annona reticulata L.* In Plant Resources of South-East Asia No. 2: Edible fruits and nuts; Verheij, E.W.M., Coronel, R.E., Eds.; Pudoc: Wageningen, The Netherlands. p. 316.
- Jaramillo MC, Arango GJ, Gonzalez MC, Robledo SM, Velez ID. 2000. Cytotoxicity and antileishmanial activity of *Annona muricata* pericarp. *Fitoterapia* 71(2): 183-6.
- Jayendra M, Kumar Y (2013) New compound 6,7-dimethoxy-2-methylisoquinolinium from Indian medicinal plant *Annona squamosa L.* *Int J Chem Anal Sci* 4:161–168.
- Jirovetz L, Buchbauer G, Shafi PM, Saidutty A (1998) Analysis of the essential oils of the leaves and roots of *Annona reticulata* (Annonaceae) from South-India. *Ernaehrung* 22:9–10.
- Joy B and Rao JM. 1997. Essential oil of the leaves of *Annona squamosa L.* *J Essent Oil Res* 9(3): 349-50.

- Jossang A 1991. Annomontacine: Une Nouvelle Acétogénine V-Lactone-Monotetrahydrofurannique Cytotoxique De *L'annona montana*, Vol.54. No 4. PP.967-971.
- Julián-Loaeza;Norma Francenia;Valadez-Blanco. 2011. Chemical composition, color, and antioxidant activity of three varieties of *Annona diversifolia* Safford fruits. Volume 34. Issue 2.1262-1268.
- Julianto T. 2019. Fitokimia. Yogyakarta. Universitas Islam Indonesia.
- Kaleem M, Asif M, Ahmed Q U, and Bano B. 2006. Antidiabetic and antioxidant activity of *Annona squamosa* extract in streptozotocin-induced diabetic rats. Singapore Med J. 47(8):670-675.
- Kang, Y.F.; Liu, C.M.; Kao, C.L.; Chen, C.Y. 2014. Antioxidant and Anticancer Constituents From The Leaves of *Liriodendron Tulipifera*. Molecules. 19(4), 4234-4245.
- Karou, S.D.; Tchacondo, T.; Djikpo Tchibozo, M.A.; Abdoul-Rahaman, S.; Anani, K.; Koudouvo, K.; Batawila, K.; Agbonon, A.; Simpore, J.; de Souza, C. 2011. Ethnobotanical study of medicinal plants used in the management of diabetes mellitus and hypertension in the Central Region of Togo. Pharm. Biol., 49, 1286–1297.
- Kaur R, Kapoor K, Kaur H. 2011. Plants as a source of anticancer agents. J Nat Prod. Plant. Resour. 1(1):119-124.
- Kim GS, Zeng L, Alali F, Rogers LL, Wu FE. 1998a. Muricoreacin and murihexocin C monotetrahydrofuran acetogenins from the leaves of *Annona muricata*. *Phytochemistry* 49(2): 565-71.
- Kim DH, Son JK, Woo MH. 2001. Annomocherin, Annonacin and annomontacin: a novel and two known bioactive mono-tetrahydrofuran Annonaceous acetogenins from *Annona cherimolia* seeds. *Arch Pharm Res* 24(4): 300-6.
- Kim DH, Ma ES, Suk KD, Son JK, Lee JS, Woo MH. 2001. Annomolin and annocherimolin, new cytotoxic Annonaceous acetogenins from *Annona cherimolia* seeds. *J Nat Prod* 64(4): 502-6.
- Kossouoh, C., Moudachirou, M., Adjakidje, V., Chalchat, J.-C., & Figue're'do, G. (2007). Essential oil chemical composition of *Annona muricata* L. leaves from Benin. *Journal of Essential Oil Research*, 19, 307–309.
- Kusmardiyan S, Suharli Y A, Insanu M, and Fidrianny I. 2020. Phytochemistry and pharmacological activities of *Annona* genus: A

review. Current Research on Biosciences and Biotechnology 2 (1); 77-88.

Laguna-Hernández G, Brechú-Franco AE, De la Cruz-Chacón I, González-Esquinca AR (2017) A histochemical technique for the detection of *Annonaceous* acetogenins. In: Pellicciari C, Biggiogera M (eds) Histochemistry of single molecules, methods in molecular biology. Human Press, New York, pp 331–338.

Laprevote, O.; Leboeuf, M.; Cave, A.; Provost, J.; Forgacs, P.; Jacquemin, H. 1988. Alkaloids of the *Annonaceae*. 88. Alkaloids of *Annona paludosa* Aublet. Plant. Med. Phytother., 22, 159–164.

Lall N, Kishore N, Bodiba D, More G, Tshikalange E, Kikuchi H, Oshima Y. 2017. Alkaloids from aerial parts of *Annona senegalensis* against *Streptococcus mutans*. Nat Prod Research.; 31: 1944-1947.

Langason R. B. F., Akunyili D. N. and Akubue P. I. 1994. A Preliminary Study of the Gastrointestinal Effects of Some Nigerian Medicinal Plants. Fitoterapia, 65 (3) : 235-241.

Leboeuf, M, Cave, A, Forgacs, P, Tiberghien, R, Provost, J, Touche, A, Jacquemin, H. 1982. Alkaloids of the *Annonaceae*. 40. Chemical and pharmacological study of the alkaloids of *Annona montana* Macf. Plantes Medicinales et Phytotherapie. 16 (3), 169-184.

Lebrini M, Robert F, Roos C (2010) Inhibition effect of alkaloids extract from *Annona squamosa* plant on the corrosion of C38 steel in normal hydrochloric acid medium. Int J Electrochem Sci 5:1698–1712.

Lee SS, Wu DY, Tsai SF, Chen CK. 2015. Anti-Acetylcholinesterase alkaloids from *Annona glabra* leaf. Nat Prod Commun. 10: 891-893.

Li DY, Yu JG, Zhu JX, Yu DL, Luo XZ, Sun L. 2001. *Annonaceous* acetogenins of The Seeds From *Annona muricata*. J Asian Nat Prod Res 3(4): 267-76.

Li HT, Wu HM, Chen H, Liu CM, Chen CY. 2013. The pharmacological activities of (−)-anonaine. Molecules.; 18: 8257-8263.

Li X, Chen XL, Chen JW, Sun DD (2010) Annonaceous acetogenins from the seeds of *Annona squamosa*. Chem Nat Compd 46:101–105.

Liaw , Fang-Rong Chang, Chih-Yuan Lin, Chi-Jung Chou, Hui-Fen Chiu, Ming-Jung Wu, and Yang-Chang Wu. 2002. New Cytotoxic

Monotetrahydrofuran *Annonaceous* Acetogenins from *Annona muricata*. J. Nat. Prod. 65, 470-475.

Liaw C, Fang-Rong Chang, Shu-Li Chen. 2005. Novel Cytotoxic Monotetrahydrofuranic *Annonaceous* acetogenins from *Annona montana*, Bioorganic & Medicinal Chemistry. 13: 4767–4776.

Lili W., B. Mustariani., E. Purmafitriah. 2017. Formulasi Sediaan Gel Hand Sanitizer Ekstrak Etanol Daun Sirsak (*Annona muricata Linn*) Sebagai Antibakteri Terhadap *Staphylococcus aureus*. Jurnal Farmasetis 6(2) 47-57.

Lima JPSd, Pinheiro MLB, Santos AMG, Pereira JLDs, Santos DMF, Barison A. 2012. In vitro atileishmanial and cytotoxic activities of *Annona mucosa* (Annonaceae). Rev Virtual de Química 4(6): 692.

Liu XX, Alali FQ, Hopp DC, Rogers LL, Pilarinou E, McLaughlin JL. 1998. Glabracins A and B, two new acetogenins from *Annona glabra*. *Bioorg Med Chem* 6: 959-65.

Liu, C.M.; Kao, C.L.; Wu, H.M.; Li, W.J.; Huang, C.T.; Li, H.T.; Chen, C.Y. 2014. Antioxidant and Anticancer Aporphine Alkaloids From the Leaves of *Nelumbo Nucifera* Gaertn. cv. Rosa-plena. *Molecules*. 19(11), 17829-17838.

Liu, Y.J.; Liu, J.X.; Di, D.L. Progress on Anticancer Activity of Aporphine Alkaloids. *Chin. Tradit. Herbal Drugs*, 2012, 43(4), 806-814.

Lizana LA and Riganto G. 1990. “Cherimoya” In fruits of tropical and subtropical origin : composition, properties, uses. Florida Science Source. Lake Alfred Florida USA. pp 131-148.

Lopez-Lazaro, B. S. P. 2002. Flavonoids as Anticancer Agents: Structure-Activity Relationship Study. Current Medicinal Chemistry-Anti-Cancer Agents, 2(6), 691–714.

Luna Jde S, De Carvalho JM, De Lima MR, Bieber LW, Bento Ede S, Franck X. 2006. Acetogenins in *Annona muricata* L. (Annonaceae) leaves are potent molluscicides. *Nat Prod Res* 20(3): 253-7.

Lyras. L, Cairns. N.J, Jenner. A, Jenner. P, and Halliwell. B. 1997. An Assessment of Oxidative Damage to Proteins, Lipids, and DNA in Brain from Patients with Alzheimer’s Disease. *J. Neurochem*. 68, 2061—2069.

Machlin. L.J and Bendich. A. 1987. Free radical tissue damage: protective role of antioxidant nutrient. [www.fasebj.org](http://www.fasebj.org) by San Francisco State

Maeda U., Hara N., Fujimoto Y., Srivastava A., Gupta Y. K. and Sahai M. 1993. "N-Fatty Acyl Tryptamines from *Annona reticulata*." Phytochemistry, 34 (6) : 1633-1635.

Magadula JJ, Innocent E, Otieno JN. Mosquito larvicidal and cytotoxic Activities of *Annona species* and isolation of active principles. J Med Plant Res. 2009; 3 (9): 674-680.

Manimekalai, I., Sivakumari, K., Ashok, K., & Rajesh, S. 2016a. Antioxidant and Anticancer Potential of Mangosteen Fruit, Garcinia Mangostana Against Hepatocellular Carcinoma (HEPG-2) Cell Line. World Journal o Pharmacy and Pharmaceutical Science. 5(2),253-293.

Mannino G, Gentile C , Porcu A, Agliassa C, Caradonna F and Bertea C M. 2020. Chemical Profile and Biological Activity of Cherimoya (*Annona cherimola Mill.*) and Atemoya (*Annona atemoya*) Leaves. Molecules. 25: 2612.

Manthey, J. A.; Guthrie, N. 2002. Antiproliferative Activities Of Citrus Flavonoids Against Six Human Cancer Cell Lines. J. Agric. Food Chem. 50, 5837–5843.

Marjoni, M.R; Afrinaldi; Ari, D.N. 2015. Kandungan Total Fenol dan Aktivitas Antioksidan Ekstrak Air Daun Kersen (Muntingia calabura L). Jurnal Kedokteran Yarsi. : 23 (3). 187-196.

Martínez-Vázquez M, Diana G, Estrada-Reyes R, González-Lugo M, Apan TR, Heinze G. 2005. Bio-guided Isolation of The Cytotoxic Corytenchine and Isocoreximine from roots of *Annona cherimolia*. Fitoterapia.; 76: 733-736.

Martínez, C.; Yan~ez, J.; Alcaraz, M.; Bernavente-Garcia, O.; Castillo, J.; Lorente, J.; Vicente, V. 2003. Effects of Several Polyhydroxylated Flavonoids on The Growth of B16F10 Melanoma and Melana Cell Lines. Influence of Sequential Oxidation State on The Flavonoid Skeleton. Melanoma Res.13, 3–9

Martínez-Vázquez M, Estrada-Reyes R. 2014. Secondary metabolism in Annonaceae: potential source of drugs. Rev Bras Frutic.; 36: 141-146.

Mazahery ARF, Dator RP, Concepcion GP, Jacinto SD. 2009. Murihexocin C from the leaves of *Annona squamosa Linn.* induces apoptosis in human colon carcinoma col 2 cell line. Philipp Agric Sci 92:122–132.

Meira CS, Guimarães ET, Macedo TS, da Silva TB, Menezes LRA, Costa EV. 2014. Chemical composition of essential oils from *Annona vepretorum* Mart. and *Annona squamosa* L. (Annonaceae) leaves and their antimalarial and trypanocidal activities. *J Essent Oil Res* 27: 160-8.

Meneses da Silva, Francois Roblot, Jacqueline Mahuteau. 1996. Coriadienin, the First *Annonaceous* Acetogenin with Two Double Bonds Isolated from *Annona coriacea*, *J. Nat. Prod.*, 59, 528-530.

Miao YJ, Xu XF, Yuan F et al (2015) Four cytotoxic *annonaceous* acetogenins from the seeds of *Annona squamosa*. *Nat Prod Res* 30:1273–1279

Mishra A, Dogra JV, Singh JN and Jha OP. 1979. Post-coital antifertility activity of *Annona squamosa* and *Ipomoea Fistulosa*. *Planta Med.* 35: 283-285.

Moghadamtousi S. Z, Mehran Fadaeinab, Sonia Nikzad, Gokula Mohan, Hapipah Mohd Ali and Habsah Abdul Kadir. 2015. *Annona muricata* (Annonaceae): A Review of Its Traditional Uses, Isolated Acetogenins and Biological Activities. *Int. J. Mol. Sci.* 16, 15625-15658.

Mohamad N, El-Mestrah Majid, As-sadi Falah, Cheaito Layla, Hijazi Akram, Chokr Ali, Rammal Hassan. 2017. Antibacterial, Antioxidant and Antiproliferative Activities of The Hydroalcoholic Extract of The Lebanese *Annona squamosa* L. Seeds. *Int. Res. J. Pharm.* 8 (1).

Mootoo S, Allisha Ali, Ayub Khan. 2000. Three Novel Monotetrahydrofuran Annonaceous Acetogenins from *Annona montana*, *J.Nat. Prod.*, 63.6. 807-811.

Morita H, Sato Y, Kobayashi J (1999) Cyclosquamosins A-G, cyclic peptides from the seeds of *Annona squamosa*. *Tetrahedron* 55:7509–7518.

Morita, H., Iizuka, T., Choo, C.-Y., Chan, K.-L., Takeya, K., & Kobayashi, J. 2006. Vasorelaxant activity of cyclic peptide, cyclosquamosin B, from *Annona squamosa*. *Bioorganic & Medicinal Chemistry Letters*, 16(17), 4609–4611.

Morton, J.F.; Dowling, C.F. Fruits of Warm Climates. 1987. Wipf and Stock Publishers: Miami, FL, USA.

Nakano D, Ishitsuka K, and Hatsuse T. 2011. Screening of promising chemotherapeutic candidates against human adult T-cell leukemia/lymphoma from plants: active principles from Physalis

pruinosa and structure–activity relationships with withanolides. *J Nat Med* 65:559–567.

Nakano, D.; Ishitsuka, K.; Kamikawa, M.; Matsuda, M.; Tsuchihashi, R.; Okawa, M.; Okabe, H.; Tamura, K.; Kinjo, J. 2013. Screening of Romising Chemotherapeutic Candidates From Plants Against Human Adult T-Cell Leukemia/Lymphoma (III). *J. Nat. Med.*, 67(4), 894-903

Nébié RHC, Yaméogo RT, Bélanger A, Sib FS. 2005. Chemical composition of leaf essential oil of *Annona senegalensis Pers.* from Burkina Faso. *J Essent Oil Res* 17:331–332

Nirmal SA, Gaikwad SB, Dhasade VV, Dhikale RS, Kotkar PV, Dighe SS (2010) Anthelmintic activity of *Annona reticulata* leaves. *Res J Pharm Biol Chem Sci* 1:115–118.

Ngbolua K T N, Inkoto CL, Bongo G N, Moke L E, Lufuluabo L G, Ashande C M., Tshibangu D S T, Tshilanda D D, and Mpiana P T. 2018. Phytochemistry and Bioactivity of *Annona reticulata* L. (*Annonaceae*): A mini-review. *South Asian Research Journal of Natural Products*. Article no.SARJNP.39633.

Nugraha A S, Damayanti Y D, Wangchuk P and Paul A. Keller. 2019. Anti-Infective and Anti-Cancer Properties of the *Annona* Species: Their Ethnomedicinal Uses, Alkaloid Diversity, and Pharmacological Activities. *Molecules*. 24:4419.

Oberlies NH, Rogers LL, Martin JM, McLaughlin JL (1998) Cytotoxic and insecticidal constituents of the unripe fruit of *Persea americana*. *J Nat Prod* 61(6):781–785.

Ocana-Fuentes, A., Arranz-Gutierrez, E., Senorans, F. J. & Reglero, G. 2010. Supercritical Fluid Extraction Of Oregano (*Origanum Vulgare*) Essentials Oils: Anti-Inflammatory Properties Based On Cytokine Response On Thp-1 Macrophages. *Food Chem. Toxicol.*, 48(6), 1568-1575.

Ogunwande IA, Ekundayo O, Olawore NO, Kasali AA. 2006. Essential oil of *Annona reticulata* L. leaves from nigeria. *J Essent Oil Res* 18(4): 374-6.

Oliveira, AB; Oliveira, GG; Carazza, F; Maia, JGS. Geovanine, a new azaanthracene alkaloid from *Annona ambotay* Aubl. *Phytochemistry*, 1987, 26 (9), 2650-2651.

- Oliveira. B. H, Antônio Euzebio G. Sant'Ana and Denise Z. L. Bastos. 2002. Determination of the Diterpenoid, Kaurenoic Acid, in *Annona glabra* by HPLC. *Phytochem. Anal.* 13, 368–371.
- Oliveira da Cruz. P. E., Costa. E.V., de S. Moraes., V. R, de L. Nogueira, P.C., Vendramin. M. E., Barison. A., Ferreira. A. G., do N. Prata, A. P. 2011. Chemical Constituents From The Bark of *Annona salzmannii* (Annonaceae). *Biochem. Syst. Ecol.* 39: 872–875.
- Okoye. T C., Akah. P. A., Omeje. E. O., Okoye. F. B., Nworu. C. S. 2013. Anticonvulsant Effect Of Kaurenoic Acid Isolated From The Root Bark of *Annona senegalensis*. *Pharmacol Biochem Behav.* 109: 38-43.
- Oluyeye. J. O., P. I. Orjiako., and O. E. Badejo. 2019. Phytochemical Screening And In Vitro Antimicrobial Properties of *Annona muricata* Extracts Against Certain Human Pathogens. 60 (132), 203–209.
- Orwa et al., 2009. World Agroforestry Centre, Kenya.
- Paulo. M. D. Q., Barbosa-Filho. J. M., Lima. E. O., Maia. R. F., De Cassia B. B. C. R., Kaplan M. A. C. 1992. Antimicrobial Activity of Benzylisoquinoline Alkaloids From *Annona salzmanii* D.C. *Journal of Ethnopharmacology.* 36 (1): 39-41.
- Panda. S and Anand Kar. 2007. Antidiabetic and Antioxidative Effects of *Annona squamosa* leaves are Possibly Mediated Through Quercetin-3-O-glucoside. *BioFactors* 31 (2007) 201–210.
- Panda. S., and Kar. A. 2015. Protective Effects of 5,7,4'-trihydroxy-6,3'dimethoxy-flavone 5-O- $\alpha$ -l-rhamnopyranoside, Isolated From *Annona squamosa* Leaves in Thyrotoxicosis and in Hepatic Lipid Peroxidation in Rats. *Bioorganic & Medicinal Chemistry Letters*, 25(24): 5726–5728.
- Philipov. S., Kande. K. M., Machev. K. 1995. Alkaloids of *Annona senegalensis*. *Fitoterapia.* 66 (3): 275-276.
- Pinheiro. M. L. B., Xavier. C. M., Souza. A. D. L., Rabelo. D. M., Batista C. L., Batista. T. L. 2009. Acanthoic Acid And Other Constituents From The Stem of *Annona amazonica* (Annonaceae). *J BrazChem Soc.* 20: 1095-1110.
- Pino. A. 2000. Volatile components of Cuban *Annona* Fruits. *J. Essent Oil Res.* 11: 613-616.
- Pino. J.A, Marbot. R, Fuentes. V. 2003. Characterization of Volatiles In Bullock's Heart (*Annona reticulata* L.) Fruit Cultivars

From Cuba. J Agric Food Chem 51(13): 3836-9.

Pino. J. A. 2010. *Annona* Fruits. In: Hui YH (ed) Handbook of Fruit And Vegetable Flavors. Wiley, Hoboken, pp 231–246.

Pinto A. C. Q., M. C. R. Cordeiro., S. R. M Andrade., R. R. Ferreira., H. A. C. Filgueiras, R.. E. Alves and D.I Kinpara. 2005. Monograph *Annona* Species. International Center For Underutilised Corp. Unoversity of Southtampton. 6-33.

Poprach. P K., Jomova., M. Simunkova., V. Kollar, C. J. Rhodes, and M. Valko. 2017. Targeting Free Radicals In Oxidative Stressrelated Human Diseases. Trends in Pharmacological Sciences. 38, 7, 592–607.

Pouget. C., Lauthier. F., Simon. A., Fagnere. C., Basly. J. P., Delage. C., Chulia. A. J. 2001. Flavonoids: Structural Requirements For Antiproliferative Activity On Breast Cancer Cells. Bioorg Med Chem Lett.11:3095–3097.

Ponrasu. T., and Suguna. L. 2014. Efficacy of *Annona squamosa L* in The Synthesis of Glycosaminoglycans and Collagen during Wound Repair in Streptozotocin Induced Diabetic Rats. BioMed Research International. 4:1–10.

Prihatiningsih. T., Haniastuti.T., dan Agustina. D. 2017. Efek Antigenotoksik Ekstrak Etanolik Daun Sirsak (*Annona muricata Linn*) Terhadap Frekuensi Mikronukleus Mukosa Bukal Tikus Sprague Dawley. Majalah Kedokteran Gigi Indonesia Vol 3(1). ISSN 2460-0164 (print), ISSN 2442-2576.

Prior. R, WU. X., and Schaich. K. 2005. Standardized Methods for the Determination of Antioxidant Capacity and Phenolics in Foods and Dietary Supplements. J. Agric. Food Chem. 53 (10): 4291.

Queiroz. E. F., Roblot. F., Cave. A., Paulo. M. D. Q., Fournet. A. 1996. Pessoine And Spinosine, Two Catecholic Berbines From *Annona spinescens*. Journal of Natural Products. 59 (4): 438-440.

Rabêlo. S. V., Costa. E. V. Barison. A, Dutra. L. M, Nunes. X. P, Tomaz J. C. 2015. Alkaloids Isolated From The Leaves of *Atemoya* (*Annona cherimola* × *Annona squamosa*). Rev Bras Farmagn. 25. 419-421.

Rahman. M. M., Parvin. S., Haque. M. E., Islam. M. E, Mosaddik. M. A. 2005. Antimicrobial and Cytotoxic Constituents From The Seeds of *Annona squamosa*. Fitoterapia 76:484–489.

Rasamizafy, S; Hocquemiller, R; Cassels, BK; Cave, A. Alkaloids of *Annona hayesii*. Journal of Natural Poducts, 1987, 50 (4), 759-761.

- Rafaele. C. P Araujo., Francisco. A. R., Neves and Anelise. S. N. Formagio. 2014. Evaluation of the anti-mycobacterium tuberculosis activity and in vivo acute toxicity of *Annona sylvatic*, Araujo et al. BMC Complementary and Alternative Medicine., 14:209.
- Rajesh. S., Sivakumari. K., and Ashok. K. 2016a. In Silico Docking of Selected Compound From *Cardiospermum halicacabum linn*. Leaf Against Human Hepatocellular Carcinoma (HepG-2) cell line. International Journal of Computernal Bioinformatics In Silico Modeling. 5(2): 780-786.
- Rajesh. S., Sivakumari. K., Ashok. K., and Abitha, A. 2016b. Anti-Cancer Activity of *Cardiospermum halicacabum Linn*. Leaf Extracts Aagainst Hepatocellular Carcinoma Cell Line (Hep-G2). World Journal of Pharmacy and Pharmaceutical Science. 5(3): 1133-1154.
- Rejon-Orantes J.C, Gonzalez-Esquincia. A. R, de la Mora. M. P, Roldan Roldan. G., Cortes. D. 2011. Annomontine, an Alkaloid Isolated From *Annona Purpurea*, Has Anxiolytic-Like Effects In The Elevated Plus-Maze. Planta Med 77(4): 322-7.
- Rinaldi. M. V. N., Díaz. I. E. C., Suffredini. I. B., Moreno. P. R. H. 2017. Alkaloids and Biological Activity of Beribá (*Annona hypoglaucua*). Rev.Bras Farmacogn. 1: 77-83.
- Rios, J.L.; Cortes, D., Valverde. S. 1989. Acetogenins, aporphinoids, and azaanthraquinone from *Annona cherimolia* seeds. Planta Med. 55, 321–323.
- Rieser. M., Zhe-Ming. Gu, Xin-Ping Fang. 1996. Five Novel Mono-tetrahydrofuran Ring Acetogenins from the Seeds of *Annona muricata*, . Nat. Prod. 59, 100-108.
- Rocha. R. S, Kassuya. C. A, Formagio. A. S., Mauro. M. O, Andrade-Silva. M, Monreal. A. C. 2016. Analysis Of The Anti-Inflammatory And Chemopreventive Potential And Description Of The Antimutagenic Mode Of Action Of The *Annona crassiflora* Methanolic Extract. Pharm Biol. 54(1): 35-47.
- Rosa R. M., Alírica I. Suárez, Francisco A.. 2015. An Analysis In-vitro of the Cytotoxic, Antioxidant and Antimicrobial Activity of Aqueous and Alcoholic Extracts of *Annona muricata L.* Seed and Pulp. British Journal of Applied Science & Technology. 5(4): 333-341.
- Rupprecht. J K., Hui Y. H and McLaughlin. J. L. 1990. *Annonaceous* Acetogenins : Reiew. Jurnal of Natural Products, 53 (2) : 237-278.

- Saha R. 2011. Pharmacognosy and Pharmacology of *Annona squamosa*: A review. Int. J. of Pharm & Life Sci 2(10): 1183-89.
- Sahpaz. S., Carmen^González, M., Hocquemiller. R., Zafra-Polo, M. C., and Cortes, D. 1996. Annosenegaline and Annogalene: Two Cytotoxic Mono-Tetrahydrofuran Acetogenins From *Annona senegalensis* and *Annona cherimolia*. Phytochemistry, 42(1), 103–107.
- Sandoval. D., Preiss. A., Schreiber. K., Ripperger. H. 1985. Annonelliptine, an Alkaloid From *Annona elliptica*. Phytochemistry. 24 (2), 375-376.
- Sandoval-Lopez, D., and Ripperger. H. 1986. Chemical Studies In Cuban Species Of The Genus *Annona*. I. *Annona bullata* Rich. Revista Cubana de Farmacia. 20 (10): 83-86.
- Sonnet. P. E., and Jacobson. M. 1971. Tumor Inhibitors II: Cytotoxic Alkaloids From *Annona purpurea*. Journal of Pharmaceutical Sciences. 60 (8): 1254-1256.
- Santos. P. R. D., Morais. A. A., Braz-Filho. R. 2003. Alkaloids From *Annona dioica*. Journal of the Brazilian Chemical Society. 14 (3): 396-400.
- Santos. L. P., Boaventura. M. A. D., Oliveira. A. B., Cassady. J. M. 1996. Grossamide and N-Transcaffeoyletyramine From *Annona crassiflora* Seeds. Planta Medica. 62 (1):76.
- Santos D.Y.A.C., Salatino. M.L.F. 2000. Foliar Flavonoids of *Annonaceae* From Brazil: Taxonomic Significance. Phytochemistry. 55: 567-573.
- Santosa. R.C.D. , Edvan. A., Chagasb. E., Antônio. A.. de M. Filho. 2018. Bioactive Extracts from *Annona hypoglauca*. Chemical Engineering Transactions. VOL. 64: 289-294. DOI: 10.3303/CET1864049.
- Sannomiya. M., Cardoso. C. R., Figueiredo. M. E., Rodrigues. C. 2007. Mutagenic evaluation and chemical investigation of *Byrsonima intermedia* A. Juss. leaf extracts. J. Ethnopharmacol. 112: 319-326.
- Saito. M. L., Alvarenga. M. A. 1994. Alkaloids From *Annona cacans*. Fitoterapia, 65 (1), 87.
- Sakagami. H., Jiang. Y., Kusama. K., Atsumi. T., Ueha. T., Toguchi. M., Iwakura. I., Satoh. K., Fukai. T., Nomura. T. 2000. Induction of Apoptosis by Flavones, Flavonols (3-hydroxyflavones) and Isoprenoid-Substituted Flavonoids in Human Oral Tumor Cell Lines. Anticancer Res.20:271–277.

- Seyoum. A., Asres. K., El-Fiky. F.bK. 2006. Structure–Radical Scavenging Activity Relationships Of Flavonoids. *Phytochemistry*, 67; 2058–2070.
- Shi. Y. Q., Fukai. T., Sakagami. H., Chang. W.J., Yang. P. Q., Wang. F. P., Nomura. T. 2001. Cytotoxic Flavonoids With Isoprenoid Groups From *Morus Mongolica*. *J Nat Prod*. 64:181–188.
- Siegel. R. L., Miller. K. D., and Jemal. A. 2015. Cancer Statistics, 2015. *CA: A Cancer Journal for Clinicians*. 65(1): 5-29.
- Silva. E L. M. D., Roblot. F., Cave. A. 1997. Coriacyclodienin and Coriacycloenin: Two New Annonaceous Acetogenins from *Annona coriacea*. *Heterocycles* 45:915–925
- Simeon. S., Rios. J. L., Villar. A. 1989. Alkaloids From *Annona cherimolia* (Mill.) Stem Bark. *Plant. Med. Phytother.*, 23, 159–161.
- Singh. Y., Bhatnagar. P., and Thakur. P. N. 2019. A Review On Insight Of Immense Nutraceutical And Medicinal Potential Of Custard Apple (*Annona squamosa* Linn.). *International Journal of Chemical Studies*. 7(2):1237-1245.
- Siqueira. C. A., Oliani. J., Sartoratto. A. 2011. Chemical Constituents Of The Volatile Oil From Leaves of *Annona coriacea* and *In Vitro* Antiprotozoal Activity. *Braz J Pharmacogn* 21:33–40.
- Skarydova, L.; Hofman, J.; Chlebek, J.; Havrankova, J.; Kosanova, K.; Skarka, A.; Hostalkova, A.; Plucha, T.; Cahlikova, L.; Wsol, V. 2014. Isoquinoline Alkaloids As A Novel Type Of AKR1C3 Inhibitors. *J. Steroid Biochem. Mol. Biol.*, 143(9), 250-258.
- Son. J. K., Kim. D. H., Woo. M. H. 2003. Two New Epimeric Pairs Of Acetogenins Bearing A Carbonyl Group From *Annona cherimolia* Seeds. *J Nat Prod*. 66(10): 1369-72.
- Sonnet. P.E., Jacobson. 1971. M. Tumor Inhibitors II: Cytotoxic Alkaloids From *Annona purpurea*. *Journal of Pharmaceutical Sciences*. 60 (8), 1254-1256.
- Stévigny, C.; Bailly, C.; Quetin-Leclercq, J. Cytotoxic and antitumor potentialities of aporphinoid alkaloids. *Curr. Med. Chem. Anticancer Agents*, 2005, 5(2), 173-182
- Subhadrabandhu. S. 2001. Under-Utilized Tropical Fruits of Thailand. Food and Agriculture Organization of The United Nations. Thailand. pp.14

- Sun. S., Liu. J., Kadouh. H., Sun. X., Zhou. K. 2014. Three New Anti-Proliferative Annonaceous Acetogenins With Mono-Tetrahydrofuran Ring From Graviola Fruit (*Annona muricata*). *Bioorg Med Chem Lett.* 24(12): 2773- 6.
- Suresh, H. M., Shivakumar, B., & Shivakumar, S. I. (2012a). Cytotoxicity of aporphine alkaloids from the roots of *Annona Reticulata* on human cancer cell lines. *International Journal of Plant Research*, 2(3), 57-60.
- Syamsuhidayat. S., Hutapea. J. R. 1991. Inventaris Tanaman Obat Indonesia; Departemen Kesehatan RI. Badan Penelitian dan Pengembangan Kesehatan: Jakarta, Indonesia.
- Thang T. D, D.N. Dai, T.M. Hoi, N. A. Ogunwande. 2013. Short Communication Study on the volatile oil contents of *Annona glabra* L., *Annona squamosa* L., *Annona muricata* L. and *Annona reticulata* L., from Vietnam. *Natural Product Research*. Vol. 27, No. 13, 1232–1236
- Teles. M. N. O., Dutra. L. M, Barison., Costa E. V. 2015. Alkaloids from leaves of *Annona salzmannii* and *Annona vepretorum* (Annonaceae). *Biochem Syst Ecol.*; 61: 465-469.
- Tian. L. J., Han. Y., Meng. Z.S., Xia. C., Zhang. J. H. 2001. Study on Chemical Constituents of *Annona glabra*. *Zhongguo Yaoke Daxue Xuebao*. 32 (1), 10-12.
- Tormo. J. R., Gallardo. T., Aragón. R., Cortes. D., Estornell. E. 1999. Specific Interactions Of Monotetrahydrofuranic Annonaceous Acetogenins as Inhibitors Of Mitochondrial Complex I. *Chem Biol Interact* 122:171–183.
- Utari K, Tri E N, Sari A I, Sari R K, Winda A.K, dan Harti A S. 2013. Kegunaan Daun Sirsak (*Annona muricata L*) Untuk Membunuh Sel Kanker Dan Pengganti Kemoterapi. *Jurnal KesMaDaSka*. Vol. 4 (2)
- Vila-Verde. G. M., Paula. J. R, Carneiro. D.M. 2003. Levantamento Etnobot<sup>^</sup>Anico Das Plantas Medicinais Do Cerrado Utilizadas Pela População De Moss<sup>^</sup>Amedes (GO). *Rev. Bras Farmacogn* 13:64–66.
- Villar. A., Mares. M., Rios, J.L.; Cortes, D. 1985. Alkaloids from *Annona cherimolia* Leaves. *J. Nat. Prod.* 48:151–152.
- Villar.A., del Fresno, A., Rios. J.L. 1983. Alkaloids from *Annona cherimolia* Seed. *J. Nat. Prod.* 46: 438.

Vila-Nova. N., S. M. de Morais., M. J. C. Falcão. 2013 Different Susceptibilities of Leishmania spp. Promastigotes to the *Annona muricata* Acetogenins Annonacinone And Corosolone, And The Platymiscium Floribundum Coumarin Scoparone. Experimental Parasitologi 133: 334-338.

Vila-Nova. N.S., Morais. S.M., Falcão. M.J., Machado. L.K., Beviláqua. C.M., Costa. I.R., Brasil. N.V., Andrade Júnior. H.F. 2011 Leishmanicidal Activity and Cytotoxicity of Compounds From Two *Annonaceae* Species Cultivated in Northeastern Brazil. Rev. Soc. Bras Med. Trop. 44(5): 567-571.

Vendramin, M.E., Costa. E.V., Santos. E.P., Pinheiro. M.L.B., Barison. A., Campos. F.R. 2013. Chemical Constituents From The Leaves Of *Annona rugulosa* (*Annonaceae*). Biochemical Systematics and Ecology. 49: 152-155.

Vohora. S.B., Kumar. I., and Naqvi. S.A. 1975. Phytochemical, pharmacological, antibacterial and anti-ovulatory studies on *Annona squamosa*. Planta Med. 28: 97-100.

Volobuff. C. R. F., Pederiva. M. M. C., Benites. R. S. R, Camila J., Lima G J., Argandon. E. J. S., Cardoso. C. D. A. L., Pereira. Z. V., Ana Lu'cia Tasca Go'is Ruiz A L C T G, Mary Ann Foglio M A, Joa' o Ernesto de Carvalho J O E D, and Formagio A S N. 2019. Bioguided Fractionation, and Antioxidant, Antiproliferative, and Anti-Inflammatory Activity of *Annona cacans* Warm. Journal Of Medicinal Food J Med Food 22 (10): 1078–1086.

Yan. LL, Y.J. Zhang, W.Y. Gao, S.L. Man, Y. Wang. 2009. *In Vitro* and *In Vivo* Anticancer Activity of Steroid Saponins of *Paris Polyphylla* var. *Yunnanensis*. Exp Oncol 31, 1, 27–32

Walter. V., L. Chagonda., K. Chitindingu. 2017. An Anti-Diabetic Poly-Herbal Medicine Prepared From Extracts Of *Annona stenophylla*, *Citrus Limon* And *Zingiber OfficinalE*, IJPSR. Vol. 8(3): 1000-08.

Wélé. A., Zhang. Y., Caux. C., Brouard. J.P., Pousset. J.L., Bodo. B. 2004. Annomuricatin C, a Novel Cyclohexapeptide From The Seeds of *Annona muricata*. Comptes Rendus Chimie 7(10-11): 981-8.

Wele. A., Mayer. C., Dermigny. Q., Zhang. Y., Blond. A., Bodo. B. 2008 Sequence and Three Dimensional Structure Of Cycloreticulins A And B New Cyclooctapeptides From The Seeds of *Annona reticulata*. Tetrahedron 64:154–162.

Woo. M.H., Chung. S.O., Kim. D.H. 1999. Cis-annonacin and (2, 4)-cis-and

trans Isoannonacins: Cytotoxic Monotetrahydrofuran *Annonaceous* Acetogenins From The Seeds of *Annona cherimola*. Arch Pharm Res 22:524–528.

Wu. Y.C., Chang. G.Y., Duh. C.Y., Wang. S.K. 1993. Cytotoxic Alkaloids of *Annona montana*. Phytochemistry. 33 (2): 497-500.

Wu. Y.C.,; Chang. G.Y., Duh. C.Y., Wang. S.K. 1995. Cytotoxic Alkaloids of *Annona montana*. Phytochemistry. 33 (2), 497-500.

Wu .Y.C, G.Y. Chang., F.N. Ko. C.M. Ten. 1995. Bioactive Constitutents from the Stems of *Annona montana*. Planta Med 1995; 61(2): 146-149.

Wu. Y.C., Chang. F.R., Chen. C.Y. 2005. Tryptamine-Derived Amides and Alkaloids From The Seeds of *Annona atemoya*. J. Nat Prod.; 68: 406-408.

Wu. T.Y., Yang. I.H., Tsai. Y.T. 2012. Isodesacetyluvaricin, an *Annonaceous* Acetogenin, Specifically Inhibits Gene Expression Of Cyclooxygenase-2. J Nat Prod 75:572–576

Xie. H.H., Wei. X.Y., Wang. J.D., Liu. M.F., Yang. R.Z. 2003. A New Cytotoxic Acetogenin From The Seeds Of *Annona squamosa*. Chin Chem Lett 14:588–590

Xu. S.S., Li. X., Chen .J.W., Chen. Y. 2012. Chemical Constituents From Seeds Of *Annona squamosa*. Chin Trad Herbal Drugs 43:255–258

Yang. T.H., Chen. C.M. 1973. Studies on The Alkaloids of *Anona glabra*. II. T'ai-wan Yao Hsueh Tsa Chih, 25, 1–7.

Yang. T.H., Chen. C.M., Kuan. S.S. 1971. Alkaloids of *Annona glabra*. I. Isolation of (-)-N-methylactinodaphnine. J. Chin. Chem. Soc. 18, 133–136.

Yang. Y.L., Hua. K.F., Chuang. P. H. 2008. New Cyclic Peptides From The Seeds Of *Annona squamosa L.* and Their Anti-Inflammatory Activities. J Agric Food Chem 56:386–392

Yadav. D.K., V. K. Soni., N. Bano. 2012 N-methyl-6, 7-Dimethoxyisoquinolone In *Annona squamosa* Twigs Is The Major Immune Modifier To Elicit Polarized Th1 Immune Response In BALB Mice. Fitoterapia. 83. 110-116.

Yin. F, Giuliano. A.E., Van., Herle. A.J., 1999. Signal Pathways Involved In Apigenin Inhibition Of Growth And Induction Of Apoptosis Of

Human Anaplastic Thyroid Cancer Cells (ARO). Anticancer Res. 19:4297–4303.

Yin. F., Giuliano. A.E., Van Herle. A.J. 1999. Growth Inhibitory Effects Of Flavonoids In Human Thyroid Cancer Cell Lines. *Thyroid*. 9:369–376.

You. M., Wickramaratne. D.B.M, Silva. G.L., Chai. H.Y., Chagwedera. T.E., Farnsworth. N.R., Cordell., G.A., Kinghorn. A.D., Pezzuto. J.M. 1995. (-)-Roemerine, an Aporphine Alkaloid From *Annona senegalensis* That Reverses The Multidrug-Resistance Phenotype With Cultured Cells. *Journal of Natural Products*. 58 (4), 598-604.

Yu. J.G., Gui. H.Q., Luo. X.Z., Sun. L. 1998. Murihexol, a Linear Acetogenin From *Annona muricata*. *Phytochemistry* 49(6): 1689-92.

Yu. J.G., Luo. X.Z, Sun. L., Li. D.Y., Huang. W.H., Liu CY. 2005. Chemical Constituents From The Seeds of *Annona squamosa*. *Acta Pharm Sin* 40:153–158

Yuan. S.S.F., Chang. H.L., Chen. H.W., Yeh. Y.T, Kao. Y.H, Lin K.H. 2003. Annonacin, a Mono-Tetrahydrofuran Acetogenin, Arrests Cancer Cells At The G1 Phase And Causes Cytotoxicity In a Bax- And Caspase-3-Related Pathway. *Life Sci* 72(25): 2853-61.

Yulianti. R, Kodariah. R., dan Ekawuyung. P. 2014. Pengaruh Ekstrak Metanol Daun Sirsak (*Annona muricata linn.*) Terhadap Viabilitas Galur Sel Kanker Prostat. MKA, Vol.37(3).

Zafra-Polo, M. C., González, M. C., Estornell, E., Sahpaz, S., & Cortes, D. 1996. Acetogenins From *Annonaceae*, Inhibitors of Mitochondrial Complex I. *Phytochemistry*, 42(2), 253-271.

Zhang. Y.H., Peng. H.Y., Xia GH, Wang MY, et al. 2004. Anticancer Effect of Two Diterpenoid Compounds Isolated From *Annona glabra Linn.* *Acta Pharmacol. Sin.* 25: 937-942.

Zeng. L., Wu. F.E., Gu. Z.M., McLaughlin. J.L. 1995. Murihexocins A and B, Two Novel Mono-THF Acetogenins With Six Hydroxyls, From *Annona muricata* (*Annonaceae*). *Tetrahedron Lett.* 36(30): 5291-4.

Zeng L., Wu. F.E., Oberlies. N.H., McLaughlin JL. 1996. Five new Monotetrahydrofuran Ring Acetogenins From the Leaves of *Annona muricata*. *J Nat Prod* 59(11): 1035-42.

Zeng. L, Geum-soog Kim, Feras alali, Muricoreacin And Murihexocin C,  
Mono-Tetrahydrofuran Acetogenins, From The Leaves Of *Annona*  
*muricata*, Phytochemistry, Vol 49, No 2, 1998, pp. 565-571.

