

## DAFTAR PUSTAKA

- Baky, A. El, & El-Baroty. (2013). *Healthy Benefit of Microalgal Bioactive Substances*. 1(1), 11–23. <https://doi.org/10.12691/jas-1-1-3>
- Becker, E. W., & Venkataraman, L. V. (1984). *Production and Utilization of the Blue-green Alga Spirulina in India*. 4, 105–125.
- Belay, A. (2013). Biology and Industrial Production of Arthrospira (Spirulina). In Amos Richmond and Qiang Hu (Ed.), *Applied Phycology and Biotechnology* (Second Edi). Blackwell Punlishing Ltd.
- Bennett, A., & Bogobad, L. (1973). Complementary chromatic adaptation in a filamentous blue-green alga. *Journal of Cell Biology*, 58(2), 419–435. <https://doi.org/10.1083/jcb.58.2.419>
- Biswas, A. (2015). *Identifcation and characterization of enzymes involved in the biosynthesis of different phycobiliproteins in cyanobacteria*. (August 2011).
- Brown, S. B., Holroyd, J. A., & Vernon, D. I. (1984). *Biosynthesis of phycobiliproteins*. 219, 905–909.
- Brown, S. B., Houghton, J. D., & Vernon, D. I. (1990). *New Trends In Photobiology (Invited Review) Biosynthesis Of Phycobilins. Formation Of The Chromophore Of Phytochrome, Phycocyanin And Phycoerythrin*. 5, 3–23.
- Budiyono, Iqbal Syaichurrozi, S. S. (2014). Production of Spirulina platensis Biomass Using Digested Vinasse of Cultivation Medium. *Trend in Applied Science*.
- Capelli, B., & Cysewski, G. R. (2010). *Potential health benefits of spirulina microalgae \* A review of the existing literature*. 9(2), 19–26.
- Chen, C. Y., Zhao, X. Q., Yen, H. W., Ho, S. H., Cheng, C. L., Lee, D. J., ... Chang, J. S. (2013). Microalgae-based carbohydrates for biofuel production. *Biochemical Engineering Journal*, 78, 1–10. <https://doi.org/10.1016/j.bej.2013.03.006>
- Chen, T., & Wong, Y. S. (2008). In vitro antioxidant and antiproliferative activities of selenium-containing phycocyanin from selenium-enriched Spirulina platensis. *Journal of Agricultural and Food Chemistry*, 56(12), 4352–4358. <https://doi.org/10.1021/jf073399k>
- Cheunbarn, S., & Peerapornpisal, Y. (2010). Cultivation of Spirulina platensis using anaerobically swine wastewater treatment effluent. *International Journal of Agriculture and Biology*, 12(4), 586–590.

Christwardana, M., & Nur, M. M. A. (2013). *Spirulina platensis*: Potensinya Sebagai Bahan Pangan Fungsional. 2(1), 1–4.

Effects, N., Romay, C., González, R., Ledón, N., Ramirez, D., & Rimbau, V. (2003). *C-Phycocyanin: A Biliprotein with Antioxidant, Anti-Inflammatory and Neuroprotective Effects*. (July). <https://doi.org/10.2174/1389203033487216>

Einav, M., & Avissar, Y. J. (1984). The biosynthesis of 5-aminolevulinate from glutamate in the blue-green alga *Spirulina platensis*. *Plant Science Letters*, 35(1), 51–54. [https://doi.org/10.1016/0304-4211\(84\)90156-1](https://doi.org/10.1016/0304-4211(84)90156-1)

Eriksen, N. T. (2008). Production of phycocyanin - A pigment with applications in biology, biotechnology, foods and medicine. *Applied Microbiology and Biotechnology*, 80(1), 1–14. <https://doi.org/10.1007/s00253-008-1542-y>

Gupta, Alka, & Sainis, J. K. (2010). *Isolation of C-phycocyanin from Synechococcus sp., (Anacystis nidulans BDI)*. (August 2016), 2–5. <https://doi.org/10.1007/s10811-009-9449-2>

Gupta, Apurva, Hindu, B., Mohan, D., Saxena, R. K., Singh, S., & Hindu, B. (n.d.). *Phototrophic cultivation of NaCl-tolerant mutant of Spirulina platensis for enhanced C-phycocyanin production under optimized culture conditions and its dynamic modelling*. 0–2. <https://doi.org/10.1111/ijlh.12426>

Horváth, H., Kovács, A. W., Riddick, C., & Présing, M. (2013). Extraction methods for phycocyanin determination in freshwater filamentous cyanobacteria and their application in a shallow lake. *European Journal of Phycology*, 48(3), 278–286. <https://doi.org/10.1080/09670262.2013.821525>

Izadi, M., & Fazilati, M. (2018). Extraction and purification of phycocyanin from spirulina platensis and evaluating its antioxidant and anti-inflammatory activity. *Asian Journal of Green Chemistry*, 2(Issue 4. pp. 281-394), 364–379. <https://doi.org/10.22034/AJGC.2018.63597>

Jahn, D., & Heinz, D. W. (2009). *Biosynthesis of 5-Aminolevulinic Acid*. Retrieved from [d.jahn@tu-bs.de](mailto:d.jahn@tu-bs.de)

Kabinawa, I. N. K. (2015). Pangan dan Herbal Hayati Menyehatkan Dari Mikroalga Spirulina. *Jurnal Aplikasi Teknologi Pertanian*, 3(3), 103–109.

Kadish, K. M., Smith, K. M., Guillard, R., & Gabriel, S. (1999). *The Porphyrin Handbook Editors*. San Diego: Academic press (A Harcourt Science and Technology Company).

Kang, Z., Ding, W., Gong, X., Liu, Q., Du, G., & Chen, J. (2017). Recent advances in production of 5-aminolevulinic acid using biological strategies. *World*

*Journal of Microbiology and Biotechnology*, 33(11), 0.  
<https://doi.org/10.1007/s11274-017-2366-7>

Kang, Z., Wang, Y., Gu, P., Wang, Q., & Qi, Q. (2011). Engineering *Escherichia coli* for efficient production of 5-aminolevulinic acid from glucose. *Metabolic Engineering*, 13(5), 492–498. <https://doi.org/10.1016/j.ymben.2011.05.003>

Kawaroe, M., Prariono, T., Rachmat, A., Sari, D. W., Augustine, D., & Metode, M. (2012). Laju Pertumbuhan Spesifik dan Kandungan Asam Lemak pada Mikroalga *Spirulina platensis*, *Isochrysis* sp. dan *Porphyridium cruentum* (Specific Growth Rate and Fatty Acid Content of Microalgae *Spirulina platensis*, *Isochrysis* sp. and *Porphyridium cruentum*). *Ilmu kelautan: Indonesian Journal of Marine Sciences*, 17(3), 125-131–131. <https://doi.org/10.14710/ik.ijms.17.3.125-131>

Koru, E. (2012). Earth Food *Spirulina* (*Arthrospira*): Production and Quality Standarts. *Food Additive*, (May). <https://doi.org/10.5772/31848>

Kumar, M., Kulshreshtha, J., & Singh, G. P. (2011). Growth and biopigment accumulation of cyanobacterium. *Brazilian Journal of Microbiology*, 42, 1128–1135.

Lee, Y. K., Chen, W., Shen, H., Han, D., Li, Y., Jones, H. D. T., ... Hu, Q. (2013). Basic Culturing and Analytical Measurement Techniques. *Handbook of Microalgal Culture: Applied Phycology and Biotechnology: Second Edition*, 37–68. <https://doi.org/10.1002/9781118567166.ch3>

Li, Y. (2016). A novel paradigm for the high-efficient production of phycocyanin from *Galdieria sulphuraria*. *Bioresource Technology*. <https://doi.org/10.1016/j.biortech.2016.06.045>

Liu, Q., Huang, Y., Zhang, R., Cai, T., & Cai, Y. (2016). *Medical Application of Spirulina platensis Derived C-Phycocyanin*. 2016.

Liu, S., Zhang, G., Li, J., Li, X., & Zhang, J. (2016). Optimization of Biomass and 5-Aminolevulinic Acid Production by *Rhodobacter sphaeroides* ATCC17023 via Response Surface Methodology. *Applied Biochemistry and Biotechnology*, 179(3), 444–458. <https://doi.org/10.1007/s12010-016-2005-z>

M. Ahsan B. Habib Mashuda. (2008). *FAO Fisheries and Aquaculture Circular No . 1034 A Review On Culture , Production And Use Of Spirulina As Food For Humans And Feeds For* (Vol. 1034).

Madkour, F. F., Kamil, A. E. W., & Nasr, H. S. (2012). Production and nutritive value of *Spirulina platensis* in reduced cost media. *Egyptian Journal of Aquatic Research*, 38(1), 51–57. <https://doi.org/10.1016/j.ejar.2012.09.003>



Manirafasha, E., Murwanashyaka, T., & Ndikubwimana, T. (2018). Bioresource Technology Enhancement of cell growth and phycocyanin production in *Arthrospira (Spirulina) platensis* by metabolic stress and nitrate fed-batch. *Bioresource Technology*, 255(December 2017), 293–301. <https://doi.org/10.1016/j.biortech.2017.12.068>

Manirafasha, E., Murwanashyaka, T., Ndikubwimana, T., Rashid Ahmed, N., Liu, J., Lu, Y., ... Jing, K. (2018a). Enhancement of cell growth and phycocyanin production in *Arthrospira (Spirulina) platensis* by metabolic stress and nitrate fed-batch. *Bioresource Technology*, 255, 293–301. <https://doi.org/10.1016/j.biortech.2017.12.068>

Manirafasha, E., Murwanashyaka, T., Ndikubwimana, T., Rashid Ahmed, N., Liu, J., Lu, Y., ... Jing, K. (2018b). Enhancement of cell growth and phycocyanin production in *Arthrospira (Spirulina) platensis* by metabolic stress and nitrate fed-batch. *Bioresource Technology*, 255(November 2017), 293–301. <https://doi.org/10.1016/j.biortech.2017.12.068>

Moraes, I. de O., Arruda, R. de O. M., Maresca, N. R., Antunes, A. de O., & Moraes, R. de O. (2013). *Spirulina platensis*: process optimization to obtain biomass. *Ciência e Tecnologia de Alimentos*, 33, 179–183. <https://doi.org/10.1590/s0101-20612013000500026>

Mulders, K. J. M., Lamers, P. P., Martens, D. E., & Wijffels, R. H. (2014). Phototrophic pigment production with microalgae: Biological constraints and opportunities. *Journal of Phycology*, 50(2), 229–242. <https://doi.org/10.1111/jpy.12173>

Nies-, A. S. (2010). *Genomic Structure of an Economically Important Cyanobacterium*, *Genomic Structure of an Economically Important Cyanobacterium*, *Arthrospira (Spirulina) platensis* NIES-39. (May 2014). <https://doi.org/10.1093/dnares/dsq004>

Paliwal, C., Mitra, M., Bhayani, K., Bharadwaj, S. V. V., Ghosh, T., Dubey, S., & Mishra, S. (2017). Abiotic stresses as tools for metabolites in microalgae. *Bioresource Technology* Abiotic stresses as tools for metabolites in microalgae. *Bioresource Technology*, 244(May), 1216–1226. <https://doi.org/10.1016/j.biortech.2017.05.058>

Pandey, V. D., Pandey, A., & Sharma, V. (2013). *Review Article Biotechnological applications of cyanobacterial phycobiliproteins*. 2(9), 89–97.

Patel, A., Mishra, S., Pawar, R., & Ghosh, P. K. (2005). Purification and characterization of C-Phycocyanin from cyanobacterial species of marine and freshwater habitat. *Protein Expression and Purification*, 40(2), 248–255. <https://doi.org/10.1016/j.pep.2004.10.028>

Prabha, Y. (2016). Impact of Monosodium glutamate on the production and chemical constituents of *Spirulina maxima*. *International Journal of Pure & Applied Bioscience*, 4(1), 180–184. <https://doi.org/10.18782/2320-7051.2195>

R, J Fessenden & J, S. F. (n.d.). *Kimia organik* (1st ed.). Jakarta, Indonesia: Erlangga.

Rajasekaran, C., Ajeesh, C. P. M., Balaji, S., Shalini, M., Siva, R., Das, R., ... Kalaivani, T. (2016). Effect of modified Zarrouk's medium on growth of different *Spirulina* strains. *Walailak Journal of Science and Technology*, 13(1), 67–75. <https://doi.org/10.14456/vol13iss2pp>

Roy, K. R., Arunasree, K. M., Reddy, N. P., Dheeraj, B., Reddy, G. V., & Reddanna, P. (2007). Alteration of mitochondrial membrane potential by *Spirulina platensis* C-phycocyanin induces apoptosis in the doxorubicinresistant human hepatocellular-carcinoma cell line HepG2. *Biotechnology and Applied Biochemistry*, 47(3), 159. <https://doi.org/10.1042/ba20060206>

Savira, F., Suharsono, Y., Tamrat, W., Pasimeni, F., Pasimeni, P., Kecerdasan, I., ... LEMES, S. de S. (2017). Title. *Journal of Chemical Information and Modeling*, 21(2), 1689–1699. Retrieved from [https://www.oecd.org/dac/accountable-effective-institutions/Governance Notebook 2.6 Smoke.pdf](https://www.oecd.org/dac/accountable-effective-institutions/Governance>Notebook%202.6%20Smoke.pdf)

Schmidt, R. A., Wiebe, M. G., & Eriksen, N. T. (2005). Heterotrophic high cell-density fed-batch cultures of the phycocyanin-producing red alga *Galdieria sulphuraria*. *Biotechnology and Bioengineering*, 90(1), 77–84. <https://doi.org/10.1002/bit.20417>

Sedjati, S., Yudiati, E., & Suryono. (2012). Profile of Polar and Non-Polar Pigment from Marine Microalgae *Spirulina* sp. and Their Potential as Natural Coloring. *Ilmu Kelautan*, 17(3), 176–181.

Shalaby, E. A., Shanab, S. M. M., & Singh, V. (2010). Salt stress enhancement of antioxidant and antiviral efficiency of *Spirulina platensis*. *Journal of Medicinal Plants Research*, 4(24), 2622–2632. <https://doi.org/10.5897/jmpr09.300>

Shan, X. (1998). *Evidence for Heme-mediated Redox Regulation of Human Cystathionine - Synthase Activity* Evidence for Heme-mediated Redox Regulation of Human Cystathionine -Synthase Activity \*. (October). <https://doi.org/10.1074/jbc.273.39.25179>

Shirnalli, G. G., Kaushik, M. S., Kumar, A., Abraham, G., & Singh, P. K. (2018). Isolation and characterization of high protein and phycocyanin producing mutants of *Arthrospira platensis*. *Journal of Basic Microbiology*, 58(2), 162–171. <https://doi.org/10.1002/jobm.201700464>

Simis, S. G. H., & Kauko, H. M. (2012). In vivo mass-specific absorption spectra of phycobilipigments through selective bleaching. *Limnology and Oceanography: Methods*, 10 (April), 214–226. <https://doi.org/10.4319/lom.2012.10.214>

Singh, N. K., Parmar, A., & Madamwar, D. (2009). Optimization of medium components for increased production of C-phycocyanin from *Phormidium ceylanicum* and its purification by single step process. *Bioresource Technology*, 100 (4), 1663–1669. <https://doi.org/10.1016/j.biortech.2008.09.021>

Sobiechowska-sasim, M., & Sto, J. (2014). *Quantitative analysis of extracted phycobilin pigments in cyanobacteria — an assessment of spectrophotometric and spectrofluorometric methods*. 2065–2074. <https://doi.org/10.1007/s10811-014-0244-3>

Soni, B., Kalavadia, B., Trivedi, U., & Madamwar, D. (2006). Extraction, purification and characterization of phycocyanin from *Oscillatoria quadripunctulata*-Isolated from the rocky shores of Bet-Dwarka, Gujarat, India. *Process Biochemistry*, 41 (9), 2017–2023. <https://doi.org/10.1016/j.procbio.2006.04.018>

Steinmuller, K., & Zetsche, K. (1984). *Photo- and Metabolite Regulation of the Synthesis of Ribulose Bisphosphate Carboxylase / Oxygenase and the Phycobiliproteins in the Alga Cyanidium caldarium* '. 935–939.

Swati S. Thomas. (2010). *The Role of Parry Organic Spirulina in Health Management October 2010 OR G A N I C*. 32726(October).

Tietze, H. W. (2004). Spirulina. In *B. Jain Publishers*. Retrieved from [www.spirulina@happyology.com](http://www.spirulina@happyology.com)

Vonshak, A., & Tomaselli, L. (2006). *Arthrospira (Spirulina): Systematics and Ecophysiology. The Ecology of Cyanobacteria*, 505–522. [https://doi.org/10.1007/0-306-46855-7\\_18](https://doi.org/10.1007/0-306-46855-7_18)

Walter, A., de Carvalho, J. C., Soccol, V. T., de Faria, A. B. B., Ghiggi, V., & Soccol, C. R. (2011). Study of phycocyanin production from spirulina platensis under different light spectra. *Brazilian Archives of Biology and Technology*, 54(4), 675–682. <https://doi.org/10.1590/S1516-89132011000400005>

Wenjun Song, Cuijuan Zhao, & Suying Wang. (2013). A large-scale preparation method of high purity c-phycocyanin. *International Journal of Bioscience, Biochemistry and Bioinformatics*, 3(4), 293–297. <https://doi.org/10.7763/IJBBB.2013.V3.216>

Wijayanti, M., Syaifudin, M., Yulisman, Nurianti, Y., Hidayani, A., & Gofar, N. (2020). Characterization of *Arthrospira platensis* cultured in wastewater of clarias catfish farming media: Dna barcode, helical form, growth, and phycocyanin.

*Biodiversitas*, 21(12), 5872–5883. <https://doi.org/10.13057/biodiv/d211252>

Yadav, A., Monsieurs, P., Misztak, A., Waleron, K., Leys, N., Cuypers, A., & Janssen, P. J. (2020). Helical and linear morphotypes of *Arthrospira* sp. PCC 8005 display genomic differences and respond differently to <sup>60</sup>Co gamma irradiation. *European Journal of Phycology*, 55(2), 129–146. <https://doi.org/10.1080/09670262.2019.1675763>

Zhang, J., Kang, Z., Ding, W., Chen, J., & Du, G. (2016). Integrated Optimization of the In Vivo *Heme* Biosynthesis Pathway and the In Vitro Iron Concentration for 5-Aminolevulinate Production. *Applied Biochemistry and Biotechnology*, 178(6), 1252–1262. <https://doi.org/10.1007/s12010-015-1942-2>

