

## DAFTAR PUSTAKA

1. Ludwig DA. Children's physical activity and health. *Health Aff.* 2017;36(8):1518–1518.
2. Rennie KL, Wells JCK, McCaffrey TA, E. Livingstone MB. Obesity prevention in children and adolescents The effect of physical activity on body fatness in children and adolescents. *Proc Nutr Soc.* 2006;65(04):393–402.
3. Must A, Tybor DJ. Physical activity and sedentary behavior: A review of longitudinal studies of weight and adiposity in youth. *Int J Obes.* 2005;29:S84–96.
4. Kabagambe EK, Baylin A, Siles X, Campos H. Comparison of dietary intakes of micro- and macronutrients in rural, suburban and urban populations in Costa Rica. *Public Health Nutr.* 2002;5(6a):835–42.
5. Reimers AK, Wagner M, Alvanides S, Steinmayr A, Reiner M, Schmidt S, et al. Proximity to sports facilities and sports participation for adolescents in Germany. *PLoS One.* 2014;9(3):1–7.
6. Parks SE, Housemann RA, Brownson RC. Differential correlates of physical activity in urban and rural adults of various socioeconomic backgrounds in the United States. *J Epidemiol Community Health.* 2003;57(1):29–35.
7. Tishukaj F, Shalaj I, Gjaka M, Ademi B, Ahmetxhekaj R, Bachl N, et al. Physical fitness and anthropometric characteristics among adolescents living in urban or rural areas of Kosovo. *BMC Public Health.* 2017;17(1):1–15.
8. De Moraes ACF, Vilanova-Campelo RC, Torres-Leal FL, Carvalho HB. Is self-reported physical fitness useful for estimating fitness levels in children and adolescents? A reliability and validity study. *Med.* 2019;55(6):1–14.
9. Rodriguez-Ayllon M, Esteban-Cornejo I, Verdejo-Román J, Muetzel RL, Mora-Gonzalez J, Cadenas-Sanchez C, et al. Physical fitness and white matter microstructure in children with overweight or obesity: the ActiveBrains project. *Sci Rep.* 2020;10(1):1–9.
10. Ortega FB, Silventoinen K, Tynelius P, Rasmussen F. Muscular strength in male adolescents and premature death: Cohort study of one million participants. *BMJ.* 2012;345(7884):1–12.
11. Andersen LB, Harro M, Sardinha LB, Froberg K, Ekelund U, Brage S, et al. Physical fitness and cardiovascular risk. *The Lancet.* 2006;368(1):299–304.
12. Froberg K, Andersen LB. Mini Review: Physical activity and fitness and its relations to cardiovascular disease risk factors in children. *Int J Obes.* 2005;29(1):34–9.
13. Magalhães EI da S, Sant'ana LF da R, Priore SE, Franceschini S do CC. Waist circumference, waist/height ratio, and neck circumference as parameters of central obesity assessment in children. *Rev Paul Pediatr.* 2014;32(3):273–81.
14. Prasad BG. Assessment of nutritional status of School Children in Lucknow. *Indian J Pediatr.* 1949;16(3):113–52.
15. Suryamulyawan KA, Arimbawa IM. Prevalensi dan karakteristik obesitas pada anak di Sekolah Dasar Saraswati V Kota Denpasar tahun 2016. *Intisari Sains Medis.* 2019;10(2):342–6.
16. Eckel N, Meidtner K, Kalle-Uhlmann T, Stefan N, Schulze MB.

- Metabolically healthy obesity and cardiovascular events: A systematic review and meta-analysis. *Eur J Prev Cardiol*. 2016;23(9):956–66.
17. Wilson AL, Goldfield GS. Overweight or obese young people are not at increased risk of depression, but young people with depression are at increased risk of obesity. *Evid Based Nurs*. 2014;17(4):112.
  18. Anam M, Mexitalia M, Widjanarko B, Pramono A, Susanto H, Subagio HW. Pengaruh Intervensi Diet dan Olah Raga Terhadap Indeks Massa Tubuh, Lemak Tubuh, dan Kesegaran Jasmani pada Anak Obes. *Sari Pediatr*. 2016;12(1):36.
  19. Zhao QM, Ma XJ, Ge XI. Erratum: Pulse oximetry with clinical assessment to screen for congenital heart disease in neonates in China: A prospective study. *Lancet*. 2014;384(9945):746.
  20. Kêkê LM, Samouda H, Jacobs J, di Pompeo C, Lemdani M, Hubert H, et al. Body mass index and childhood obesity classification systems: A comparison of the French, International Obesity Task Force (IOTF) and World Health Organization (WHO) references. *Rev Epidemiol Sante Publique*. 2015;63(3):173–82.
  21. Hadi H, Nurwanti E, Gittelsohn J, Arundhana AI, Astiti D, West KP, et al. Improved understanding of interactions between risk factors for child obesity may lead to better designed prevention policies and programs in indonesia. *Nutrients*. 2020;12(1):1–12.
  22. KEMENKES. Riset Kesehatan Dasar (RISKESDAS) 2013. 2013.
  23. Horan M, Gibney E, Molloy E, McAuliffe F. Methodologies to assess paediatric adiposity. *Ir J Med Sci*. 2015;184(1):53–68.
  24. Louer AL, Simon DN, Switkowski KM, Rifas-Shiman SL, Gillman MW, Oken E. Assessment of child anthropometry in a large epidemiologic study. *J Vis Exp*. 2017;2017(120):1–11.
  25. Barrios P, Martin-Biggers J, Quick V, Byrd-Bredbenner C. Reliability and criterion validity of self-measured waist, hip, and neck circumferences. *BMC Med Res Methodol*. 2016;16(1):1–12.
  26. Mushtaq MU, Gull S, Abdullah HM, Shahid U, Shad MA, Akram J. Waist circumference, waist-hip ratio and waist-height ratio percentiles and central obesity among Pakistani children aged five to twelve years. *BMC Pediatr*. 2011;11(1):105.
  27. Anggraini Y. Dampak Pembangunan dan Pengembangan Objek Wisata terhadap Kehidupan Masyarakat Nelayan di Sungai Pisang Kota Padang. *Ranah Res J Multidiscip Res Dev*. 2020;2(2):339–44.
  28. Wells JCK, Fewtrell MS. Measuring body composition. *Arch Dis Child*. 2006;91(7):612–7.
  29. Ross R, Neeland IJ, Yamashita S, Shai I, Seidell J, Magni P, et al. Waist circumference as a vital sign in clinical practice: a Consensus Statement from the IAS and ICCR Working Group on Visceral Obesity. *Nat Rev Endocrinol*. 2020;16(3):177–89.
  30. Schwandt P, Kelishadi R, Haas GM. First reference curves of waist circumference for German children in comparison to international values: The PEP Family Heart Study. *World J Pediatr*. 2008;4(4):259–66.
  31. World Health Organisation (WHO). WHO | Waist Circumference and Waist–Hip Ratio. Report of a WHO Expert Consultation. 2008;12:8–

11. Available from: <http://www.who.int>
32. Freedman DS, Kit BK, Ford ES. Are the recent secular increases in waist circumference among children and adolescents independent of changes in BMI?. *PLoS One*. 2015;10(10):1–12.
  33. Barbour-Tuck E, Boyes NG, Tomczak CR, Lahti DS, Baril CL, Pockett C, et al. A cardiovascular disease risk factor in children with congenital heart disease. *BMC Cardiovasc Disord*. 2020;20(1):1–10.
  34. Khadilkar A, Ekbote V, Chiplonkar S, Khadilkar V, Kajale N, Kulkarni S, et al. Waist circumference percentiles in 2-18 year old indian children. *J Pediatr*. 2014;164(6):1358-1362.
  35. Fryar CDC, Gu Q, Ogden CL, Flegal KM, McDowell MA, Fryar CDC, et al. Anthropometric Reference Data for Children and Adults : United States. *Vital Heal Stat*. 2010;11(251):2007–10.
  36. Bo Xi, PhD, Xin'nan Zong, MS, Roya Kelishadi, MD, Mieczyslaw Litwin, MD, PhD, Young Mi Hong, MD, Bee Koon Poh, PhD, Lyn M, Steffen P. International waist circumference percentile cut-offs for central obesity in children and adolescents aged 6-18 years. 2019;4(1):22-3.
  37. Katz EG, Stevens J, Truesdale KP, Cai J, Adair LS, North KE. Hip circumference and incident metabolic risk factors in Chinese men and women: The People's Republic of China study. *Metab Syndr Relat Disord*. 2011;9(1):55–62.
  38. Rönnecke E, Vogel M, Bussler S, Grafe N, Jurkutat A, Schlingmann M, et al. Age- and Sex-Related Percentiles of Skinfold Thickness, Waist and Hip Circumference, Waist-to-Hip Ratio and Waist-to-Height Ratio: Results from a Population-Based Pediatric Cohort in Germany (LIFE Child). *Obes Facts*. 2019;12(1):25–39.
  39. Cao Q, Yu S, Xiong W, Li Y, Li H, Li J, et al. Waist-hip ratio as a predictor of myocardial infarction risk A systematic review and meta-analysis. *Med (United States)*. 2018;97(30):10-1.
  40. Lu N, Wang R, Ji M, Liu X, Qiang L, Ma C, et al. The value of hip circumference/heightx ratio for identifying childhood hypertension. *Sci Rep*. 2018;8(1):1–6.
  41. Tantawy SA, Kamel DM, Alsayed N, Rajab E, Abdelbasset WK. Correlation between body mass index, neck circumference, and waist-hip ratio as indicators of obesity among a cohort of adolescent in Bahrain a preliminary cross-sectional study. *Med (United States)*. 2020;99(17):31-5.
  42. P V, K.O T, B.S K. a Study of Effect of Waist-To-Hip Ratio on Cardiorespiratory Fitness in Young Healthy Males. *J Evol Med Dent Sci*. 2013;2(40):7658–63.
  43. Bacopoulou F, Efthymiou V, Landis G, Rentoumis A, Chrousos GP. Waist circumference, waist-to-hip ratio and waist-to-height ratio reference percentiles for abdominal obesity among Greek adolescents. *BMC Pediatr*. 2015;15(1):1–9.
  44. Bamoshmoosh M. Central obesity in Yemeni children: A population based cross-sectional study. *World J Cardiol*. 2013;5(8):295.
  45. Fauziana R, Jeyagurunathan A, Abdin E, Vaingankar J, Sagayadevan V, Shafie S, et al. Body mass index, waist-hip ratio and risk of chronic medical condition in the elderly population: Results from the Well-being of the

- Singapore Elderly (WiSE) Study. *BMC Geriatr.* 2016;16(1):1–9.
46. Chen HH, Chen HL, Lin YT, Lin CW, Ho CC, Lin HY, et al. The associations between functional fitness test performance and abdominal obesity in healthy elderly people: Results from the national physical fitness examination survey in Taiwan. *Int J Environ Res Public Health.* 2021;18(1):1–13.
  47. Padilla-Moledo C, Fernández-Santos JDR, Izquierdo-Gómez R, Esteban-Cornejo I, Rio-Cozar P, Carbonell-Baeza A, et al. Physical fitness and self-rated health in children and adolescents: Cross-sectional and longitudinal study. *Int J Environ Res Public Health.* 2020;17(7):1–15.
  48. Dr. Afriwardi SK. Ilmu kedokteran olahraga. Jakarta. EGC;2010.
  49. Fitria. Pedoman Pembinaan Kebugaran Jasmani Peserta Didik Melalui Upaya Kesehatan Sekolah. Vol. 53, Direktorat Bina Kesehatan Kerja dan Olahraga Ditjen Bina Gizi dan Kesehatan Ibu dan Anak Kementerian Kesehatan. 2013.
  50. Sharon Wynne M. MTEL Physical Education 22. XAMonline 2007.
  51. Kasović M, Štefan L, Petrić V, Štemberger V, Blažević I. Functional endurance capacity is associated with multiple other physical fitness components in 7–14-year-olds: a cross-sectional study. *BMC Public Health.* 2021;21(1):1–7.
  52. Chen W, Hammond-Bennett A, Hypnar A, Mason S. Health-related physical fitness and physical activity in elementary school students. *BMC Public Health.* 2018;18(1):1–12.
  53. Spurr GB. Nutritional status and physical work capacity. *Am J Phys Anthropol.* 1983;26(1):1–35.
  54. Ikatan Dokter Anak Indonesia. Rekomendasi Ikatan Dokter Anak Indonesia : Asuhan Nutrisi Pediatrik (Pediatric Nutrition Care). *Paediatric.* 2011;3(2):5–6.
  55. Pavón DJ. Physical activity in children with chronic disease. *Rev Esp Pediatr.* 2016;72(5):314–5.
  56. Kim D, Lu, MD EF. Exercise and Lifestyle Changes in Pediatric Asthma. *Physiol Behav.* 2020;26(1):103–11.
  57. Wijaya IMK. Aktivitas Fisik (Olahraga) Pada Penderita Asma. *Proc Semin Nas FMIPA UNDIKSHA.* 2017;5(1):336–41.
  58. Marshall CH, Al-Mallah MH, Dardari Z, Brawner CA, Lamerato LE, Keteyian SJ, et al. Cardiorespiratory fitness and incident lung and colorectal cancer in men and women: Results from the Henry Ford Exercise Testing (FIT) cohort. *Cancer.* 2019;125(15):2594–601.
  59. Susantiningsih T, Mustofa S. Ekspresi IL-6 dan TNF- $\alpha$  Pada Obesitas IL-6 and TNF- $\alpha$  Expression in Obesity. *JK Unila.* 2018;2(2):174–80.
  60. Rahmawati A. Mekanisme Terjadinya Inflamasi Dan Stres Oksidatif Pada Obesitas. *el-Hayah.* 2014;5(1):1.
  61. Vincent HK, Morgan JW, Vincent KR. Obesity Exacerbates Oxidative Stress Levels after Acute Exercise. *Med Sci Sports Exerc.* 2004;36(5):772–9.
  62. Park EJ, Lee JH, Yu GY, He G, Ali SR, Holzer RG, et al. Dietary and Genetic Obesity Promote Liver Inflammation and Tumorigenesis by Enhancing IL-6 and TNF Expression. *Cell.* 2010;140(2):197–208.
  63. Wedell-Neergaard AS, Krogh-Madsen R, Petersen GL, Hansen ÅM,

- Pedersen BK, Lund R, et al. Cardiorespiratory fitness and the metabolic syndrome: Roles of inflammation and abdominal obesity. *PLoS One*. 2018;13(3):1–16.
64. Patel P, Abate N. Role of subcutaneous adipose tissue in the pathogenesis of insulin resistance. *J Obes*. 2013;15(1):50-7.
  65. Ho CC, Lee PF, Chen HL, Tseng CY, Hsieh XY, Chiu CH. Poor health-related physical fitness performance increases the overweight and obesity risk in older adults from Taiwan. *BMC Geriatr*. 2021;21(1):1–13.
  66. Hall JE. Guyton and hall textbook of medical physiology. 13th ed. Elsevier Ltd; 2015.
  67. Sothorn MS, Stewart GT, Kristian von Almen T, editors. Handbook of Pediatric Obesity. 1st ed. CRC Press; 2006.
  68. Woolf V, Clínico C, Case C, Vosniadou S, Uidados SEDEC, Rgencias CRYU, et al. C Ont Ours. *Am J Public Health*. 2007;6(1):23.
  69. Czyż SH, Toriola AL, Starościak W, Lewandowski M, Paul Y, Oyeyemi AL. Physical fitness, physical activity, sedentary behavior, or diet—what are the correlates of obesity in Polish school children? *Int J Environ Res Public Health*. 2017;14(6):89-92.
  70. Burgos MS, Burgos LT, Camargo MD, Franke SIR, Prá D, da silva AMV, et al. Associação entre medidas antropométricas e fatores de risco cardiovascular em crianças e adolescentes. *Arq Bras Cardiol*. 2013;101(4):288–96.
  71. Elya S, Hardinsyah, Afriansyah N. Faktor risiko obesitas sentral. *Gizi Indonesia*. 2009;32(2):105–16.
  72. Janghorbani M, Amini M, Willett WC, Gouya MM, Delavari A, Alikhani S, et al. First nationwide survey of prevalence of overweight, underweight, and abdominal obesity in Iranian adults. *Obesity*. 2007;21(1).2797–808.
  73. Hartono NP, Wilujeng CS, Andarini S. Konsumsi Fast Food, Soft Drink, Aktivitas Fisik, dan Kejadian Overweight Siswa Sekolah Dasar di Jakarta. *Indones J Hum Nutr*. 2015;1(2):135–48.
  74. Yulni. The Relationship between the Macronutrient Intake and Nutritional Status of Elementary School Children in the Coastal Region of Makassar City. *J Mkmi*. 2013;13(1):205–11.
  75. Błaszczyk-Bębenek E, Piórecka B, Płonka M, Chmiel I, Jagielski P, Tuleja K, et al. Risk factors and prevalence of abdominal obesity among upper-secondary students. *Int J Environ Res Public Health*. 2019;16(10):288-98.
  76. Huwaida Z. Hubungan aktivitas fisik dengan tingkat kebugaran jasmani siswa kelas iv dan v sdn 13 sungai pisang. *Fakultas Kedokteran Universitas Andalas*. 2019;6–9.
  77. Cameron AJ, Magliano DJ, Shaw JE, Zimmet PZ, Carstensen B, Alberti KGMM, et al. The influence of hip circumference on the relationship between abdominal obesity and mortality. *Int J Epidemiol*. 2012;41(2):484–94.
  78. Heitmann BL, Frederiksen P, Lissner L. Hip circumference and cardiovascular morbidity and mortality in men and women. *Obesity Research*. 2004;12(1):12-9.
  79. Lissner L, Björkelund C, Heitmann BL, Seidell JC, Bengtsson C. Larger hip circumference independently predicts health and longevity in a Swedish

- female cohort. *Obesity Research*. 2001;9(1): 644–6.
80. WHO, Rivolta, Olfie, Gita, Jus'at I, . SS, et al. Pola Makan, Asupan Zat Gizi, Dan Status Gizi Anak Balita Bawah Garis Merah Di Pesisir Pantai Desa Tatengesan Dan Makalu Wilayah Kerja Puskesmas Pusomaen. *Parasites and Vectors*.2019;7(1):1–11.
  81. Nisrina P, Deny YF. *Nutrition College*. *J Nutr Coll*. 2012;1(1):607–13.
  82. Isnaini, Satono A, Winaryati E. Hubungan Pengetahuan Obesitas dengan Rasio Lingkar Pinggang Panggul pada Ibu Rumah Tangga di Desa Pepe Krajan Kecamatan Tegowanu Kabupaten Grobogan. *J Gizi*. 2012;1(1):1–9.
  83. Wirnantika I, Pratama BA, Hanief YN. Survey Tingkat Kebugaran Jasmani Siswa Kelas IV SDN Puhrubuh I dan MI Mambaul Hikam di Kabupaten Kediri Tahun Ajaran 2016/2017. *Sportif*. 2017;3(2):240.
  84. Faqih A, Hartati SCY. Survei Tingkat Kebugaran Jasmani Siswa Kelas IV Sekolah Dasar Se-Gugus Selatan Kecamatan Plumpang Kabupaten Tuban. *J Pendidik Olahraga dan Kesehat*. 2017;5(3):385–90.
  85. Poulain T, Vogel M, Sobek C, Hilbert A, Körner A, Kiess W. Associations between socio-economic status and child health: Findings of a large German cohort study. *Int J Environ Res Public Health*. 2019;16(5):1–12.
  86. Dong Y, Chen M, Chen L, Wen B, Yang Y, Wang Z, et al. Individual-, Family-, and School-Level Ecological Correlates With Physical Fitness Among Chinese School-Aged Children and Adolescents: A National Cross-Sectional Survey in 2014. *Front Nutr*. 2021;8(8):1–12.
  87. Sandy J. Slater, Elizabeth Tralov, Kelly Jones, Stephen A. Matthews, Coady Wing SNZ. Would Increasing Access to Recreational Places Promote Healthier Weights and a Healthier Nation?.*Physiol Behav*. 2019;56(1):127–34.
  88. Chen PH, Chen W, Wang CW, Yang HF, Huang WT, Huang HC, et al. Association of Physical Fitness Performance Tests and Anthropometric Indices in Taiwanese Adults. *Front Physiol*. 2020;11(11):1–6.
  89. Amatullah NF. Hubungan pola makan dengan tingkat kebugaran jasmani siswa kelas iv dan v sdn 13 sungai pisang. *Fakultas Kedokteran Universitas Andalas*.2020;38–9.
  90. Borel AL, Coumes S, Reche F, Ruckly S, Pépin JL, Tamisier R, et al. Waist, neck circumferences, waist-to-hip ratio: Which is the best cardiometabolic risk marker in women with severe obesity?. *PLoS One*. 2018;13(11):1–15.