

DAFTAR PUSTAKA

1. Mills KT, Bundy JD, Kelly TN, Reed JE, Kearney PM, Reynolds K, et al. Global disparities of hypertension prevalence and control. *Circulation*. 2016;134(6):441–50.
2. Dézsi CA, Szentes V. The Real Role of β -Blockers in Daily Cardiovascular Therapy. *Am J Cardiovasc Drugs*. 2017;17(5):361–73.
3. Srinivasan A V, Nadu T. Propranolol : A 50 - Year Historical Perspective. 2018;21–6.
4. Ensom MHH, Kendrick J, Rudolph S, Decarie D. Stability of propranolol in extemporaneously compounded suspensions. *Can J Hosp Pharm*. 2013;66(2):118–24.
5. Bidabadi E, Mashouf M. A randomized trial of propranolol versus sodium valproate for the prophylaxis of migraine in pediatric patients. *Pediatr Drugs*. 2010;12(4):269–75.
6. Kalam MN, Rasool MF, Rehman AU, Ahmed N. Clinical Pharmacokinetics of Propranolol Hydrochloride: A Review. *Curr Drug Metab [Internet]*. 2020 Jun 11;21(2):89–105. Available from: <https://www.eurekaselect.com/180864/article>
7. Shin J, Johnson JA. Pharmacogenetics of β -blockers. *Pharmacotherapy*. 2007;27(6):874–87.
8. Karaman R, Qtait A, Dajani KK, Lafi SA. Design , Synthesis , and In Vitro Kinetics Study of Atenolol Prodrugs for the Use in Aqueous Formulations. 2014;2014.
9. AMJ N, SM R. Fabrication and Evaluation of Fast Disintegrating Oral Hybrid Films of Propranolol Hydrochloride by Using Pectin and Synthetic Polymers. *J Dev Drugs*. 2016;5(2):1–9.
10. Assofiyah NH. Skripsi Sarjana Farmasi : Studi Pendahuluan Formulasi Sediaan Orally Dissolving Film (ODF) Propranolol HCl Menggunakan Plastisizer Golongan Polioliol. 2020.
11. Depkes RI. Farmakope Indonesia. VI. Jakarta: Kementerian Kesehatan RI; 2020.
12. Katsuragi Y, Sugiura Y, Lee C, Otsuji K, Kurihara K. Selective Inhibition of Bitter Taste of Various Drugs by Lipoprotein. Vol. 12, *Pharmaceutical Research: An Official Journal of the American Association of Pharmaceutical Scientists*. 1995. p. 658–62.
13. Deepa Nag* and Bipul Nath. Review on Solvent Evaporation Technique: a Promising Method for Microencapsulation. *World J Pharm Res*. 2018;7(11):356–72.
14. Giro-Paloma J, Martínez M, Cabeza LF, Fernández AI. Types, methods, techniques, and applications for microencapsulated phase change materials

- (MPCM): A review. *Renew Sustain Energy Rev* [Internet]. 2016;53:1059–75. Available from: <http://dx.doi.org/10.1016/j.rser.2015.09.040>
15. Lopalco A, Denora N, Laquintana V, Cutrignelli A, Franco M, Robota M, et al. Taste masking of propranolol hydrochloride by microbeads of EUDRAGIT® E PO obtained with prilling technique for paediatric oral administration. *Int J Pharm* [Internet]. 2020;574(November 2019):118922. Available from: <https://doi.org/10.1016/j.ijpharm.2019.118922>
 16. Rowe R. *Handbook of Pharmaceutical Excipients*. 6th ed. Washington.: Pharmaceutical Press; 2009.
 17. Arya A, Chandra A, Sharma V, Pathak K. Fast dissolving oral films: An innovative drug delivery system and dosage form. *Int J ChemTech Res*. 2010;2(1):576–83.
 18. Mennella JA, Reed DR, Roberts KM, Mathew PS, Mansfield CJ. Age-related differences in bitter taste and efficacy of bitter blockers. *PLoS One*. 2014;9(7).
 19. Sohi H, Sultana Y, Khar RK. Taste masking technologies in oral pharmaceuticals: Recent developments and approaches. *Drug Dev Ind Pharm*. 2004;30(5):429–48.
 20. Mennella JA, Reed DR, Mathew PS, Roberts KM, Mansfield CJ. “A spoonful of sugar helps the medicine go down”: bitter masking by sucrose among children and adults. *Chem Senses*. 2015;40(1):17–25.
 21. Mattes RD. Effects of linoleic acid on sweet, sour, salty, and bitter taste thresholds and intensity ratings of adults. *Am J Physiol - Gastrointest Liver Physiol*. 2007;292(5):1243–8.
 22. Thakral S, Thakral NK, Majumdar DK. Eudragit®: a technology evaluation. *Expert Opin Drug Deliv* [Internet]. 2013 Jan 26;10(1):131–49. Available from: <http://www.tandfonline.com/doi/full/10.1517/17425247.2013.736962>
 23. Hoang Thi TH, Morel S, Ayouni F, Flament M-P. Development and evaluation of taste-masked drug for paediatric medicines – Application to acetaminophen. *Int J Pharm* [Internet]. 2012 Sep;434(1–2):235–42. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0378517312005479>
 24. Cherian S, Lee BS, Tucker RM, Lee K, Smutzer G. Toward Improving Medication Adherence: The Suppression of Bitter Taste in Edible Taste Films. *Adv Pharmacol Sci*. 2018;2018.
 25. Al M et. *Bioadhesive Drug Delivery System : Fundamental, Novel Approaches and Development*. New York.: Marcel Dekker.; 1999.
 26. Hawkins S, Wolf M, Guyard G, Greenberg S, Dayan N. Microcapsules as a Delivery System [Internet]. *Delivery System Handbook for Personal Care and Cosmetic Products: Technology, Applications and Formulations*. William Andrew Inc.; 2005. 191–213 p. Available from: <http://dx.doi.org/10.1016/B978-081551504-3.50014-6>
 27. Al-kasmi B, Alsirawan MB, Bashimam M, El-zein H. Mechanical microencapsulation: The best technique in taste masking for the manufacturing scale - Effect of polymer encapsulation on drug targeting. *J Control Release* [Internet]. 2017;260:134–41. Available from: <http://dx.doi.org/10.1016/j.jconrel.2017.06.002>

28. Djajadisastra J, Novitasari A. MIKROENKAPSULASI PROPANOLOL. 2004;I(2):93–101.
29. Lachman, L., Lieberman, H.A., dan Kanig JL. Teori dan Praktek Industri Farmasi II. III. Jakarta: IU Press; 1994.
30. Peighambardoust SH, Tafti AG, Hesari J. Application of spray drying for preservation of lactic acid starter cultures : A review. 2011;(November 2020).
31. Depkes RI. Farmakope Indonesia edisi IV. Departemen Kesehatan Republik Indonesia. 1995.
32. Depkes RI. Farmakope Indonesia edisi IV. Departemen Kesehatan Republik Indonesia. 1995.
33. Sweetman. Martindale. 36th ed. London: Pharmaceutical Press; 2009.
34. Propranolol Hydrochloride [Internet]. [cited 2021 Nov 18]. Available from: <https://go.drugbank.com/drugs/DB00571>
35. Shargel L. Applied Biopharmaceutics & Pharmacokinetics. 4th ed. Boston: McGraw Hill; 1988.
36. Syukri. Biofarmasetika. Yogyakarta: UII Press; 2002.
37. Sinko PJ. Farmasi Fisik dan Ilmu Farmasetika. 5th ed. Jakarta: EGC; 1993.
38. Lesson, L.J., dan Cartensen JT. Dissolution Technology. Washington.: the Ind Pharm Techn Section of the Acad of Pharm Scences; 1974.
39. Shargel L. Applied Biopharmaceutics & Pharmacokinetics. 5th ed. Boston: Mcgraw-Hill; 2004.
40. Costa P, Sousa Lobo JM. Modeling and comparison of dissolution profiles. Eur J Pharm Sci [Internet]. 2001 May;13(2):123–33. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0928098701000951>
41. Suhartati T. DASAR-DASAR SPEKTROFOTOMETRI UV-VIS DAN SPEKTROMETRI MASSA UNTUK PENENTUAN STRUKTUR SENYAWA ORGANIK. Bandar Lampung: AURA CV. Anugrah Utama Raharja; 2017.
42. Nuraeni W, Daruwati I, W EM, Sriyani ME. Verifikasi kinerja alat Particle Size Analyzer (PSA) Horiba Lb-550 untuk penentuan distribusi ukuran nanopartikel. Pros Semin Nas Sains dan Teknol Nukl. 2013;268–9.
43. Menggunakan S, Spektroskopi M, Anam C, Firdausi KS. Analisis Gugus Fungsi Pada Sampel Uji, Bensin Dan Spiritus Menggunakan Metode Spektroskopi Ftir. Berk Fis. 2007;10(1):79–85.
44. Sulistyani M. Optimasi Pengukuran Spektrum Vibrasi Sampel Protein Menggunakan Spektrofotometer Fourier Transform Infra Red (Ftir). Indones J Chem Sci. 2017;6(2):173–80.
45. Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskop. Padang: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas; 2004.
46. Anggraeni ND. Analisa SEM (Scanning Electron Microscopy) dalam Pemantauan Proses Oksidasi Magnetite Menjadi Hematite. Semin Nas - VII Rekayasa dan Apl Tek Mesin di Ind. 2008;50–6.
47. Sujatno A, Salam R, Bandriyana B, Dimiyati A. Studi Scanning Electron Microscopy (Sem) Untuk Karakterisasi Proses Oksidasi Paduan Zirkonium. J

- Forum Nukl. 2017;9(1):44.
48. Bora D, Borude P, Bhise K. Taste masking by spray-drying technique. *AAPS PharmSciTech*. 2008;9(4):1159–64.
 49. Srifiana Y, Surini S, Yanuar A. Mikroenkapsulasi Ketoprofen dengan Metode Koaservasi dan Semprot Kering Menggunakan Pragelatinisasi Pati Singkong Ftalat sebagai Eksipien Penyalut (Encapsulation of Ketoprofen with Coacervation and Spray Drying Methods Using Pregelatinized Cassava Starch. 2014;12(2):162–9.
 50. Rivai H, Chandra B, Apriyansyah E. Pengembangan Dan Validasi Metode Analisis Propanolol Hidroklorida Tablet Dengan Metode Absorbansi Dan Luas Daerah Di Bawah Kurva Secara Spektrofotometri Ultraviolet. *J Farm Higea*. 2017;9(January 2018):1–11.
 51. Shinde N. *International Journal of Advances in Pharmaceutics* Inclusion of Hydrophilic-Lipophilic Balance (HLB) in the treatment of Psoriasis-A new approach QR Code. 2019;(January). Available from: www.ssjournals.comjournaldoi:https://doi.org/10.7439/ijapJournalhomepage:https://ssjournals.com/index.php/ijap10.7439/ijap.v8i1.5150 Available from: <https://ssjournals.com/index.php/ijap/article/view/5150>
 52. Kasuma N. *Fisiologi dan Patologi Saliva*. Padang: Andalas University Press; 2015.
 53. R LU, Nisak R. Perbedaan volume, pH, dan kadar kalsium saliva karies dan bebas karies pada mahasiswa Fakultas Kedokteran Gigi Universitas Sumatera Utara. 2016;19(2):128–32.
 54. Langen EN, Rumampuk JF, Leman MA. PENGARUH SALIVA BUATAN DAN BELIMBING WULUH (*Averrhoa bilimbi* L.) TERHADAP KEKERASAN RESIN KOMPOSIT NANO HYBRID. *Pharmacon*. 2017;6(1):9–15.
 55. Todorović N, Goločorbin-Kon S, Kermeci K, Jovičić-Bata J, Pavlović N, Milijašević B, et al. Influence of immediate release tablet formulation on dissolution profile of paracetamol. *Hosp Pharmacol - Int Multidiscip J*. 2018;5(3):705–14.
 56. Esposito E, Roncarati R, Cortesi R, Cervellati F, Nastruzzi C. Production of Eudragit Microparticles by Spray-Drying Technique: Influence of Experimental Parameters on Morphological and Dimensional Characteristics. 2000;5(2):267–78.
 57. Champion D, Le Meste M, Simatos D. Towards an improved understanding of glass transition and relaxations in foods: Molecular mobility in the glass transition range. *Trends Food Sci Technol*. 2000;11(2):41–55.
 58. Onwulata CI, Smith PW, Cooke PH, Holsinger VH. Particle structures of encapsulated milkfat powders. *LWT - Food Sci Technol*. 1996;29(1–2):163–72.
 59. Soottitantawat A, Bigeard F, Yoshii H, Furuta T, Ohkawara M, Linko P. Influence of emulsion and powder size on the stability of encapsulated D-limonene by spray drying. *Innov Food Sci Emerg Technol*. 2005;6(1):107–14.
 60. Hassan A, Laghari MS, Rashid Y. Micro-encapsulated phase change materials:

- A review of encapsulation, safety and thermal characteristics. *Sustain.* 2016;8(10).
61. Life S, Limited S, Songa S, Consumer G, Care H, Kolapalli RV. Statistical optimization of a novel excipient (CMEC) based gastro retentive floating tablets of propranolol HCl and it ' s in vivo buoyancy characterization in healthy human volunteers. 2012;(June 2014).
 62. Nining N, Suwandi SN, Wikarsa S. Pengerinan ekstrak bunga rosela (*Hibiscus sabdariffa* L.) melalui Mikroenkapsulasi Metode Semprot kering dengan Maltodekstrin. *Farmasains.* 2017;4(2):65–71.
 63. Rosidah I, Sumaryono W, Surini S. Preparasi Mikrosfer Fraksi Etil Asetat Herba Sambiloto (*Andrographis paniculata*) Dengan Metode Spray Drying. Vol. 10, *Jurnal Ilmu Kefarmasian Indonesia.* 2012. p. 132–7.
 64. Nhestricia N. PENGARUH KONSENTRASI OLEORESIN DAN KOMPOSISI BAHAN PENYALUT TERHADAP KARAKTERISTIK MIKROKAPSUL OLEORESIN JAHE EMPRIT (*Zingiber officinale*) DENGAN METODA SPRAY DRYING. *FITOFARMAKA J Ilm Farm.* 2017;7(1):44–53.
 65. Yun F, Kang A, Shan J, Zhao X, Bi X, Li J, et al. Preparation of osthole-polymer solid dispersions by hot-melt extrusion for dissolution and bioavailability enhancement. *Int J Pharm [Internet].* 2014;465(1–2):436–43. Available from: <http://dx.doi.org/10.1016/j.ijpharm.2014.02.040>
 66. Gvozdeva Y, Apostolova E, Pilicheva B. Taste masking of enalapril maleate by microencapsulation in Eudragit EPO ® microparticles Taste masking of enalapril maleate by microencapsulation in Eudragit EPO ® microparticles. 2020;(March).
 67. Tang ESK, Chan LW, Heng PWS. Coating of multiparticulates for sustained release. *Am J Drug Deliv.* 2005;3(1):17–28.
 68. Ozturk S. Mechanism of release from pellets coated with an ethylcellulose-based film. 2019;3659(December 1990).
 69. Prajapati VD, Jani GK, Kapadia JR. Current knowledge on biodegradable microspheres in drug delivery. 2015;1–17.
 70. Kearns J, Turner A. An evaluation of the toxicity and bioaccumulation of bismuth in the coastal environment using three species of macroalga. *ENPO [Internet].* 2016;208:435–41. Available from: <http://dx.doi.org/10.1016/j.envpol.2015.10.011>