

DAFTAR PUSTAKA

- (1) Gandhi, P. R.; Jayaseelan, C.; Kamaraj, C.; Rajasree, S. R. R.; Regina Mary, R. In Vitro Antimalarial Activity of Synthesized TiO₂ Nanoparticles Using *Momordica Charantia* Leaf Extract against *Plasmodium Falciparum*. *J. Appl. Biomed.* 2018, 16 (4), 378–386. <https://doi.org/10.1016/j.jab.2018.04.001>.
- (2) Zhao, Y.; Zhao, D.; Chen, C.; Wang, X. Enhanced Photo-Reduction and Removal of Cr(VI) on Reduced Graphene Oxide Decorated with TiO₂ Nanoparticles. *J. Colloid Interface Sci.* 2013, 405, 211–217. <https://doi.org/10.1016/j.jcis.2013.05.004>.
- (3) Rajendhiran, R.; Deivasigamani, V.; Palanisamy, J.; Masan, S.; Pitchaiya, S. Terminalia Catappa and Carissa Carandas Assisted Synthesis of TiO₂ Nanoparticles – A Green Synthesis Approach. *Mater. Today Proc.* 2020, No. <https://doi.org/10.1016/j.matpr.2020.10.223>.
- (4) Penelitian, J.; Teknik, I.; Patidar, V.; Jain, P.; Nanoteknologi, D.; Sains, I.; Medicaps, T.; Pradesh, M. Sintesis Hijau TiO₂ Nanopartikel Menggunakan Ekstrak Daun Moringa Oleifera. 2017, 470–473.
- (5) Maurya, I. C.; Singh, S.; Senapati, S.; Srivastava, P.; Bahadur, L. Green Synthesis of TiO₂ Nanoparticles Using *Bixa Orellana* Seed Extract and Its Application for Solar Cells. *Sol. Energy* 2019, 194, 952–958. <https://doi.org/10.1016/j.solener.2019.10.090>.
- (6) Ambika, S.; Sundrarajan, M. BF₄ Ionic Liquid-Mediated Synthesis of TiO₂ Nanoparticles Using *Vitex Negundo Linn* Extract and Its Antibacterial Activity. *J. Mol. Liq.* 2016, 221, 986–992. <https://doi.org/10.1016/j.molliq.2016.06.079>.
- (7) Rajkumari, J.; Magdalane, C. M.; Siddhardha, B.; Madhavan, J.; Ramalingam, G.; Al-Dhabi, N. A.; Arasu, M. V.; Ghilan, A. K. M.; Duraipandiayan, V.; Kaviyarasu, K. Synthesis of Titanium Oxide Nanoparticles Using *Aloe Barbadosensis Mill* and Evaluation of Its Antibiofilm Potential against *Pseudomonas Aeruginosa* PAO1. *J. Photochem. Photobiol. B Biol.* 2019, 201 (May), 111667. <https://doi.org/10.1016/j.jphotobiol.2019.111667>.
- (8) Tarafdar, A.; Raliya, R.; Wang, W.; Biswas, P.; Tarafdar, J. C. Green Synthesis of TiO₂ Nanoparticle Using. *Int. Res. J. Eng. Technol.* 2017, 4 (3), 1–7. <https://doi.org/10.1166/ase.2013.1376>.
- (9) Tarafdar, A.; Raliya, R.; Wang, W.; Biswas, P.; Tarafdar, J. C. Green Synthesis of TiO₂ Nanoparticle Using. *Int. Res. J. Eng. Technol.* 2017, 4 (3), 1–7. <https://doi.org/10.1166/ase.2013.1376>.
- (10) Kim, H.; Kim, D.-J.; Karthick, S. N.; Hemalatha, K. V; Raj, C. J. Curcumin Efficient Dye-Sensitized Solar Cells. *Int. J. Electrochem. Sci.* 2013, 8, 8320–8328.
- (11) Li, X.; Liu, P.; Mao, Y.; Xing, M.; Zhang, J. Preparation of Homogeneous Nitrogen-Doped Mesoporous TiO₂ Spheres with Enhanced Visible-Light Photocatalysis. *Appl. Catal. B Environ.* 2015, 164, 352–359. <https://doi.org/10.1016/j.apcatb.2014.09.053>.
- (12) Thamina, M.; Karuppuchamy, S. No Title. *Adv. Sci. Eng. Med.* 2015, Volume 7, 18-25(8).

- (13) Mbonyiryivuze, A.; Zongo, S.; Diallo, A.; Bertrand, S.; Minani, E.; Yadav, L. L.; Mwakikunga, B.; Dhlamini, S. M.; Maaza, M. Titanium Dioxide Nanoparticles Biosynthesis for Dye Sensitized Solar Cells Application: Review. *Phys. Mater. Chem.* 2015, 3 (1), 12–17. <https://doi.org/10.12691/pmc-3-1-3>.
- (14) Sun, Y.; Wang, S.; Zheng, J. Biosynthesis of TiO₂ Nanoparticles and Their Application for Treatment of Brain Injury-An in-Vitro Toxicity Study towards Central Nervous System. *J. Photochem. Photobiol. B Biol.* 2019, 194 (1277), 1–5. <https://doi.org/10.1016/j.jphotobiol.2019.02.008>.
- (15) Nadeem, M.; Tungmunnithum, D.; Hano, C.; Abbasi, B. H.; Hashmi, S. S.; Ahmad, W.; Zahir, A. The Current Trends in the Green Syntheses of Titanium Oxide Nanoparticles and Their Applications. *Green Chem. Lett. Rev.* 2018, 11 (4), 492–502. <https://doi.org/10.1080/17518253.2018.1538430>.
- (16) Natarajan, T. S.; Mozhiarasi, V.; Tayade, R. J. Nitrogen Doped Titanium Dioxide (N-TiO₂): Synopsis of Synthesis Methodologies, Doping Mechanisms, Property Evaluation and Visible Light Photocatalytic Applications. *Photochem* 2021, 1 (3), 371–410. <https://doi.org/10.3390/photochem1030024>.
- (17) Wellia, D. V.; Fitria, D.; Safni, S. C-N-Codoped TiO₂ Synthesis by Using Peroxo Sol Gel Method for Photocatalytic Reduction of Cr(VI). *J. Pure Appl. Chem. Res.* 2018, 7 (1), 26–32. <https://doi.org/10.21776/ub.jpacr.2018.007.01.373>.
- (18) Zhang, J.; Zhou, P.; Liu, J.; Yu, J. New Understanding of the Difference of Photocatalytic Activity among Anatase, Rutile and Brookite TiO₂. *Phys. Chem. Chem. Phys.* 2014, 16 (38), 20382–20386. <https://doi.org/10.1039/c4cp02201g>.
- (19) Huang, H.; Song, Y.; Li, N.; Chen, D.; Xu, Q.; Li, H.; He, J.; Lu, J. One-Step in-Situ Preparation of N-Doped TiO₂ Derived from Ti₃C₂ MXene for Enhanced Visible-Light Driven Photodegradation. *Appl. Catal. B Environ.* 2019, 251 (March), 154–161. <https://doi.org/10.1016/j.apcatb.2019.03.066>.
- (20) Mujariah; Abram, P. hengki; Jura, M. R. The Use of Aloe Vera Gel As A Natural Coagulant in Well Water Purification at The Sausu Tambu Village District Sa. *J. Akad. Kim* 2016, 5 (1), 16–22.
- (21) Fardsadegh, B.; Jafarizadeh-Malmiri, H. Aloe Vera Leaf Extract Mediated Green Synthesis of Selenium Nanoparticles and Assessment of Their in Vitro Antimicrobial Activity against Spoilage Fungi and Pathogenic Bacteria Strains. *Green Process. Synth.* 2019, 8 (1), 399–407. <https://doi.org/10.1515/gps-2019-0007>.
- (22) Muni, F.; Suriati, L.; Semariyani, A. A. M. Karakteristik Gel Lidah Buaya Sebagai Edible Coating Ditinjau Dari Suhu Dan Lama Penyimpanan. *J. Gema Agro* 2019, 24 (2), 90–98.
- (23) G. Svehla, Ph.D., D.Sc, F. R. I. C. *Vogel's Textbook of Macro and Semimicro Qualitative Inorganic Analysis*, Fifth.; Longman: USA, 1979.
- (24) Slamet, R.; Arbianti, R.; Daryanto. Pengolahan Limbah Organik (Fenol) Dan Logam Berat. 2005, 9 (2), 66–71.
- (25) Ur Rahman, M.; Gul, S.; Ul Haq, M. Z. Reduction of Chromium (VI) by Locally Isolated Pseudomonas Sp. C-171. *Turkish J. Biol.* 2007, 31 (3), 161–166.
- (26) Mudalige, T.; Qu, H.; Van Haute, D.; Ansar, S. M.; Paredes, A.; Ingle, T. *Characterization of Nanomaterials: Tools and Challenges*; Elsevier Inc., 2018.

- <https://doi.org/10.1016/B978-0-12-814130-4.00011-7>.
- (27) Masruroh; Manggara, A.; Papilaka, T.; T, R. T. Masruroh, Dkk: Penentuan Ukuran Kristal ...melalui Pendekatan Persamaan Debye Scherrer. *Jur. Fis. dan Kim. FMIPA Univ. Brawijaya* 2013, 1 (2), 24–29.
- (28) Abdullah, M.; Khairurrijal, K. Review: Karakterisasi Nanomaterial. *J. Nano Saintek* 2009, 2 (1), 1–9.
- (29) Abdullah, A.; Mohammed, A. Scanning Electron Microscopy (SEM): A Review Scanning Electron Microscopy (SEM): A Review. *Int. Conf. Hydraul. Pneum.* 2019, No. January, 1–9.
- (30) Subhapriya, S.; Gomathipriya, P. Green Synthesis of Titanium Dioxide (TiO₂) Nanoparticles by Trigonella Foenum-Graecum Extract and Its Antimicrobial Properties. *Microb. Pathog.* 2018, 116 (January), 215–220. <https://doi.org/10.1016/j.micpath.2018.01.027>.
- (31) Marshall, J. L. Solderability and Reliability. 2002, No. 173, 173–174.
- (32) Sun, J.; Wang, H.; Zhang, Y.; Zheng, Y.; Xu, Z.; Liu, R. Structure and Luminescent Properties of Electrodeposited Eu³⁺-Doped CaF₂ Thin Films. *Thin Solid Films* 2014, 562, 478–484. <https://doi.org/10.1016/j.tsf.2014.04.019>.
- (33) Linsebigler, A. L.; Lu, G.; Yates, J. T. Photocatalysis on TiO₂ Surfaces: Principles, Mechanisms, and Selected Results. *Chem. Rev.* 1995, 95 (3), 735–758. <https://doi.org/10.1021/cr00035a013>.
- (34) Sing, K. S. W.; Everett, D. H.; Haul, R. A. W.; Moscou, L.; Pierotti, R. A.; Rouquerol, J.; Siemieniewska, T. Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity. *Pure Appl. Chem.* 1985, 57 (4), 603–619. <https://doi.org/10.1351/pac198557040603>.
- (35) Toe, E. D.; Kurniawan, W.; Mariquit, E. G.; Hinode, H. Synthesis of N-Doped Mesoporous TiO₂ by Facile One-Step Solvothermal Process for Visible Light Photocatalytic Degradation of Organic Pollutant. *J. Environ. Chem. Eng.* 2018, 6 (4), 5125–5134. <https://doi.org/10.1016/j.jece.2018.08.005>.
- (36) Rasheed, R. T. Preparation and Characterization of TiO₂ Nanostructure by TiCl₄ Hydrolysis with Additive NaOH. *Al-Mustansiriyah J. Sci.* 2018, 28 (2), 100–107. <https://doi.org/10.23851/mjs.v28i2.506>.
- (37) Литовцы. Authors : L. Ntozakhe , R.T. Taziwa and H.H. Mungondori. *2D Mater.* 2018, 0–23.
- (38) Kadam, A. N.; Salunkhe, T. T.; Kim, H.; Lee, S. W. Biogenic Synthesis of Mesoporous N–S–C Tri-Doped TiO₂ Photocatalyst via Ultrasonic-Assisted Derivatization of Biotemplate from Expired Egg White Protein. *Appl. Surf. Sci.* 2020, 518, 46194. <https://doi.org/10.1016/j.apsusc.2020.146194>.
- (39) AlSharifi, M.; Znad, H. Development of a Lithium Based Chicken Bone (Li-Cb) Composite as an Efficient Catalyst for Biodiesel Production. *Renew. Energy* 2019, 136, 856–864. <https://doi.org/10.1016/j.renene.2019.01.052>.
- (40) Suryawanshi, P. C.; Jain, K. A.; Bhardwaj, S.; Chaudhari, A. B.; Yeole, T. Y. Solid and Liquid Wastes: Avenues of Collection and Disposal. *Int. Res. J. Environ. Sci.* 2013, 2 (3), 74–77