

## DAFTAR PUSTAKA

- Akhtar, K., Khan, S. A., Khan, S. B., and Asiri, A. M. 2018. Scanning Electron Microscopy: Principle and Applications in Nanomaterials Characterization. In Sharma, S. K. editor. Handbook of Materials Characterization. Springer. Hal. 113–145
- Akia, M., Yazandi, F., Motaee, E., Han, D., and Arandiyan, H. 2014. A review on conversion of biomass to biofuel by nanocatalysts. *Biofuel research journal*. 1: 16–25.
- Amirthavalli, V., Warriar, A. R., and Gurunathan, B. 2022. Various methods of biodiesel production and types of catalysts. *Biofuels and Bioenergy*. 111-132
- [ASTM C 618-05] American Society of Testing and Materials. 2006. Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete. West Conshohocken.
- Attia, A. M. A. and Kulchitskiy, A. R. 2014. Influence of the structure of water-in-fuel emulsion on diesel engine performance. *Fuel*. 116: 703–708.
- Balajii, M. and Niju, S. 2020. Banana peduncle – A green and renewable heterogeneous base catalyst for biodiesel production from *Ceiba pentandra* oil. *Renewable Energy*. 146: 2255–2269.
- Barrer, R. M. 1981. Zeolites and their synthesis. *Zeolites*, 1(3), 130–140.
- Barron, P. M. V., and Raja, A. R. 2021. BET Surface Area Analysis of Nanoparticles. [Diakses pada 3 April 2022]
- Baskar, G., Aberna Ebenezer Selvakumari, I., and Aiswarya, R. 2018. Biodiesel production from castor oil using heterogeneous Ni doped ZnO nanocatalyst. *Bioresource Technology*. 250: 793–798.
- Belviso, C., Cavalcante, F., and Fiore, S. 2010. Synthesis of zeolite from Italian coal fly ash: differences in crystallization temperature using seawater instead of distilled water. *Waste Management*. 30(5). 839–847.

- Bhandari, R., Volli, V., and Purkait, M. K. 2015. Preparation and characterization of fly ash based mesoporous catalyst for transesterification of soybean oil. *Journal of Environmental Chemical Engineering*. 3(2): 906–914.
- Bohr, G. 1928. *Z. Kristallogr., Kristallgeom., Kristallphys., Kristallchem.* 69, 19.
- Boycheva, S., Zgureva, D., Lazarova, H., and Popova, M. 2021. Comparative studies of carbon capture onto coal fly ash zeolites Na-X and Na-Ca-X. *Chemosphere*. 271: 129505.
- Buchori, L., Istadi, I., and Purwanto, P. 2016. Advanced chemical reactor technologies for biodiesel production from vegetable oils - A review. *Bulletin of Chemical Reaction Engineering and Catalysis*. 11(3): 406–430.
- César, A. S., Werderits, D. E., Oliveira Saraiva, G. L., and Guabiroba, R. C. S. 2017. The potential of waste cooking oil as supply for the Brazilian biodiesel chain. *Renewable and Sustainable Energy Reviews*. 72: 246–253.
- Chang, H. L. and Shih, W. H. 1998. A General Method for the Conversion of Fly Ash into Zeolites as Ion Exchangers for Cesium. *Industrial and Engineering Chemistry Research*. 37(1): 71–78.
- Chareonpanich, M., Jullaphan, O., and Tang, C. 2011. Bench-scale synthesis of zeolite A from subbituminous coal ashes with high crystalline silica content. *Journal of Cleaner Production*. 19(1): 58–63.
- Chiang, P.C. and Pan, S. Y. 2017. Fly Ash, Bottom Ash, and Dust BT. In Chiang, P. C and Pan, S. Y, editor. *Carbon Dioxide Mineralization and Utilization*. Springer. Hal. 253–264.
- Cundy, C. S. and Cox, P. A. 2005. The hydrothermal synthesis of zeolites: Precursors, intermediates and reaction mechanism. *Microporous and Mesoporous Materials*. 82(1): 1–78.
- Dang, T.H., Chen, B.H., and Lee, D.J. 2017. Optimization of biodiesel production from transesterification of triolein using zeolite LTA catalysts synthesized from kaolin clay. *Journal of the Taiwan Institute of Chemical Engineers*. 79: 14–22.

- Dang, T. H., Chen, B. H., and Lee, D. J. 2013. Application of kaolin-based catalysts in biodiesel production via transesterification of vegetable oils in excess methanol. *Bioresource Technology*. 145: 175–181.
- Daramola, M. O., Nkazi, D., and Mtshali, K. 2015. Synthesis and Evaluation of Catalytic Activity of Calcined Sodium Silicate for Transesterification of Waste Cooking Oil to Biodiesel. *International Journal of Renewable Energy Research*. 5(2): 517–523.
- Dhawane, S. H., Kumar, T., and Halder, G. 2016. Biodiesel synthesis from *Hevea brasiliensis* oil employing carbon supported heterogeneous catalyst: Optimization by Taguchi method. *Renewable Energy*. 89: 506–514.
- [Ditjen EBTKE] Direktorat Jenderal Energi Baru Terbarukan dan Konservasi Energi. 2019. Narasi Tunggal: Pertama di Dunia, Indonesia Terapkan Biodiesel 30 Persen (B30). [Diakses pada 3 April 2022].
- El-Naggar, M. R., El-Kamash, A. M., El-Dessouky, M. I., and Ghonaim, A. K. 2008. Two-step method for preparation of NaA-X zeolite blend from fly ash for removal of cesium ions. *Journal of Hazardous Materials*. 154(1–3): 963–972.
- Elton, L. R. B. and Jackson, D. F. 1966. X-Ray Diffraction and the Bragg Law. *American Journal of Physics*. 34(11): 1036–1038.
- Erchamo, Y. S., Mamo, T. T., Workneh, G. A., and Mekonnen, Y. S. 2021. Improved biodiesel production from waste cooking oil with mixed methanol–ethanol using enhanced eggshell-derived CaO nano-catalyst. *Scientific Reports*. 11(1): 6708.
- [ESDM] Energi dan Sumber Daya Mineral. 2020. Pedoman Umum Penanganan and Penyimpanan Biodiesel and B30 Final. [Diakses pada 3 April 2022]
- Fansuri, H., Yantia, Y., Londar, E., and Widiastutia, N. 2010. Synthesis of zeolite-A from coal bottom ash: the influence of unburned carbon to the zeolite quality. *Chem Eng*. 1–9.
- Feng, S. H. and Li, G. 2017. Hydrothermal and Solvothermal Syntheses. In Xu, R.

and Xu, Y, editor. *Modern Inorganic Synthetic Chemistry* (2nd ed.). Elsevier. Hal. 73–104.

[FHWA] Federal Highway Administration. 2016. *User Guidelines for Waste and Byproduct Materials in Pavement Construction*. FHWA-RD-97-148.

Flanigen, E. M. 1980. Molecular sieve zeolite technology-the first twenty-five years. *Pure and applied chemistry*. 52(9): 2191–2211.

Galadima, A. and Muraza, O. 2014. Biodiesel production from algae by using heterogeneous catalysts: A critical review. *Energy*: 78, 72–83.

Gargari, H. M. and Sadrameli, S. M. 2018. Investigating continuous biodiesel production from linseed oil in the presence of a Co-solvent and a heterogeneous based catalyst in a packed bed reactor. *Energy*. 148: 888–895.

Ginting, S. and Yassien, N. 2018. Sintesis Zeolit A Dari Coal Bottom Ash Dengan Metode Step Change Of Synthesis Temperature Dengan Variasi Suhu Kalsinasi Diaplikasikan Untuk Dehidrasi Etanol. *Jurnal Mechanical*. 9(1).

Glinnemann, J., King, J., Schulz, H., Hahn, T., La Placa, S. J., and Dacol, F. Z. 1992. *Kristallogr.*

Gohain, M., Laskar, K., Paul, A. K., Daimary, N., Maharana, M., Goswami, I. K., Hazarika, A., Bora, U., and Deka, D. 2020. Carica papaya stem: A source of versatile heterogeneous catalyst for biodiesel production and C–C bond formation. *Renewable Energy*. 147: 541–555.

Gramlich, V. and Meier, W. M. 1971. *Kristallogr. Kristallgeom. Kristallphys. Kristallchem.*

Gregg, S. J. and Sing, K. S. 1982. *Adsorption, Surface Area and Porosity* (2nd ed.). Academic Press Inc.

Haq, G. and Schwela, D. 2008. *Air Quality Modelling*. Stockholm: Stockholm Environment Institute. 35 hal.

He, P. Y., Zhang, Y. J., Chen, H., Han, Z. C., and Liu, L. C. 2019. Low-energy synthesis of kaliophilite catalyst from circulating fluidized bed fly ash for

biodiesel production. *Fuel*. 257. 116041.

- Hoekman, S. K., Gertler, A. W., Broch, A., Robbins, C., and Natarajan, M. 2010. Biodistillate Transportation Fuels 1. Production and Properties. *SAE International Journal of Fuels and Lubricants*. 2(2). 185–232.
- Hollman, G. G., Steenbruggen, G., and Janssen-Jurkovicová, M. 1999. A two-step process for the synthesis of zeolites from coal fly ash. *Fuel*. 78. 1225–1230.
- Hower, J. C., Henke, K. R., Dai, S., Ward, C. R., French, D., Liu, S., and Graham, U. M. 2017. Generation and nature of coal fly ash and bottom ash. *Coal Combustion Products (CCPs): Characteristics, Utilization and Beneficiation*. 21–65.
- Hsiao, M.C., Kuo, J.Y., Hsieh, S.A., Hsieh, P.H., and Hou, S.S. 2020. Optimized conversion of waste cooking oil to biodiesel using modified calcium oxide as catalyst via a microwave heating system. *Fuel*. 266: 117114.
- Hui, K. S. and Chao, C. Y. H. 2006. Effects of step-change of synthesis temperature on synthesis of zeolite 4A from coal fly ash. *Microporous and Mesoporous Materials*. 88(1): 145–151.
- Inada, M., Eguchi, Y., Enomoto, N., and Hojo, J. 2005. Synthesis of zeolite from coal fly ashes with different silica–alumina composition. *Fuel*. 84(2): 299–304.
- Izidoro, J. D. C., Fungaro, D. A., Abbott, J. E., and Wang, S. 2013. Synthesis of zeolites X and A from fly ashes for cadmium and zinc removal from aqueous solutions in single and binary ion systems. *Fuel*. 103: 827–834.
- Jaroniec, M. and Madey, R. 1989. Physical Adsorption on Heterogeneous Solids. *Surface Science Letters*. 210(3): A86.
- Jha, B. and Singh, D. 2016. Fly ash zeolites: innovations, applications, and directions. Singapore. Springer. 233 hal.
- Jitjamnong, J., Thunyaratchatanon, C., Luengnaruemitchai, A., Kongrit, N., Kasetsoomboon, N., Sopajarn, A., Chuaykarn, N., and Khantikulanon, N. 2021.

Response surface optimization of biodiesel synthesis over a novel biochar-based heterogeneous catalyst from cultivated (*Musa sapientum*) banana peels. *Biomass Conversion and Biorefinery*. 11(6): 2795–2811.

Julbe, A. and Drobek, M. 2016. Zeolite A Type. In E. Drioli and L. Giorno, editor. *Encyclopedia of Membranes*. Berlin: Springer. Hal. 2055–2056.

Karim, A. Z. A. A., Kaur, E., Masharuddin, S. M. S., Khan, Y. M., and Hagos, F. Y. 2020. The characteristics of water-in-biodiesel emulsions produced using ultrasonic homogenizer. *Alexandria Engineering Journal*. 59(1): 227–237.

Kashyap, S. S., Gogate, P. R., and Joshi, S. M. 2019. Ultrasound assisted intensified production of biodiesel from sustainable source as karanja oil using interesterification based on heterogeneous catalyst ( $\gamma$ -alumina). *Chemical Engineering and Processing - Process Intensification*. 136: 11–16.

Keera, S. T., El Sabagh, S. M., and Taman, A. R. (2018). Castor oil biodiesel production and optimization. *Egyptian Journal of Petroleum*. 27(4): 979–984.

Khongpermgoson, P., Boonlao, K., Ananthanet, N., Thitithananon, T., Jaturapitakkul, C., Tangchirapat, W., and Ban, C. C. 2020. The mechanical properties and heat development behavior of high strength concrete containing high fineness coal bottom ash as a pozzolanic binder. *Construction and Building Materials*. 253: 119239.

Kim, J. K. and Lee, H. D. 2009. Effects of step change of heating source on synthesis of zeolite 4A from coal fly ash. *Journal of Industrial and Engineering Chemistry*. 15(5): 736–742.

Knothe, G. and Kenar, J. A. 2004. Determination of the fatty acid profile by <sup>1</sup>H-NMR spectroscopy. *European Journal of Lipid Science and Technology*. 106(2): 88–96.

Knothe, G. and Steidley, K. R. 2005. Kinematic viscosity of biodiesel fuel components and related compounds. Influence of compound structure and comparison to petrodiesel fuel components. *Fuel*. 84(9): 1059–1065.

Kurnia, G. M. 2021. Limbah Batu Bara, Apa Bahayanya untuk Lingkungan?

<http://news.unair.ac.id/2021/03/12/limbah-batu-bara-apa-bahayanya-untuk-lingkungan/>. [Diakses pada 3 April 2022]

- Kutchko, B. and Kim, A. (2006). Fly ash characterization by SEM–EDS. *Fuel*. 85: 2537–2544.
- Lee, A. F., Bennett, J. A., Manayil, J. C., and Wilson, K. 2014. Heterogeneous catalysis for sustainable biodiesel production via esterification and transesterification. *Chemical Society Reviews*. 43(22): 7887–7916.
- Liu, Z., Li, S., Li, L., Wang, J., Zhou, Y., and Wang, D. 2019. One-step high efficiency crystallization of zeolite A from ultra-fine circulating fluidized bed fly ash by hydrothermal synthesis method. *Fuel*. 257: 116043.
- Lowe, B. M. 1983. An equilibrium model for the crystallization of high silica zeolites. *Zeolites*. 3(4): 300–305.
- Luque, R., Herrero-Davila, L., Campelo, J. M., Clark, J. H., Hidalgo, J. M., Luna, D., Marinas, J. M., and Romero, A. A. 2008. Biofuels: a technological perspective. *Energy and Environmental Science*. 1(5): 542–564.
- Ma, F. and Hanna, M. A. 1999. Biodiesel production: a review. *Journal Series #12109, Agricultural Research Division, Institute of Agriculture and Natural Resources, University of Nebraska–Lincoln*. *Bioresource Technology*. 70(1): 1–15.
- Maier, H., Spliethoff, H., Kicherer, A., Fingerle, A., and Hein, K. R. G. 1994. Effect of coal blending and particle size on NO<sub>x</sub> emission and burnout. *Fuel*. 73(9): 1447–1452.
- Manique, M. C., Lacerda, L. V., Alves, A. K., and Bergmann, C. P. 2017. Biodiesel production using coal fly ash-derived sodalite as a heterogeneous catalyst. *Fuel*. 190: 268–273.
- Mantler, M., and Schreiner, M. 2000. X-ray Fluorescence Spectrometry in Art and Archaeology. *X-Ray Spectrometry*. 29: 3–17.
- Markovska, I. 2009. Synthetic Zeolites - Structure, Clasification, Current Trends in

Zeolite Synthesis. International Science Conference: Economics and Society Develop. 1–6.

Mazaheri, H., Ong, H. C., Masjuki, H. H., Amini, Z., Harrison, M. D., Wang, C.T., Kusumo, F., and Alwi, A. 2018. Rice bran oil based biodiesel production using calcium oxide catalyst derived from *Chicoreus brunneus* shell. *Energy*. 144: 10–19.

McCusker, L. B. and Baerlocher, C. 2001. Chapter 3 Zeolite structures. In H. van Bekkum, E. M. Flanigen, P. A. Jacobs, and J. C. B. T.-S. in S. S. and C. Jansen, editor. *Introduction to Zeolite Science and Practice*. Elsevier. Hal. 37–67.

Milton, R. M. 1959. *Molecular Sieve Adsorbents*.

Moutsatsou, A., Stamatakis, E., Hatzitzotzia, K., and Protonotarios, V. 2006. The utilization of Ca-rich and Ca–Si-rich fly ashes in zeolites production. *Fuel*. 85(5): 657–663.

Müller, M. 2008. *Thermodynamic prediction of the risk of hot corrosion in gas turbines*. Woodhead Publishing.

Musyoka, Nicholas M, Petrik, L. F., Gitari, W. M., Balfour, G., and Hums, E. 2012a. Optimization of hydrothermal synthesis of pure phase zeolite Na-P1 from South African coal fly ashes. *Journal of Environmental Science and Health. Part A, Toxic/Hazardous Substances and Environmental Engineering*. 47(3): 337–350.

Musyoka, Nicholas M, Petrik, L. F., Hums, E., Baser, H., and Schwieger, W. 2012b. In situ ultrasonic monitoring of zeolite A crystallization from coal fly ash. *Catalysis Today*. 190(1): 38–46.

Nakano, T. and Nozue, Y. 2007. Orbital degeneracy and magnetic properties of potassium clusters incorporated into nanoporous crystals of zeolite A. *Journal of Computational Methods in Sciences and Engineering*. 7: 443–462.

Nasir, S., Hussein, M., Zainal, Z., Yusof, N., Zobir, S., and Alibe, I. 2018. Potential Valorization of By-product Materials from Oil Palm: A review of Alternative and Sustainable Carbon Sources for Carbon-based Nanomaterials Synthesis.



Bioresources. 14.

National Bureau Standards. 1964. Monograph.

Navarro-Pardo, F., Martínez-Barrera, G., Martínez-Hernández, A. L., Castaño, V. M., Rivera-Armenta, J. L., Medellín-Rodríguez, F., and Velasco-Santos, C. 2013. Effects on the Thermo-Mechanical and Crystallinity Properties of Nylon 6,6 Electrospun Fibres Reinforced with One Dimensional (1D) and Two Dimensional (2D) Carbon. *Materials*. 6(8): 3494–3513.

Nikmah, R. A. S., Widiastuti, N., and Fansuri, H. 2008. Pengaruh Waktu and Perbandingan Si/Al Terhadap Pembentukan Zeolit A dari Abu Dasar Bebas Karbon dari PLTU PT. IPMOMI Dengan Metode Hidrotermal. *Jurnal Zeolit Indonesia*. 7(1).

Ojha, K., Pradthan, N., and Samanta, A. 2004. Zeolite from fly ash: synthesis and characterization. *Bulletin of Materials Science*. 27(6): 555–564.

Oktaviani, Y. and Muttaqin, A. 2015. Pengaruh Temperatur Hidrotermal Terhadap Konduktivitas Listrik Zeolit Sintetis dari Abu Dasar Batubara dengan Metode Alkali Hidrotermal. *Jurnal Fisika Unand*. 4(4).

Parnham, E. R. and Morris, R. E. 2007. Ionothermal Synthesis of Zeolites, Metal–Organic Frameworks, and Inorganic–Organic Hybrids. *Accounts of Chemical Research*. 40(10).

Pavlović, S. M., Marinković, D. M., Kostić, M. D., Janković-Častvan, I. M., Mojović, L. V, Stanković, M. V, and Veljković, V. B. 2020. A CaO/zeolite-based catalyst obtained from waste chicken eggshell and coal fly ash for biodiesel production. *Fuel*. 267: 117171.

Petkowicz, D. I. 2009. Zeolites synthesized with alternative sources of silicon and aluminum. [Disertasi]. *Kimia*. Porto Alegre. Federal University of Rio Grande do Sul.

Petkowicz, D. I., Rigo, R. T., Radtke, C., Pergher, S. B., and Santos, J. H. 2008. Zeolite NaA from Brazilian chrysotile and rice husk. *Microporous and Mesoporous Materials*. 116(1–3): 548–554.

- Phankosol, S. and Krisnangkura, K. 2015. Estimation kinematic viscosity of biodiesel produced by ethanolysis. *Engineering Transactions*. 18(2): 39.
- [PLN] Perusahaan Listrik Negara. 2021. Pemulihan Lingkungan Hidup PLTU Ombilin. Jakarta.
- [PLN] Perusahaan Listrik Negara. 2021. Statistik PLN. Sekretarian Perusahaan PT PLN. Jakarta
- Potts, P. J. 2005. *X-Ray Fluorescence And Emission*. Elsevier.
- Pratama, T. N. and Muttaqin, A. 2017. Pengaruh Sumber Kation NaOH and KOH Terhadap Jenis Zeolit Sintetis dari Abu Dasar Batubara dengan Metode Peleburan Alkali Hidrotermal. *Jurnal Fisika Unand*. 6(2).
- Putra, M. D., Irawan, C., Udiantoro, Ristianingsih, Y., and Nata, I. F. 2018. A cleaner process for biodiesel production from waste cooking oil using waste materials as a heterogeneous catalyst and its kinetic study. *Journal of Cleaner Production*. 195: 1249–1258.
- Rabie, A. M., Shaban, M., Abukhadra, M. R., Hosny, R., Ahmed, S. A., and Negm, N. A. 2019. Diatomite supported by CaO/MgO nanocomposite as heterogeneous catalyst for biodiesel production from waste cooking oil. *Journal of Molecular Liquids*. 279: 224–231.
- Ramírez Verduzco, L. F. 2013. Density and viscosity of biodiesel as a function of temperature: Empirical models. *Renewable and Sustainable Energy Reviews*. 19: 652–665.
- Reddy, C. S., Mohanty, S., and Shaik, R. 2018. Physical, chemical and geotechnical characterization of fly ash, bottom ash and municipal solid waste from Telangana State in India. *International Journal of Geo-Engineering*. 9(1): 23.
- Ren, S., Tao, X., Xu, X., Guo, A., Liu, J., Fan, J., Ge, J., Fang, D., and Liang, J. 2018. Preparation and characteristic of the fly ash cenospheres/mullite composite for high-temperature application. *Fuel*. 233: 336–345.
- Sahu, O. 2021. Characterisation and utilization of heterogeneous catalyst from

waste rice-straw for biodiesel conversion. *Fuel*. 287: 119543.

Saisho, Hideo, and Hashimoto, H. 1996. Chapter 2 X-ray fluorescence analysis. In H Saisho and Y. B. T.A. S. L. Gohshi, editor. *Applications of Synchrotron Radiation to Materials Analysis*. Elsevier. Hal. 79–169.

Scott, J., Guang, D., Naeramitmarnsuk, K., Thabuot, M., and Amal, R. 2002. Zeolite synthesis from coal fly ash for the removal of lead ions from aqueous solution. *Journal of Chemical Technology and Biotechnology*. 77: 63–69.

Septiani, U., Fatiha, W., and Arief, S. 2016. Sintesis and Karakterisasi Zeolit Faujasit dari Limbah Batubara Ombilin dengan Metoda Alkali Hidrotermal Air Laut. *Jurnal Riset Kimia*. 8: 165.

Septiawan, E. 2020. Analisis Pengaruh Coal Blending Terhadap Nilai Efisiensi Boiler Unit 2 PLTU Ombilin PT.PLN UPK Ombilin. [Skripsi]. Jakarta. Teknik Mesin. Institut Teknologi PLN. 170 hal.

Setiawan, A., Novitrie, N. A., and Ashari, L. 2017. Analisis Korosi Logam Tembaga and Aluminium pada Biodiesel yang Disintesis dari Minyak Goreng Bekas. *Seminar MASTER 2017 PPNS*. 1509: 149–154.

Sharma, R. R., Singh, D., and Singh, R. 2009. Biological control of postharvest diseases of fruits and vegetables by microbial antagonists: A review. *Biological Control*. 50(3): 205–221.

Sherman, D. J. 1999. Synthetic zeolites and other microporous oxide molecular sieves. *Proceedings of the National Academy of Sciences*. 96(7): 3471–3478.

Shoumkova, A., and Stoyanova, V. 2013. Zeolites formation by hydrothermal alkali activation of coal fly ash from thermal power station “Maritsa 3”, Bulgaria. *Fuel*. 103: 533–541.

Singh, D., Sharma, D., Soni, S. L., Sharma, S., Kumar Sharma, P., and Jhalani, A. 2020. A review on feedstocks, production processes, and yield for different generations of biodiesel. *Fuel*. 262: 116553.

Singh, M. 2018. Coal bottom ash. *Waste and Supplementary Cementitious*

Materials in Concrete: Characterisation, Properties and Applications. 3–50.

[SNI] Standar Nasional Indonesia. 2006. Standar Nasional Indonesia Minyak Kelapa Sawit Mentah (Crude Palm Oil) 01- 2901-2006.

[SNI] Standar Nasional Indonesia. 2015. SNI 7182:2015: Biodiesel.

Sudadi, S. 2021. Harga Indeks Pasar Bahan Bakar Nabati Jenis Biodiesel Bulan Januari 2021. <https://www.ruangenergi.com/harga-indeks-pasar-bahan-bakar-nabati-jenis-biodiesel-bulan-januari-2021/>. [Diakses pada 13 April 2022]

Susilawati, S. S. R. 2021. Potensi Batubara untuk PLTU and FABA yang dihasilkannya. <https://www.youtube.com/watch?v=-FnAcO1Bp48&dt=4250s> [Diakses pada 4 April 2022]

Takase, M., Pappoe, A. N. M., Afrifa, E. A., and Miyittah, M. 2018. High performance heterogeneous catalyst for biodiesel production from non-edible oil. *Renewable Energy Focus*. 25: 24–30.

Talebian-Kiakalaieh, A., Amin, N. A. S., and Mazaheri, H. 2013. A review on novel processes of biodiesel production from waste cooking oil. *Applied Energy*. 104: 683–710.

Tan, C., Liu, Z., Yonezawa, Y., Sukenaga, S., Ando, M., Shibata, H., Sasaki, Y., Okubo, T., and Wakihara, T. 2020. Unique crystallization behavior in zeolite synthesis under external high pressures. *Chemical Communications* 56(18): 2811–2814.

Tanaka, H. and Fujii, A. 2009. Effect of stirring on the dissolution of coal fly ash and synthesis of pure-form Na-A and -X zeolites by two-step process. *Advanced Powder Technology*. 20(5): 473–479.

Tanaka, H., Sakai, Y., and Hino, R. 2002. Formation of Na-A and -X zeolites from waste solutions in conversion of coal fly ash to zeolites. *Materials Research Bulletin*. 37(11): 1873–1884.

Taufiqurrahmi, N., Mohamed, A. R., and Bhatia, S. 2011. Nanocrystalline Zeolite Y: Synthesis and Characterization. *IOP Conference Series: Materials Science*

and Engineering. 17: 12030.

Thommes, M. 2016. Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). Chemistry International. 38(1): 25.

[TNP2K] Tim Nasional Percepatan Penanggulangan Kemiskinan. 2020. Pemanfaatan Minyak Jelantah Untuk Produksi Biodiesel and Pengentasan Kemiskinan di Indonesia. [Diakses 3 April 2022].

Townsend, R. P. and Coker, E. N. 2001. Chapter 11 Ion exchange in zeolites. In H. van Bekkum, E. M. Flanigen, P. A. Jacobs, and J. C. B. T. S. in S. S. and C. Jansen, editor. Introduction to Zeolite Science and Practice. Elsevier. hal. 467–524.

Treacy, M. M. J., Dawson, C. J., Kapko, V., and Rivin, I. 2014. Flexibility mechanisms in ideal zeolite frameworks. Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences. 372(2008): 20120036.

Vargas, E. M., Villamizar, D. O., Neves, M. C., and Nunes, M. I. 2021. Pelletized biomass fly ash for FAME production: Optimization of a continuous process. Fuel. 293: 120425.

Vasudevan, P. T. and Briggs, M. 2008. Biodiesel production—current state of the art and challenges. Journal of Industrial Microbiology and Biotechnology. 35(5): 421.

Wahyono dan Teguh, H. 2015. Penggunaan Mix Coal Terhadap Efisiensi Pembangkit and Biaya Produksi Listrik (BPL) di PLTU Tanjung Jati B Unit 3. Jurnal Teknik Energi. 11(2): 53–60.

Wang, C. F., Li, J. S., Wang, L. J., and Sun, X. Y. 2008. Influence of NaOH concentrations on synthesis of pure-form zeolite A from fly ash using two-stage method. Journal of Hazardous Materials. 155(1–2): 58–64.

Wang, Y.Y. and Chen, B.H. 2016. High-silica zeolite beta as a heterogeneous catalyst in transesterification of triolein for biodiesel production. Catalysis

Today. 278: 335–343.

Widjaksono, A. G. 2021. Pemanfaatan Fly Ash dan Bottom Ash. KLHK. <https://seminar.tekmira.esdm.go.id/index.php/download/category/4-road-to-ismct-3?download=10:achmad-gunawan-klhk> [Diakses pada 4 April 2022]

Yang, X.X., Wang, Y.T., Yang, Y.T., Feng, E.Z., Luo, J., Zhang, F., Yang, W.J., and Bao, G.R. 2018. Catalytic transesterification to biodiesel at room temperature over several solid bases. *Energy Conversion and Management*. 164: 112–121.

Yu, D., Xu, M., Sui, J., Liu, X., Yu, Y., and Cao, Q. 2005. Effect of coal particle size on the proximate composition and combustion properties. *Thermochimica Acta*. 439(1–2): 103–109.

Yu, J. 2007. Synthesis of zeolites. *Introduction to Zeolite science and practice* 168: 39.

Zhang, P., Chen, X., Leng, Y., Dong, Y., Jiang, P., and Fan, M. 2020. Biodiesel production from palm oil and methanol via zeolite derived catalyst as a phase boundary catalyst: An optimization study by using response surface methodology. *Fuel* 272: 117680.

