

DAFTAR PUSTAKA

1. Carroll AR, Copp BR, Davis RA, Keyzers RA, Prinsep MR. Marine Natural products. *Nat Prod Rep*. 2020;37(2):175–223.
2. Abdel-Hady H, Tamim M, Abdel-Wareth A, Ahmed El-Wakil E, Helmy EA. Identification and Evaluation of Antimicrobial and Cytotoxic Activities of *Penicillium islandicum* and *Aspergillus tamarii* Ethyle Acetate Extracts. *WORLD J Pharm Pharm Sci SJIF Impact Factor 6* [Internet]. 2016;5(9):2021–39. Available from: www.wjpps.com
3. Amriani M. Skrining Aktivitas Antimikroba Ekstrak Etil Asetat Jamur Endofit Dari Tumbuhan Bakau Nipah (*Nypa fructicans* Wurmb). Sekolah Tinggi Ilmu Farmasi Padang; 2021.
4. Pan R, Bai X, Chen J, Zhang H, Wang H. Exploring Structural Diversity of Microbe Secondary Metabolites Using OSMAC Strategy: A literature review. *Front Microbiol*. 2019;10(2):1–20.
5. Daletos G, Ebrahim W, Ancheeva E, El-neketi M. Microbial Coculture and OSMAC Approach as Strategies to Induce Cryptic Fungal Biogenetic Gene Clusters. *Chem Biol Nat Prod*. 2017;(7):233–84.
6. Ying YM, Huang L, Tian T, Li CY, Wang SL, Ma LF, et al. Studies on the Chemical Diversities of Secondary Metabolites Produced by *Neosartorya fischeri* Via the OSMAC Method. *Molecules*. 2018;23(11):1–10.
7. Bode HB, Bethe B, Höfs R, Zeeck A. Big Effects From Small Changes: Possible Ways to Explore Nature’s Chemical Diversity. *ChemBioChem*. 2002;3(7):619–27.
8. Özkaya FC, Ebrahim W, El-Neketi M, Tansel Tanrikul T, Kalscheuer R, Müller WEG, et al. Induction of New Metabolites from Sponge-Associated Fungus *Aspergillus carneus* by OSMAC Approach. *Fitoterapia*. 2018;131(10):9–14.
9. Ariantari NP, Daletos G, Mándi A, Kurtán T, Müller WEG, Lin W, et al. Expanding the Chemical Diversity of an Endophytic Fungus: *Bulgaria inquinans*, an Ascomycete Associated With Mistletoe, Through an OSMAC Approach. *RSC Adv*. 2019;9(43):25119–32.
10. Gao Y, Stuhldreier F, Schmitt L, Wesselborg S, Guo Z, Zou K, et al. Induction of New Lactam Derivatives From the Endophytic Fungus *Aplosporella javeedii* Through an OSMAC Approach. *Front Microbiol*. 2020;11(11):1–13.

11. Yu X, Gao Y, Frank M, Mándi A, Kurtán T, Müller WEG, et al. Induction of Ambuic Acid Derivatives by the Endophytic Fungus *Pestalotiopsis lespedezae* Through an OSMAC Approach. *Tetrahedron* [Internet]. 2021;79(12):1–37. Available from: <https://doi.org/10.1016/j.tet.2020.131876>
12. N. R, E. S. Antibacterial Activity of Endophytic Fungi Isolated From Mangroves of Jaffna Peninsula, Sri Lanka. *African J Plant Sci.* 2020;14(6):243–7.
13. Ananda K, Sridhar KR. Diversity of Endophytic Fungi in the Roots of Mangrove Species on the West Coast of India. *Can J Microbiol.* 2002;48(10):871–8.
14. Sinaga E, Noverita, Fitria D. Diisolasi dari Daun dan Rimpang Lengkuas (*Alpinia galanga* Sw.). *Farm Indones.* 2018;4(4):161–70.
15. An C, Ma S, Shi X, Xue W, Liu C, Ding H. Diversity and Antimicrobial Activity of Endophytic Fungi Isolated From *Chloranthus japonicus* Sieb in Qinling Mountains, China. *Int J Mol Sci.* 2020;21(17):1–15.
16. Ibrahim M, Oyebanji E, Fowora M, Aiyeolemi A, Orabuchi C, Akinnawo B, et al. Extracts of endophytic Fungi From Leaves of Selected Nigerian Ethnomedicinal Plants Exhibited Antioxidant Activity. *BMC Complement Med Ther.* 2021;21(1):1–13.
17. Kita G. *Centralbl Bakteriöl. Abt;* 1913. 433 p.
18. Mawarni NII, Erdiansyah I, Wardana R. Isolasi Cendawan *Aspergillus* sp. pada Tanaman Padi Organik. *Agriprima J Appl Agric Sci.* 2021;5(1):68–74.
19. Homa M, Manikandan P, Szekeres A, Kiss N, Kocsubé S, Kredics L, et al. Characterization of *Aspergillus tamarii* Strains From Human Keratomycoses: Molecular Identification, Antifungal Susceptibility Patterns and Cyclopiazonic Acid Producing Abilities. *Front Microbiol.* 2019;10(10):1–11.
20. Teleky BE, Vodnar DC. Biomass-Derived Production of Itaconic Acid as a Building Block In Specialty Polymers. *Polymers (Basel).* 2019;11(6):1–27.
21. El-Metwally MM, ElBealy ER, Beltagy DM, Shaaban M, El-Kott AF. Suppressive Efficiency of Kojic acid from *Aspergillus tamarii* MM11 Against HepG-2 Cell Line Derived from Human. *Trop J Pharm Res.* 2020;19(8):1661–8.
22. Janardhanan KK, Sattar A, Husain A. Production of Fumigaclavine A by *Aspergillus tamarii* Kita. *Can J Microbiol.* 1984;30(2):247–50.
23. Tokuoka M, Kikuchi T, Shinohara Y, Koyama A, Iio SI, Kubota T, et al. Cyclopiazonic Acid Biosynthesis Gene Cluster Gene CpaM is Required for

- Speradine A Biosynthesis. *Biosci Biotechnol Biochem*. 2015;79(12):2081–5.
24. Tsuda M, Mugishima T, Komatsu K, Sone T, Tanaka M, Mikami Y, et al. Speradine A, a New Pentacyclic Oxindole Alkaloid From a Marine-Derived Fungus *Aspergillus tamaritii*. *Tetrahedron*. 2003;59(18):3227–30.
 25. Zhang HC, Ma YM, Liu R, Zhou F. Endophytic Fungus *Aspergillus tamaritii* from *Ficus carica* L., a new source of indolyl diketopiperazines. *Biochem Syst Ecol*. 2012;45(8):31–3.
 26. Kjer J, Debbab A, Aly AH, Proksch P. Methods for Isolation of Marine-Derived Endophytic Fungi and Their Bioactive Secondary Products. *Nat Protoc*. 2010;5(3):479–90.
 27. Nevalainen H, Kautto L, Te’O J. Methods for Isolation and Cultivation of Filamentous Fungi. *Methods Mol Biol*. 2014;1096(12):3–16.
 28. Firn RD, Jones CG. The Evolution Of Secondary Metabolism - A Unifying Model. *Mol Microbiol*. 2000;37(5):989–94.
 29. Romano S, Jackson SA, Patry S, Dobson ADW. Extending the “One Strain Many Compounds” (OSMAC) Principle to Marine Microorganisms. *Mar Drugs*. 2018;16(7):1–29.
 30. Dos Santos Dias AC, Couzinet-Mossion A, Ruiz N, Bellec M Le, Gentil E, Wielgosz-Collin G, et al. Sugar Induced Modification in Glycolipid Production in *Acremonium* sp. Revealed by LC-MS Lipidomic Approach. *Curr Biotechnol*. 2017;6(3):1–5.
 31. Sujatha P, Bapi Raju KVVSN, Ramana T. Studies on a New Marine *Streptomyces* BT-408 Producing Polyketide Antibiotic SBR-22 Effective Against *Methicillin resistant Staphylococcus aureus*. *Microbiol Res*. 2005;160(2):119–26.
 32. Saha M, Ghosh D, Ghosh D, Garai D, Jaisankar P, Sarkar KK, et al. Studies on the Production and Purification of an Antimicrobial Compound and Taxonomy of the Producer Isolated from the Marine Environment of the Sundarbans. *Appl Microbiol Biotechnol*. 2005;66(5):497–505.
 33. Nigam VK, Verma R, Kumar A, Kundu S, Ghosh P. Influence of Medium Constituents on the Biosynthesis of Cephalosporin-C. *Electron J Biotechnol*. 2007;10(2):230–9.
 34. Lauritano C, Andersen JH, Hansen E, Albrigtsen M, Escalera L, Esposito F, et al. Bioactivity Screening of Microalgae for Antioxidant, Anti-Inflammatory, Anticancer, Anti-Diabetes, and Antibacterial Activities. *Front Mar Sci*. 2016;3(5):1–2.
 35. Lauritano C, Martín J, De La Cruz M, Reyes F, Romano G, Ianora A. First Identification of Marine Diatoms With Anti-Tuberculosis Activity. *Sci*

Rep. 2018;8(1):1–10.

36. Si Y, Tang M, Lin S, Chen G, Feng Q, Wang Y, et al. Cytotoxic Cytochalasans from *Aspergillus flavipes* PJ03-11 by OSMAC Method. *Tetrahedron Lett.* 2018;59(5):1767–71.
37. Wang W-J, Li D-Y, Li Y-C, Hua H-M, Ma E-L, Li Z-L. Caryophyllene Sesquiterpenes from the Marine-Derived Fungus *Ascotricha* sp. ZJ-M-5 by the One Strain–Many Compounds Strategy. *J Nat Prod.* 2014;77(6):1367–71.
38. Liu W-C, Yang F, Zhang R, Shi X, Lu X-H, Luan Y-S, et al. Production of Polyketides With Anthelmintic Activity by the Fungus *Talaromyces wortmannii* Using One Strain-Many Compounds (OSMAC) Method. *Phytochem Lett.* 2016;18(12):157–61.
39. Guo W, Zhang Z, Zhu T, Gu Q, Li D. Penicyclones A–E, Antibacterial Polyketides from the Deep-Sea-Derived Fungus *Penicillium* sp. F23-2. *J Nat Prod.* 2015;78(11):2699–703.
40. Myouga H, Yoshimizu M, Tajima K, Ezura Y. Purification of an Antiviral Substance Produced by *Alteromonas* sp. and Its Virucidal Activity against Fish Viruses. *Fish Pathol.* 1995;30(1):15–22.
41. Liu D-S, Rong X-G, Kang H-H, Ma L-Y, Hamann M, Liu W-Z. Raistrickiones A–E from a Highly Productive Strain of *Penicillium raistrickii* Generated through Thermo Change. *Mar Drugs.* 2018;16(6):213.
42. Burja AM, Abou-Mansour E, Banaigs B, Payri C, Burgess JG, Wright PC. Culture of the Marine Cyanobacterium, *Lyngbya majuscula* (Oscillatoriaceae), for Bioprocess Intensified Production of Cyclic And Linear Lipopeptides. *J Microbiol Methods.* 2002;48(2):207–19.
43. Overy D, Correa H, Roullier C, Chi W-C, Pang K-L, Rateb M, et al. Does Osmotic Stress Affect Natural Product Expression in Fungi *Mar Drugs.* 2017;15(8):254.
44. Wang Y, Zheng J, Liu P, Wang W, Zhu W. Three New Compounds from *Aspergillus terreus* PT06-2 Grown in a High Salt Medium. *Mar Drugs.* 2011;9(8):1368–78.
45. Sarkar S, Roy D, Mukherjee J. Production of a Potentially Novel Antimicrobial Compound by a Biofilm-Forming Marine *Streptomyces* sp. in a Niche-Mimic Rotating Disk Bioreactor. *Bioprocess Biosyst Eng.* 2010;33(2):207–17.
46. Kiswandono AA. Skrining Senyawa Kimia dan Pengaruh Metode Maserasi dan Refluks pada Biji Kelor (*Moringa oleifera*, Lamk) terhadap Rendemen Ekstrak yang Dihasilkan. *J Sains Nat Univ Nusa Bangsa.* 2011;1(2):126–34.

47. Sudarwati TPL, dan Fernanda MAHF. Aplikasi Pemanfaatan Daun Pepaya (*Carica papaya*) Sebagai Biolarvasida Terhadap Larva *Aedes aegypti*. Hariyati NR, editor. Gresik: Graniti; 2019.
48. Gandjar, I.G., & Rohman A. Gandjar, I.G., & Rohman, A. Kimia Farmasi Analisis. Jakarta: Pustaka Pelajar; 2007.
49. Todar K. Bacteriology 330 Lecture Topics: Staphylococcus. USA: Kenneth Todar University of Wisconsin Department of Bacteriology, Wisconsin; 1998.
50. Jawetz, E., Melnick, J.L. and Adelberg E. Mikrobiologi Kedokteran. Jakarta: Penerbit Salemba Medika; 2005.
51. Sutiknowati LI. "Bioindikator Pencemar, Bakteri *Escherichia coli*." J Oseana [Internet]. 2016;41(4):63–71. Available from: oseanografi.lipi.go.id
52. Huda M. Pengaruh Madu Terhadap Pertumbuhan Bakteri Gram Positif (*Staphylococcus Aureus*) dan Bakteri Gram Negatif (*Escherichia Coli*). J Anal Kesehat [Internet]. 2013;2(1):250–9. Available from: ejurnal.poltekkes-tjk.ac.id
53. Manoi dan Balittro 2009. Perbandingan Aktivitas Antibakteri Ekstrak Daun Srikaya Hijau dan Merah (*Annona squamosa* L.) Terhadap Bakteri *Staphylococcus aureus*. Pros Semin Nas Sains, Teknol dan Anal. 2018;1(2):129–35.
54. Lee DS, Eom SH, Lee MS, Kim YM. Marine Bacteria are an Attractive Source to Overcome the Problems of Antibiotic-Resistant *Staphylococcus Aureus*. Mar Microbiol Bioact Compd Biotechnol Appl. 2013;83–96.
55. Shridhar DMP, Mahajan GB, Kamat VP, Naik CG, Parab RR, Thakur NR, et al. Antibacterial activity of 2-(2',4'-dibromophenoxy)-4,6-dibromophenol from *Dysidea granulosa*. Mar Drugs. 2009;7(3):464–71.
56. Biologi PS, Matematika F, Ilmu DAN, Alam P, Utara US. Deteksi gen resisten karbapenem. 2020;
57. Tjay TH dan Rahardja. Obat-obat Penting Khasiat, Penggunaan, dan Efek-efek Sampingnya. In: Obat-obat Penting Khasiat, Penggunaan, dan Efek-efek Sampingnya. Edisi IV. Jakarta: PT. Elex Media Komputindo; 2007.
58. Stringer Jl. Basic Concepts in Pharmacology a Student's Survival Guide. In: Edisi 3 (diterjemahkan oleh: dr. Huriawati Hartanto), editor. Buku Kedokteran. Jakarta: Buku Kedokteran ECG; 2006.
59. Jawetz E. Principle of Antimicrobial Drug Action. Basic and Clinical Pharmacology. Third Edition. Appleton and Lange, Norwalk.; 1997.
60. Pratiwi ST. Mikrobiologi Farmasi. Jakarta: Erlangga; 2008.
61. Puspaningtyas. Sintesis dan Uji Aktivitas Antibakteri Senyawa Turunan

- Kalkon pada Strain Bakteri *Bacillus subtilis* dan *Escherichia coli*. Stomatognathic (JKG Unei). 2011;8(3):155–62.
62. Mukherjee PK. LC–MS: A Rapid Technique for Understanding the Plant Metabolite Analysis. Qual Control Eval Herb Drugs. 2019;459–79.
 63. Jain A, Jain R, Jain S. Basic Techniques in Biochemistry, Microbiology and Molecular Biology. New York, NY: Springer US; 2020. (Springer Protocols Handbooks).
 64. Gandjar I, Sjamsuridzal W OA. Mikologi Dasar dan Terapan. Jakarta: Yayasan Obor Indonesia.; 2006.
 65. Handayani D, Masrizah Indah Pratiwi E, Fajrina A. Senyawa Antimikroba dari Jamur Endofit *Trichoderma koningiopsis* SaKB1 yang Diisolasi dari Tanaman Mangrove *Sonneratia alba* Sm . J Sains Farm Klin. 2019;6(2):78–84.
 66. Hudzicki J. Kirby-Bauer Disk Diffusion Susceptibility Test Protocol Author Information. Am Soc Microbiol. 2012;(12):1–13.
 67. E. Hanani. Analisis Fitokimia. Jakarta: Elsevier Ltd; 2014.
 68. Kristanti AN, Aminah NS, Tanjung M, Kurniadi B. Buku Ajar Fitokimia. Surabaya: Airlangga University Press; 2006.
 69. Shaikh JR, Patil M. Qualitative Tests For Preliminary Phytochemical Screening: An overview. Int J Chem Stud. 2020;8(2):603–8.
 70. Jain A, Jain R JS. Basic Techniques in Biochemistry, Microbiology and Molecular Biology. In New York: Springer US; 2020.
 71. Pratiwi ST. Mikrobiologi Farmasi. Jakarta: Erlangga; 2008.
 72. Oramahi, A. H. Identifikasi Jamur Genus *Aspergillus* pada Gaplek di Kabupaten gunung Kidul. J Perlindungan Tanam Indones. 2006;12(1):25–32.
 73. Wang H, Eze PM, Höfert SP, Janiak C, Hartmann R, Okoye FBC, et al. Substituted L-Tryptophan-L-Phenyllactic Acid Conjugates Produced by an Endophytic Fungus: *Aspergillus aculeatus* Using an OSMAC Approach. RSC Adv. 2018;8(14):7863–72.
 74. Plemenitaš A, Lenassi M, Konte T, Kejžar A, Zajc J, Gostinčar C, et al. Adaptation to High Salt Concentrations in Halotolerant/Halophilic Fungi: A Molecular Perspective. Front Microbiol. 2014;5(MAY):1–12.
 75. Nussinov R, Tsai CJ, Jang H. Protein Ensembles Link Genotype To Phenotype. PLoS Comput Biol. 2019;15(6):1–21.
 76. Djamal R. Kimia bahan alam: Prinsip-prinsip Dasar Isolasi dan Identifikasi. Padang: Universitas Baiturrahmah; 2010.

77. Harwood, M. H., & Woody CJ. *Experimental Organic Chemistry*. London: Blackwell Scientific Publication; 1989.
78. Marotta SM, Giarratana F, Parco A, Neri D, Ziino G, Giuffrida A, et al. Evaluation of the Antibacterial Activity of Bergamot Essential Oils on Different *Listeria monocytogenes* Strains. *Ital J Food Saf*. 2016;5(4):0–3.
79. Nurcahya E, Wijayanti I. Aktivitas Antibakteri Ekstrak Lamun (*Cymodocea rotundata*) Terhadap Bakteri *Staphylococcus aureus* dan *Escherichia coli* Antibacterial Activities of Seagrass Extracts (*Cymodocea rotundata*) Against *Staphylococcus aureus* and *Escherichia coli*. 2017;13(1):1–6.
80. Rahman FA, Haniastuti T, Utami TW. Skrining Fitokimia dan Aktivitas Antibakteri Ekstrak Etanol Daun Sirsak (*Annona muricata* L.) pada *Streptococcus mutans* ATCC 35668. *Maj Kedokt Gigi Indones*. 2017;3(1):1.
81. Amalia A, Sari I, Nursanty R. Aktivitas Antibakteri Ekstrak Etil Asetat Daun Sembung (*Blumea balsamifera* (L.) DC.) Terhadap Pertumbuhan Bakteri *Methicillin Resistant Staphylococcus aureus*(MRSA). *Pros Semin Nas Biot*. 2017;387–91.
82. Dewi M kusuma, dkk. Aktivitas Antibakteri Ekstrak Daun Majapahit (*Crescentia cujete*) Terhadap Pertumbuhan Bakteri *Ralstonia solanacearum* Penyebab Penyakit Layu. *J Lentera Bio*. 2014;3(1):51–7.
83. Nielsen KF, Smedsgaard J. Fungal Metabolite Screening: Database of 474 Mycotoxins And Fungal Metabolites For Dereplication By Standardised Liquid Chromatography-UV-Mass Spectrometry Methodology. *J Chromatogr A*. 2003;1002(1–2):111–36.
84. Burdock GA, Soni MG, Carabin IG. Evaluation of Health Aspects of Kojic Acid In Food. *Regul Toxicol Pharmacol*. 2001;33(1):80–101.
85. Kazushige Sogawa and MDP. NII-Electronic Library Service. *Chem Pharm Bull* [Internet]. 1970;(43):2091. Available from: <http://www.mendeley.com/research/geology-volcanic-history-eruptive-style-yakedake-volcano-group-central-japan/>
86. Frisvad JC, Rank C, Nielsen KF, Larsen TO. Metabolomics of *Aspergillus fumigatus*. *Med Mycol*. 2009;47(SUPPL. 1):53–71.
87. Paranjape SR, Chiang YM, Sanchez JF, Entwistle R, Wang CCC, Oakley BR, et al. Inhibition of Tau Aggregation By Three *Aspergillus nidulans* Secondary Metabolites: 2, ω -dihydroxyemodin, asperthecin, and asperbenzaldehyde. *Planta Med*. 2014;80(1):77–85.
88. Kundu A, Saha S, Walia S, Dutta TK. Anti-nemic secondary Metabolites Produced by *Fusarium oxysporum* f. sp. ciceris. *J Asia Pac Entomol* [Internet]. 2016;19(3):631–6. Available from:

<http://dx.doi.org/10.1016/j.aspen.2016.06.003>

89. Jeong BS, Nam SC, Soon KA, Bae H, Hak SK, Kim D. Total Synthesis And Antiangiogenic Activity Of Cyclopentane Analogues Of Fumagillol. *Bioorganic Med Chem Lett*. 2005;15(15):3580–3.
90. MacDonald JC. Aspergillic Acid and Related Compounds. *Biosynthesis*. 1967;4:43–51.
91. Riko R, Nakamura H, Shindo K. Studies on Pyranonigrins-Isolation Of Pyranonigrin E And Biosynthetic Studies On Pyranonigrin A. *J Antibiot (Tokyo)*. 2014;67(2):179–81.
92. Vosburg DA, Weiler S, Sorensen EJ. A Concise Synthesis Of Fumagillol. *Angew Chemie - Int Ed*. 1999;38(7):971–4.
93. Dewi RT, Darmawan A, Mulyani H, Lotulung PDN, Minarti, Megawati. A-Glucosidase Inhibitory Effect of Sulochrin From *Aspergillus terreus* and Its brominated Derivatives. *Malaysian J Sci*. 2018;37(1):70–81.
94. Büchi G, Wogan GN, White JD. The Structures of Mitorubrin and Mitorubrinol. *J Am Chem Soc*. 1965;87(15):3484–9.
95. Chen JK, Lane WS, Schreiber SL. The Identification Of Myriocin-Binding Proteins. *Chem Biol*. 1999;6(4):221–35.
96. Li SM. Prenylated Indole Derivatives From Fungi: Structure Diversity, Biological Activities, Biosynthesis And Chemoenzymatic Synthesis. *Nat Prod Rep*. 2010;27(1):57–78.
97. Picardo M, Núñez O, Farré M. Suspect and Target Screening of Natural Toxins in the Ter River Catchment Area in NE Spain and Prioritisation by Their Toxicity. *Toxins (Basel)*. 2020;12(12).
98. Gelderblom WCA, Cawood ME, Snyman SD, Vleggaar R, Marasas WFO. Structure-Activity Relationships Of Fumonisin In Short-Term Carcinogenesis And Cytotoxicity Assays. *Food Chem Toxicol*. 1993;31(6):407–14.
99. Van Den Heever JP, Thompson TS, Curtis JM, Ibrahim A, Pernal SF. Fumagillin: An Overview Of Recent Scientific Advances And Their Significance For Apiculture. *J Agric Food Chem*. 2014;62(13):2728–37.
100. Kalinina SA, Kalinin D V., Hövelmann Y, Daniliuc CG, Mück-Lichtenfeld C, Cramer B, et al. Auranthine, a Benzodiazepinone from *Penicillium aurantiogriseum*: Refined Structure, Absolute Configuration, and Cytotoxicity. *J Nat Prod*. 2018;81(10):2177–86.
101. Klejnstrup ML, Frandsen RJN, Holm DK, Nielsen MT, Mortensen UH, Larsen TO, et al. Genetics of Polyketide Metabolism in *Aspergillus nidulans*. Vol. 2, *Metabolites*. 2012. 100–133 p.

102. Riko R, Nakamura H, Shindo K. Studies on Pyranonigrins-Isolation Of Pyranonigrin E And Biosynthetic Studies On Pyranonigrin A. J Antibiot (Tokyo) [Internet]. 2014;67(2):179–81. Available from: <http://dx.doi.org/10.1038/ja.2013.91>
103. Akpotu MO, Eze PM, Abba CC, Umeokoli BO, Nwachukwu CU, Okoye FBC, et al. Antimicrobial Activities Of Secondary Metabolites Of Endophytic Fungi Isolated From *Catharanthus roseus*. J Heal Sci. 2017;7(1):15–22.