

DAFTAR PUSTAKA

- Abrams, J.A. Freedberg DE, Zhou MJ, Cohen ME, Annavajhala MK, Khan S, Moscoso DI, et al. Pathogen colonization of the gastrointestinal microbiome at intensive care unit admission and risk for subsequent death or infection. *Intensive Care Med.* 2018;44(8):1203–11.
- Afiyah RK. Effectiveness Of Endorphin Massage Against Anxiety The Face Of Labor On Mother Primigravida In The Region Of Clinics Jagir Surabaya. In: PROCEEDING SURABAYA INTERNATIONAL HEALTH CONFERENCE 2017. 2017.
- Afriani R, Rahayu P. Potensi bakteri asam laktat dadih dari Kabupaten Kerinci sebagai biopreservatif pangan. *Lap Penelitian Fak Peternak Univ Jambi.* 2009;
- Allades, Jayasima AM, Deliana SM, Mabruri MI. Postpartum Blues Syndrome Pada Kelahiran Anak Pertama. *Dev Clin Psychol.* 2014;3(1).
- Almatsier S, Gizi PDI, Penerbit PT. Gramedia Pustaka Utama. Jakarta; 2011.
- Alper, Evrensel A, Ceylan ME. The gut-brain axis: the missing link in depression. *Clin Psychopharmacol Neurosci.* 2015;13(3):239.
- Arisman MB. Keracunan Makanan Buku Ajar Ilmu Gizi. In 2009.
- Bäckhed F, Fraser CM, Ringel Y, Sanders ME, Sartor RB, Sherman PM, et al. Defining a healthy human gut microbiome: current concepts, future directions, and clinical applications. *Cell host & microbe.* 2012;12(5):611–22.
- Balqis R. Pengaruh Pemberian Dadih Dengan Perubahan Jumlah Lactobacillus Fermentum Pada Feses Ibu Hamil. *J Akad Baiturrahim Jambi.* 2019;8(1):135–44.
- Bayitse R. Lactic acid production from biomass: prospect for bioresidue utilization in Ghana: technological review. *Int J Appl Sci Technol.* 2015;5(1,164-174).
- Reck C, Stehle E, Reinig K, Mundt C. Maternity blues as a predictor of DSM-IV depression and anxiety disorders in the first three months postpartum. *J Affect Disord.* 2009;113(1–2):77–87.
- Beck ME. Ilmu Gizi dan Diet (Nutrition and Dietetics for nurses). Yogyakarta: Yayasan Essentia Medica; 2000.
- Bencaiova G, Burkhardt T, Breymann C. Anemia—prevalence and risk factors in pregnancy. *Eur J Intern Med.* 2012;23(6):529–33.
- Betrán AP, Wojdyla D, Posner SF, Gülmezoglu AM. National estimates for maternal mortality: an analysis based on the WHO systematic review of maternal mortality and morbidity. *BMC Public Health.* 2005;5(1):1–12.
- Bildirici I, Longtine MS, Chen B, Nelson DM. Survival by self-destruction: a role for autophagy in the placenta? *Placenta.* 2012;33(8):591–8.
- Bloch M, Rotenberg N, Koren D, Klein E. Risk factors for early postpartum depressive symptoms. *Gen Hosp Psychiatry.* 2006;28(1):3–8.
- Borre YE, O'Keeffe GW, Clarke G, Stanton C, Dinan TG, Cryan JF. Microbiota and neurodevelopmental windows: implications for brain disorders. *Trends Mol Med.* 2014;20(9):509–18.
- Boyd, R.C., Le, H.N. and Somberg, R. Review of screening instruments for postpartum depression. *Archives of women's mental health.* 2005; 8(3), pp.141-153.
- Carding S, Verbeke K, Vipond DT, Corfe BM, Owen LJ. Dysbiosis of the gut microbiota in disease. *Microb Ecol Health Dis.* 2015;26(1):26191.
- Clarke G, Stilling RM, Kennedy PJ, Stanton C, Cryan JF, Dinan TG. Minireview: gut microbiota: the neglected endocrine organ. *Mol Endocrinol.* 2014;28(8):1221–38.
- Cogill B, others. Anthropometric indicators measurement guide. 2001;
- Collins SM, Surette M, Bercik P. The interplay between the intestinal microbiota and the

- brain. *Nat Rev Microbiol.* 2012;10(11):735–42.
- Collado MC, Derrien M, Isolauri E, de Vos WM, Salminen S. Intestinal integrity and Akkermansia muciniphila, a mucin-degrading member of the intestinal microbiota present in infants, adults, and the elderly. *Appl Environ Microbiol.* 2007;73(23):7767–70.
- Cohen LS, Nonacs RM. Postpartum Mood Disorder. In *Mood and Anxiety Disorder During Pregnancy and Postpartum*. Review of Psychiatry Vol. 24, Arlington: American Psychiatric Publishing, 2005:77-96.
- Cohen, et al. Metode Penelitian dalam Pendidikan. New York. Routledge. 657 Hal. 2007.
- Cruz-Pereira JS, Rea K, Nolan YM, O'Leary OF, Dinan TG, Cryan JF. Depression's unholy trinity: dysregulated stress, immunity, and the microbiome. *Annu Rev Psychol.* 2020;71:49–78.
- Damayanthi E, Hasinah H, Setyawardani T, Rizqiati H, Putra S, others. Karakteristik susu kerbau sungai dan rawa di Sumatera Utara. *J Ilmu Pertan Indones.* 2014;19(2):67–73.
- De Onis M. Child growth and development. *Nutr Heal a Dev world.* 2017;119–41.
- Dekker JW, Wickens K, Black PN, Stanley T V, Mitchell EA, Fitzharris P, et al. Safety aspects of probiotic bacterial strains *Lactobacillus rhamnosus* HN001 and *Bifidobacterium animalis* subsp. *lactis* HN019 in human infants aged 0–2 years. *Int Dairy J.* 2009;19(3):149–54.
- Dennis. (2005). *Psychological Testing: Principles, Applications, and Issues* (6 th ed). USA : Thomson Wadsorth. --kapplan
- Departemen Kesehatan provinsi sumatera barat. Data ibu hamil, nifas. Tahun 2015
- Departemen Kesehatan RI. Badan Penelitian dan Pengembangan Kesehatan (Balitbang). 2015
- Departemen Kesehatan RI. Undang-Undang Kesehatan, Departemen Kesehatan RI. 2014
- Desai, V., Kozyrskyj, A. L., Lau, S., Sanni, O., Dennett, L., Walter, J., & Ospina, M.B. 2021. Effectiveness of Probiotic, Prebiotic, and Synbiotic Supplementation to Improve Perinatal Mental Health in Mothers: A Systematic Review and Meta-Analysis. *Frontiers in psychiatry*, 12.
- Dupree L. USAID [United States Agency for International Development] and Social Scientists Discuss Afghanistan's Development Prospects. *Am. Univ. Field Staff*; 1977.
- Devaraja TN, Yusoff FM, Shariff M. Changes in bacterial populations and shrimp production in ponds treated with commercial microbial products. *Aquaculture.* 2002;206(3–4):245–56.
- Dotterud CK, Storrø O, Johnsen R, Øien T. Probiotics in pregnant women to prevent allergic disease: a randomized, double-blind trial. *Br J Dermatol.* 2010;163(3):616–23.
- Elkord E, Abd Al Samid M, Chaudhary B. Helios, and not FoxP3, is the marker of activated Tregs expressing GARP/LAP. *Oncotarget.* 2015;6(24):20026.
- EPDS, (*Edinburgh Postnatal Depression Scale*) Reichenheim, M. E., Moraes, C. L., Oliveira, A. S., & Lobato, G. Revisiting the dimensional structure of the Edinburgh Postnatal Depression Scale (EPDS): empirical evidence for a general factor. *BMC medical research methodology.* 2011;11(1), 1-12.
- Erdogrul O, Erbilir F. Isolation and Characterization of *Lactobacillus bulgaricus* and *Lactobacillus casei* from Various Foods. *Turkish Journal of Biology.* 2006;39-44.
- Etheredge AJ, Premji Z, Gunaratna NS, Abioye AI, Aboud S, Duggan C, et al. Iron supplementation in iron-replete and nonanemic pregnant women in Tanzania: a randomized clinical trial. *JAMA Pediatr.* 2015;169(10):947–55.
- Fauzi. Arasj. The Effect of Giving Curd (Fermented Buffalo Milk) through Supplementary Food on Nutritional Status, Incidence of Diarrhea and ARI in stunted children aged 1-4 years. The study was conducted in Kenagarian Kototangah, Tilatang Kamang District,

- Agam Regency, West Sumatra. 'AFIYAH , 1 (1). 2014.
- Fijan S. Microorganisms with claimed probiotic properties: an overview of recent literature. *Int J Environ Res Public Health*. 2014;11(5):4745–67.
- Frokjaer VG, Madsen K, Torstensen E, Holst KK, Haahr ME, Knorr U, et al. Familial risk for major depression is associated with lower striatal 5-HT4 receptor binding. *Int J Neuropsychopharmacol*. 2015;18(1):pyu034.
- Gómez-Pinilla F. Brain foods: the effects of nutrients on brain function. *Nat Rev Neurosci*. 2008;9(7):568–78.
- Gondo HK. Skrining edinburgh postnatal depression scale (EPDS) pada postpartum blues. *J Ilm Kedokt*. 2012;1(2):17–29.
- Grenham S, Clarke G, Cryan JF, Dinan TG. Brain--gut--microbe communication in health and disease. *Front Physiol*. 2011;2:94.
- Gruner D, Paris S, Schwendicke F. Probiotics for managing caries and periodontitis: systematic review and meta-analysis. *J Dent*. 2016;48:16–25.
- Håkansson Å, Andrén Aronsson C, Brundin C, Oscarsson E, Molin G, Agardh D. Effects of Lactobacillus plantarum and Lactobacillus paracasei on the peripheral immune response in children with celiac disease autoimmunity: a randomized, double-blind, placebo-controlled clinical trial. *Nutrients*. 2019;11(8):1925.
- Hardiningsih R, Napitupulu RNR, Yulinery T. Isolasi dan uji resistensi beberapa isolat lactobacillus pada pH rendah. *Biodiversitas*. 2006;7(1):15–7.
- Helmizar H, Yuswita E, Putra AE, others. Analysis of the nutrients and microbiological characteristics of the Indonesian dadih as a food supplementation. *Glob J Health Sci*. 2019;11(1):155–61.
- Helmizar H, Jalal F, Lipoeto NI, Achadi EL. Local food supplementation and psychosocial stimulation improve linear growth and cognitive development among Indonesian infants aged 6 to 9 months. *Asia Pac J Clin Nutr*. 2017;26(1):97–103.
- Huang R, Wang K, Hu J. Effect of probiotics on depression: a systematic review and meta-analysis of randomized controlled trials. *Nutrients*. 2016;8(8):483.
- Hutagaol ET. Efektivitas intervensi edukasi pada depresi postpartum. *Fak Ilmu Keperawatan Univ Indones Depok*, Jakarta. 2010;
- Hutton B, Salanti G, Caldwell DM, Chaimani A, Schmid CH, Cameron C, et al. The PRISMA extension statement for reporting of systematic reviews incorporating network meta-analyses of health care interventions: checklist and explanations. *Ann Intern Med*. 2015;162(11):777–84.
- Juodeikiene G, Bartkiene E, Viskelis P, Urbonaviciene D, Eidukonyte D, Bobinas C. Fermentation processes using lactic acid bacteria producing bacteriocins for preservation and improving functional properties of food products. *Adv Appl Biotechnol*. 2012;63–100.
- Kaplan RM, Saccuzzo DP. Psychological testing: Principles, applications, and issues. Cengage Learning; 2017.
- Kemenkes RI BP dan P (Balitbang). Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Indonesia tahun 2018. Riset Kesehatan Dasar 2018. 2014. p. 182–3.
- Kemenkes RI. Infodatin Pusat Data dan Informasi Kementerian Kesehatan RI Situasi Balita Pendek. Jakarta Selatan. 2016;
- Kemenkes RI. Pokok-Pokok Renstra Kemenkes 2020-2024. Astikawati R, editor. Pokja Renstra Kemenkes 2020-2024. Jakarta: Erlangga; 2020. 138 p. 2020.
- Kemenkes RI. Pedoman Pelayanan Antenatal Terpadu. Ketiga ed. Jakarta:Direktorat Jenderal Bina Gizidan KIA RI; 2016.
- Kemenkes RI. Profil Kesehatan Indonesia Tahun 2017. 2017;
- Kruger CL. Generally Recognized As Safe (GRAS) Notification for the Use of

- Bifidobacterium longum BB536 in Selected Foods. 2008.
- Kurniawati Y. Peran Zink Dan Faktor Psikososial Terhadap Kejadian Postpartum Blues. Tesis. Makassar: Program Pascasarjana Universitas Hasanuddin. 2017.
- Lamid A. Masalah Kependekan (Stunting) pada Anak Balita: Analisis Prospek Penanggulangannya di Indonesia. Bogor: PT Penerbit IPB Press; 2015.
- Li L, Su Q, Xie B, Duan L, Zhao W, Hu D, et al. Gut microbes in correlation with mood: case study in a closed experimental human life support system. *Neurogastroenterol & Motil*. 2016;28(8):1233–40.
- Lindayani IK, Marhaeni GA. Prevalensi Dan Faktor Risiko Depresi Post Partum Di Kota Denpasar Tahun 2019. *J Midwifery Updat*. 2020;2(2):100–9.
- Lozupone C. a., Stombaugh JI, Gordon JI, Jansson JK, Knight R. Divers Stab Resil Hum gut microbiota Nat. 2012;489(7415):220–30.
- Lowry CA, Smith DG, Siebler PH, Schmidt D, Stamper CE, Hassell JE, et al. The microbiota, immunoregulation, and mental health: implications for public health. *Curr Environ Heal reports*. 2016;3(3):270–86.
- Lubis LN. Depresi Tinjauan Psikologis, Penerbit Kencana Prenada Media Group. Jakarta; 2009.
- Luoto R, Laitinen K, Nermes M, Isolauri E. Impact of maternal probiotic-supplemented dietary counselling on pregnancy outcome and prenatal and postnatal growth: a double-blind, placebo-controlled study. *Br J Nutr*. 2010;103(12):1792–9.
- Mann ER, You J, der Sluis V, Bernardo D, Omar Al-Hassi H, Landy J, et al. Dysregulated circulating dendritic cell function in ulcerative colitis is partially restored by probiotic strain Lactobacillus casei Shirota. *Mediators Inflamm*. 2013;2013.
- Maqbool A, Olsen IE, Stallings VA, others. Clinical assessment of nutritional status. *Nutr Pediatr* 4th Ed Canada BC Decker Inc. 2008;5–13.
- Martin-Cabezas R, Davideau J-L, Tenenbaum H, Huck O. Clinical efficacy of probiotics as an adjunctive therapy to non-surgical periodontal treatment of chronic periodontitis: a systematic review and meta-analysis. *J Clin Periodontol*. 2016;43(6):520–30.
- Martin, A., Swarbrick, J. & Cammarata, A. Farmasi Fisik, Edisi Ketiga, Penerbit UI Press, Jakarta. 2016
- Maslim R. Penggolongan Diagnosis dan Kriteria Diagnostik dan Perubahan- Perkembangan DSM V. Jakarta: PT Nuh Jaya; 2013.
- Messaoudi M, Lalonde R, Violle N, Javelot H, Desor D, Nejdi A, et al. Assessment of psychotropic-like properties of a probiotic formulation (Lactobacillus helveticus R0052 and Bifidobacterium longum R0175) in rats and human subjects. *Br J Nutr*. 2011;105(5):755–64.
- Metgud CS, Naik VA, Mallapur MD. Factors affecting birth weight of a newborn--a community based study in rural Karnataka, India. *PLoS One*. 2012;7(7):e40040.
- Mexitalia M. Makanan Pendamping ASI, Sjarif DR, Lestari ED, Mexitalia M, Nasar SS, penyunting: Buku ajar nutrisi pediatrik dan penyakit metabolism. Cetakan Pertama, hal. 2011;117–26.
- Mu C, Yang Y, Zhu W. Gut microbiota: the brain peacekeeper. *Front Microbiol*. 2016;7:345.
- MU Sumeisey G, Umboh SD, Tallei TE. Penyalutan bakteri asam laktat menggunakan nanopartikel kitosan. *PHARMACON*. 2019;8(4):843–50.
- Munawarah. Hubungan Dukungan Social yang Diterima dengan Depresi Pasca Melahirkan pada Usia Muda. *Jurnal psikologi*. 2008.
- Nazara Y. Efektivitas psikoedukasi terhadap pencegahan depresi pascasalin. *J Ilmiah Poltekkes Medan Ginekol Indones*. 2009;
- Ng QX, Peters C, Ho CYX, Lim DY, Yeo W-S. A meta-analysis of the use of probiotics to alleviate depressive symptoms. *J Affect Disord*. 2018;228:13–9.

- Nishimura J, others. Exopolysaccharides produced from *Lactobacillus delbrueckii* subsp. *bulgaricus*. *Adv Microbiol*. 2014;4(14):1017.
- Notoatmodjo S. Metodologi Penelitian Kesehatan, Rineka Cipta. Jakarta Indones. 2010;
- Notoatmodjo S. Metodologi penelitian kesehatan. 2012;
- Nursalam RS, Utami S. Asuhan Keperawatan Bayi dan Anak (untuk perawat dan bidan). Jakarta Salemba Med. 2005;
- Nuryshev MZ, Stoyanova LG, Netrusov AI. New probiotic culture of *Lactococcus lactis* ssp. *lactis*: effective opportunities and prospects. *J Microb Biochem Technol*. 2016;8(4):290–5.
- Ojofeitimi EO, Ogunjuyigbe PO, Sanusi RA, Orji EO, Akinlo A, Liasu SA, et al. Poor dietary intake of energy and retinol among pregnant women: implications for pregnancy outcome in Southwest Nigeria. *Pak J Nutr*. 2008;7(3):480–4.
- Oliveira D, Vidal L, Ares G, Walter EHM, Rosenthal A, Deliza R. Sensory, microbiological and physicochemical screening of probiotic cultures for the development of non-fermented probiotic milk. *LWT-Food Sci Technol*. 2017;79:234–41.
- Panesar PS, Kennedy JF, Knill CJ, Kosseva M. Production of L (+) lactic acid using *Lactobacillus casei* from whey. *Brazilian Arch Biol Technol*. 2010;53(1):219–26.
- Patrignani C, Agashe K, Aielli G, Amsler C, Antonelli M, Asner DM, et al. Review of particle physics. 2016;
- Pearlstein T, Howard M, Salisbury A, Zlotnick C. Postpartum Depression: www.AJOG.org.2009;April: 357-64.2009.
- Petrozzi A, Gagliardi L. Anxious and depressive components of Edinburgh Postnatal Depression Scale in maternal postpartum psychological problems1. *J Perinat Med*. 2013;41(4):343–8.
- Plumed-Ferrer C. *Lactobacillus plantarum*: From Application to Protein Expression (*Lactobacillus plantarum*: Sovellutuksista proteiinien ilmentymiseen). Kuopion yliopisto; 2007.
- Pradnyana, E., Westa, W., Ratep, N. Diagnosis dan tata laksana depresi postpartum pada primipara di RSUP Sanglah Denpasar. 2016.
- Prawirohardjo S. Ilmu Kebidanan edisi 4 cetakan 3. Jakarta PT Bina Pustaka Sarwono Prawirohardjo. 2013;
- Pundir RK, Rana S, Kashyap N, Kaur A. Probiotic potential of lactic acid bacteria isolated from food samples: an in vitro study. *J Appl Pharm Sci*. 2013;3(3):85.
- Purwati, E., Rusfidra, Armandyan, I. Juliyarsi dan H. Purwanto. *Plasma Nutfah Sumatera Barat Dadiyah sebagai Pangan Fungsional Probiotik Menunjang Kesehatan Masyarakat*. Cendekia, Bogor. 2010.
- Putri YW, Putra AE, Utama BI. Identifikasi dan karakteristik bakteri asam laktat yang diisolasi dari vagina wanita usia subur. *J Kesehat andalas*. 2018;7:20–5.
- Pyar H, Peh KK. Characterization and identification of *Lactobacillus acidophilus* using biolog rapid identification system. *Int J Pharm Pharm Sci*. 2014;6(1):189–93.
- Reichenheim ME, Moraes CL, Oliveira ASD, Lobato G. Revisiting the dimensional structure of the Edinburgh Postnatal Depression Scale (EPDS): empirical evidence for a general factor. *BMC Med Res Methodol*. 2011;11(1):1–12.
- Rizqiati H, Sumantri C, Noor RR, Damayanthi E, Rianti EI. Isolation and identification of indigenous lactic acid bacteria from North Sumatra river buffalo milk. *J Ilmu Ternak dan Vet*. 2015;20(2):87–94.
- Rönnqvist D, Forsgren-Brusk U, Husmark U, Grahn-Håkansson E. *Lactobacillus fermentum* Ess-1 with unique growth inhibition of vulvo-vaginal candidiasis pathogens. *J Med Microbiol*. 2007;56(11):1500–4.
- Rosenthal PJ. Antimalarial drug discovery: old and new approaches. *J Exp Biol*.

- 2003;206(21):3735–44.
- Sastroasmoro S, Ismael S. Dasar-dasar metodologi penelitian klinis. Jakarta sagung seto. 2011;55.
- Schmidt K, Cowen PJ, Harmer CJ, Tzortzis G, Errington S, Burnet PWJ. Prebiotic intake reduces the waking cortisol response and alters emotional bias in healthy volunteers. *Psychopharmacology (Berl)*. 2015;232(10):1793–801.
- Seiverling L, Hendy HM, Williams K. The screening tool of feeding problems applied to children (STEP-CHILD): Psychometric characteristics and associations with child and parent variables. *Res Dev Disabil*. 2011;32(3):1122–9.
- Selhub EM, Logan AC, Bested AC. Fermented foods, microbiota, and mental health: ancient practice meets nutritional psychiatry. *J Physiol Anthropol*. 2014;33(1):1–12.
- Sharma R, Bhaskar B, Sanodiya BS, Thakur GS, Jaiswal P, Yadav N, et al. Probiotic efficacy and potential of *Streptococcus thermophiles* modulating human health: A synoptic review. *J Pharm Biol Sci*. 2014;9:52–8.
- Slykerman RF, Hood F, Wickens K, Thompson JMD, Barthow C, Murphy R, et al. Effect of *Lactobacillus rhamnosus* HN001 in pregnancy on postpartum symptoms of depression and anxiety: a randomised double-blind placebo-controlled trial. *EBioMedicine*. 2017;24:159–65.
- Soekirman S. Ilmu gizi dan aplikasinya untuk keluarga dan masyarakat. Jakarta Direktorat Jenderal Pendidik Tinggi Dep Pendidik Nas. 2000;
- Soenarno MS, Polli BN, Febriantosa A, Hanifah R. Identifikasi peptida bioaktif dari olahan susu fermentasi tradisional Indonesia sebagai bahan pangan fungsional untuk kesehatan. *J Ilmu Produksi dan Teknol Has Peternak*. 2013;1(3):191–5.
- Sofian A. Rustam Mochtar Sinopsis Obstetri: Obstetri Operatif, Obstetri Sosial. In 2011.
- Stetler C, Miller GE. Depression and hypothalamic-pituitary-adrenal activation: a quantitative summary of four decades of research. *Psychosom Med*. 2011;73(2):114–26.
- Supariasa IDN, Bakri B, Fajar I. Penilaian Status Gizi, Jakarta. Penerbit buku Kedokt EGC. 2001;
- Supariasa I, Fajar I, Bakri I. Penilaian status gizi. In 2001.
- Surono IS. Indonesian traditional dairy foods. *Asia Pac J Clin Nutr*. 24:S26- S30. 2015.
- Suryati S. The Baby Blues And Postnatal Depression. *J Kesehat Masy Andalas*. 2008;2(2):191–3.
- Stella KM. Pengaruh varietas dan lama fermentasi terhadap kualitas kefir susu kacang tanah (*Arachis hypogaea*). *J BisTek Pertan Agribisnis dan Teknol Has Pertan*. 2019;6(01):42–56.
- Sybesma W, Burgess C, Starrenburg M, van Sinderen D, Hugenholtz J. Multivitamin production in *Lactococcus lactis* using metabolic engineering. *Metab Eng*. 2004;6(2):109–15.
- Syukur S, Purwati E. Bioteknologi probiotik untuk kesehatan masyarakat. Andi; 2013.
- Teissèdre F, Chabrol H. Detecting women at risk for postnatal depression using the Edinburgh Postnatal Depression Scale at 2 to 3 days postpartum. *Can J Psychiatry*. 2004;49(1):51–4.
- TNPP. 100 kabupaten/kota prioritas untuk intervensi anak kerdil (stunting). Jakarta Tim Nas Percepatan Penanggulangan Kemiskinan. 2017;
- Triana A, Afni R, Damayanti IP, Maita L. Buku ajar: Asuhan kebidanan komprehensif pada ibu bersalin dan bayi baru lahir. Yogyakarta Deep. 2014;
- Trisnawati U, Bahiyatun B, others. Faktor-faktor yang mempengaruhi Kunjungan Nifas di Puskesmas Jepon Kabupaten Blora Tahun 2012. *J kebidanan*. 2013;2(4):31–4.
- TURGAY Ö, Erbilir F. Isolation and characterization of *Lactobacillus bulgaricus* and

- Lactobacillus casei from various foods. *Turkish J Biol.* 2006;30(1):39–44.
- Turroni F, Duranti S, Bottacini F, Guglielmetti S, Van Sinderen D, Ventura M. Bifidobacterium bifidum as an example of a specialized human gut commensal. *Front Microbiol.* 2014;5:437.
- Usmiati S, Broto W, Setiyanto H. Karakteristik dadih susu sapi yang menggunakan starter bakteri probiotik. *JITV.* 2011;16(2):141–53.
- Vej ER. Technical Memorandum : Lactobacillus acidophilus La-14. Danisco. 2008.
- Vitrianingsih SP, RC AK. Aktivitas Antibakteri Madu Hitam Pahit Dan Madu Hitam Manis Terhadap Escherichia coli dan Staphylococcus aureus. *J Farm Galen.* 2014;1:32–7.
- Wang Y, Kasper LH. The role of microbiome in central nervous system disorders. *Brain Behav Immun.* 2014;38:1–12.
- World Health Organization. Asuhan Kebidanan & Nifas. 2017.
- World Health Organization. Child Stunting Data Visualizations Dashboard. disunting dari <http://apps.who.int/gho/data/node.sdg.2-2-viz-1?lang=en>. 2018.
- World Health Organization, others. Field test version: mhGAP community toolkit: Mental Health Gap Action Programme (mhGAP). World Health Organization; 2019.
- Wibowo N, Mose JC, Karkata MK, Purwaka BT, Kristanto H, Chalid MT, et al. The status of probiotics supplementation during pregnancy. *Med J Indones.* 2015;24(2):120–30.
- Wickens KL, Barthow CA, Murphy R, Abels PR, Maude RM, Stone PR, et al. Early pregnancy probiotic supplementation with Lactobacillus rhamnosus HN001 may reduce the prevalence of gestational diabetes mellitus: a randomised controlled trial. *Br J Nutr.* 2017;117(6):804–13.
- Winkjosastro, H., & Abdul Bari, S. Ilmu Kebidanan, Edisi 2. Jakarta: yayasan bina pustaka sarwono prawirohardjo. 2005.
- Wurisastuti T, Mubasyiroh R. PREVALENSI DAN PREDIKTOR DEPRESI PASCA PERSALINAN: DATA KOMUNITAS RISKESDAS 2018. In: Prosiding Seminar Nasional Kesehatan Masyarakat 2021. 2020. p. 147–63.
- Yim IS, Glynn LM, Schetter CD, Hobel CJ, Chicz-DeMet A, Sandman CA. Risk of postpartum depressive symptoms with elevated corticotropin-releasing hormone in human pregnancy. *Arch Gen Psychiatry.* 2009;66(2):162–9.
- Yuniastuti A. Buku monograf probiotik (dalam perspektif kesehatan). Semarang UNNES Press Hal. 2014;13–4.
- Zaidi F, Nigam A, Anjum R, Agarwalla R. Postpartum depression in women: a risk factor analysis. *J Clin Diagnostic Res JCDR.* 2017;11(8):QC13.