

**HUBUNGAN FREKUENSI *ANTENATAL CARE*, PEMBERIAN KIE  
LAKTASI DAN PENGETAHUAN IBU DENGAN PELAKSANAAN  
INISIASI MENYUSU DINI DAN ASI EKSKLUSIF DI WILAYAH  
KERJA PUSKESMAS ANDALAS KOTA PADANG**



Skripsi

Diajukan ke Program Studi S1 Kebidanan Fakultas Kedokteran Universitas  
Andalas untuk Memenuhi Salah Satu Syarat Mendapatkan Gelar Sarjana  
Kebidanan

Oleh

NUZUL MAIDYA R  
No.BP. 1510331016

Pembimbing :

1. dr. FitrissiaAmelin, Sp.A, M.Biomed
2. Laila, SKM, SSiT., M.Keb

**PROGRAM STUDI S1 KEBIDANAN  
FAKULTAS KEDOKTERAN UNIVERSITAS ANDALAS  
PADANG 2022**

**BACHELOR OF MIDWIFERY PROGRAM  
FACULTY OF MEDICINE  
ANDALAS UNIVERSITY**

**NUZUL MAIDYA RAMAHDANI. No.BP.1510331016**

**THE RELATIONSHIP OF ANTENATAL CARE FREQUENCY,  
PROVISION OF LACTATION KIE, AND KNOWLEDGE OF THE  
MOTHER WITH THE IMPLEMENTATION OF EARLY  
BREASTFEEDING INITIATION AND EXCLUSIVE BREAST MILK IN  
THE WORK AREA OF THE ANDALAS PUSKESMAS, PADANG CITY**

ixi+ 91 pages, 15 tables, 2 pictures, 11 attachment

**ABSTRACT**

**Background and Objectives**

Early Initiation of Breastfeeding (EIB) and exclusive breastfeeding are important indicators in determining the level of public health, especially mothers and children. The purpose of this study was to determine the relationship between the frequency of Antenatal Care (ANC), the provision of Information, Communication and Education (ICE) Lactation, and Mother's Knowledge with the Implementation of EIB and Exclusive Breastfeeding in the Andalas Health Center Work Area, Padang City.

**Methods**

This study used a Cross Sectional research design data collection was carried out from June to July 2020. The number of samples for this study was 97 subjects. Sampling was done using Proportional Random Sampling and Simple Random Sampling techniques. Data analysis was univariate and bivariate using Chi-square analysis ( $p < 0,05$ ) using SPSS 17 software

**Results**

The results of this study found that there was a significant relationship between the frequency of ANC with the implementation of EIB ( $p = 0,002$ ), the frequency of ANC with the implementation of exclusive breastfeeding ( $p = 0,004$ ), the provision of ICE lactation with the implementation of the EIB ( $p = 0,004$ ), the provision of ICE lactation with the implementation of exclusive breast feeding ( $p = 0,004$ ). Knowledge of mothers with the implementation of EIB ( $p = 0,004$ ) and knowledge of mothers with implementation of exclusive breastfeeding ( $p = 0,004$ )

**Conclusion**

There is a significant relationship between the frequency of ANC, the provision of ICE lactation, mother's knowledge with the implementation of EIB and exclusive breastfeeding

**Bibliography:** 73 (2003-2022)

**Keywords** :frequency of ANC, lactation ICE, knowledge, EIB and exclusive breastfeeding

**PROGRAM STUDI S1 KEBIDANAN  
FAKULTAS KEDOKTERAN  
UNIVERSITAS ANDALAS**

**Skripsi, April 2022**

**NUZUL MAIDYA RAMAHDANI. No.BP.1510331016  
HUBUNGAN FREKUENSI ANTENATAL CARE, PEMBERIAN KIE  
LAKTASI DAN PENGETAHUAN IBU DENGAN PELAKSANAAN  
INISIASI MENYUSU DINI DAN ASI EKSKLUSIF DI WILAYAH KERJA  
PUSKESMAS ANDALAS KOTA PADANG**

ixi+ 91 halaman, 15 tabel, 2 gambar, 11 lampiran

**ABSTRAK**

**Latar belakang dan Tujuan Penelitian**

*Inisiasi Menyusu Dini* (IMD) dan ASI Eksklusif merupakan salah satu indikator penting dalam menentukan tingkat kesehatan masyarakat khususnya ibu dan anak. Tujuan penelitian ini adalah untuk mengetahui hubungan frekuensi *Antenatal Care*(ANC), pemberian KIE Laktasi, dan Pengetahuan Ibu dengan Pelaksanaan IMD dan ASI Eksklusif di Wilayah Kerja Puskesmas Andalas Kota Padang

**Metode**

Penelitian ini menggunakan desain penelitian *Cross Sectional*, pengumpulan data dilakukan pada bulan Juni sampai bulan Juli 2020. Jumlah sampel penelitian ini adalah sebanyak 97 subjek. Pengambilan sampel dilakukan dengan teknik *Proportional Random Sampling* dan *Simple Random Sampling*. Analisis data secara univariat dan bivariat menggunakan analisis *Chi-Square*( $p < 0,05$ ) dengan menggunakan software SPSS 17

**HASIL**

Hasil penelitian ini didapatkan bahwa terdapat hubungan yang bermakna antara frekuensi ANC dengan pelaksanaan IMD ( $p=0,002$ ), frekuensi ANC dengan pelaksanaan ASI Ekksklusif ( $p=0,004$ ), pemberian KIE Laktasi dengan pelaksanaan IMD ( $p=0,004$ ), Pemberian KIE laktasi dengan Pelaksanaan ASI Eksklusif ( $p=0,004$ ), pengetahuan ibu dengan pelaksanaan IMD ( $p=0,004$ ) dan pengetahuan ibu dengan pelaksanaan ASI Eksklusif ( $p=0,004$ )

**KESIMPULAN**

Terdapat hubungan yang bermakna antara frekuensi ANC, Pemberian KIE Laktasi, pengetahuan ibu dengan pelaksanaan IMD dan ASI Eksklusif.

**Daftar Pustaka** : 73 (2003-2022)

**Kata Kunci** : Frekuensi *Antenatal Care*, pemberian KIE laktasi, pengetahuan, IMD dan ASI Eksklusi