

## DAFTAR PUSTAKA

- Alpian, Prayitno, T. A., Sutapa, G. J., dan Budiadi. 2011. Kualitas Arang Kayu Gelam (*Melaleuca cajuputi*). *Jurnal Ilmu dan Teknologi Kayu Tropis*, 9(2):141–152.
- Antal, M.J. and Gruñli, M. 2003. The art, science, and technology of charcoal production. *Ind. Eng. Chem. Res.* 42, 1619-1640.
- Asai, H., Samson, B., Stephan, H., Songyikhangsuthor, K., Homma, K., Kiyono, Y., Inoue, Y., Shiraiwa, T., and Horie, T., 2009. Biochar Amendment Techniques for Upland Rice Production in Northern Laos: 1. Soil physical properties, leaf SPAD and grain yield. *F. Crop. Res.* 111, 81–84.
- Azargohar, R., Nanda, S., Kozinski, J., Dalai, A., and Sutarto, R. 2014. Effects of Temperature on The Physicochemical Characteristics of Fast Pyrolysis Bio-Chars Derived from Canadian Waste Biomass. *Fuel.* 125: 90-100.
- Balittanah (Balai Penelitian Tanah). 2012. *Petunjuk Teknis Analisis Kimia Tanah, Tanaman, Air, dan Pupuk*. Edisi 2. Bogor: Balai Penelitian Tanah.
- Blanco-Canqui, H. 2017. Biochar and Soil Physical Properties. *Soil Sci. Soc. Am. J.* 81:687–711.
- Cayuela, M.L., Van Zwieten, L., Singh, B.P., Jeffery, S., Roig, A., and Sánchez-Monedero, M.A. 2014. Biochar's Role in Mitigating Soil Nitrous Oxide Emissions: A review and meta-analysis. *Agric. Ecosyst. Environ.* 191, 5–16.
- Chen, C., Luo, J., Qin, W., and Tong, Z. 2014. Elemental Analysis, Chemical Composition, Cellulose Crystallinity, and FT-IR Spectra of *Toona sinensis* wood. *Monatsh Chem* 145:175–185.
- Darmawan, S., Syafii, W., Wistara, N. J., Maddu, A., dan Pari, G. 2015. Kajian Struktur Arang-pirolisis, Arang-hidro dan Karbon Aktif dari Kayu *Acacia mangium Willd.* Menggunakan Difraksi Sinar-X. *Jurnal Penelitian Hasil Hutan* 33(2): 81–92.
- Darwis, A., Wahyudi, I. dan Damayanti, R. 2012. Struktur Anatomi Kayu Surian (*Toona sinensis Roem*). *J. Ilmu dan Teknologi Kayu Tropis* 10(2): 159-167.
- Das, S. K., Ghosh, G.K., Avasthe, R.K., and Sinha, K. 2021. Compositional Heterogeneity of Different Biochar: Effect of Pyrolysis Temperature and Feedstocks. *Journal of Environmental Management* 278 (P2): 111501.
- Devens, K. U., Neto, S.P., Oliveira, D.L.D.A., and Gonçalves, M.S. 2018. "Characterization of Biochar from Green Coconut Shell and Orange Peel Wastes." *Revista Virtual de Química* 10 (2): 288–94.
- Duarte, S. de J., Glaser, B., and Cerri, C. E. P. 2019. Effect of Biochar Particle Size on Physical, Hydrological and Chemical Properties of Loamy and Sandy Tropical Soils. *Agronomy*, 9(4), p.165.

- Fidel, R. B., Laird, D.A., and Parkin, T.B. 2017. Impact of Biochar Organic and Inorganic Carbon on Soil CO<sub>2</sub> and N<sub>2</sub>O Emissions . *Journal of Environmental Quality* 46 (3): 505–13.
- Fidel, R.B., Laird, D., and Thompson, A.M.L. 2013. Evaluation of Modified Boehm Titration Methods for Use with Biochars. *J. Environ. Qual.* 42, 1771–1778.
- Fuertes AB, Camps-Arbestain M, Sevilla M, Maciá-Agulló JA, Fiol S, López R, Smernik RJ, Aitkenhead WP, Arce F, and Macías F. 2010. Chemical and Structural Properties of Carbonaceous Products Obtained by Pyrolysis and Hydrothermal Carbonisation of Corn Stover. *Soil Research* 48, 618–626.
- Ghani, W., Mohd, A., da Silva, G., Bachmann, R., Taufiq-Yap, Y., Rashid, U., and Al-Muhtaseb, A. 2013. Biochar Production from Waste Rubber-Wood Sawdust and Its Potential Use in C Sequestration: Chemical and Physical Characterization. *Ind. Crop Prod* 44: 18-24.
- Głab, T., Palmowska, J., Zaleski, T., and Gondek, K. 2016. Effect of Biochar Application on Soil Hydrological Properties and Physical Quality of Sandy Soil. *Geoderma* 281: 11–20.
- Glaser, B., Lehmann, J., and Zech, W., 2002. Ameliorating Physical and Chemical Properties of Highly Weathered Soils in The Tropics with Charcoal – A Review. *Biol. Fert. Soils* 35, 219–230.
- Global Biodiversity Information Facility. 2019. GBIF Backbone Taxonomy: *Toona sureni Merr.* Diakses pada tanggal 31 Januari 2021 melalui <https://www.gbif.org/species/7271494>
- Guo, M., Shen, Y., and He, Z. 2012. Poultry Litter-based Biochar: Preparation, Characterization, and Utilization. In: He, Z., editor. *Applied Research of Animal Manure: Challenges and Opportunities Beyond the Adverse Environmental Concerns*. New York, NY: Nova Science. p. 169-202.
- Hamidah, S., Burhanudin, V. dan Istikowati, W.T. 2009. Kajian Sifat-Sifat Dasar Kayu Manis sebagai Pertimbangan Pemanfaatan Limbah Pemanenan Kulit Kayu Manis (*Cinnamomum burmanii*, Blume). *Jurnal Hutan Tropis Borneo* 10(26): 210-223.
- Hastuti, N., Efiyanti, L., Pari, G., Saepuloh, S., dan Setiawan, D. 2017. Komponen Kimia dan Potensi Penggunaan Lima Jenis Kayu Kurang Dikenal Asal Jawa Barat. *Jurnal Penelitian Hasil Hutan*, 35(1): 15–27.
- Herath, H.M.S.K., Camps-Arbestain, M., and Hedley, M. 2013. Effect of Biochar on Soil Physical Properties in Two Contrasting Soils: An Alfisol and An Andisol. *Geoderma* 209–210: 188–197.
- Houben, D., Evrard, L., and Sonnet, P. 2013. Mobility, Bioavailability and pH-dependent Leaching of Cadmium, Zinc and Lead in A Contaminated Soil Amended with Biochar. *Chemosphere*, 92, 1450–1457.

- Hudaya, N dan Hartoyo. 1988. Hasil Destilasi Kering Kayu dan Nilai Kalor dari Beberapa Jenis Kayu Hutan Tanaman Industri. *Jurnal Penelitian Hasil Hutan* 5(6): 348-352.
- Ibrahim, S., Aslam, M., and Mustafa, M.M. 2019. Trace Elemental Fingerprinting of Selected Herbs Used in Ayurveda using XRF and ICPMS. *Journal of Pharmacognosy and Phytochemistry* 8(3): 3429-3433.
- Idris, H., and Mayura, E. 2019. *Teknologi Budidaya dan Pasca Panen Kayu Manis (Cinnamomum burmanii)*. Bogor: Balai Penelitian Tanaman Rempah dan Obat.
- Idris, M.M., Rachman, O., Pasaribu, R.A., Roliadi, H., Hadjib, N., Muslich, M., Jasni, Rulliaty, S., dan Siagian, R.M. 2008. *Petunjuk Praktis Sifat-Sifat Dasar Jenis Kayu Indonesia*. Jakarta: ISWA.
- Imelda, D., Khanza, A. dan Wulandari D. 2019. Pengaruh Ukuran Partikel dan Suhu Terhadap Penyerapan Logam Tembaga (Cu) dengan Arang Aktif dari Kulit Pisang Kepok (*Musa Paradisiaca Formaticypica*). *Jurnal Teknologi* 6(2): 107-118.
- Ippolito, J. A., Spokas, K. A., Novak, J. M., Lentz, R. D., and Cantrell, K. B. 2015. Biochar Elemental Composition and Factors Influencing Nutrient Retention. *Biochar for environmental management: Science, technology and implementation*, 139-163.
- Ippolito, James A., Spokas K.A., Novak, J.M., Lentz, R.D., and Cantrell, K.B. 2019. Biochar Elemental Composition and Factors Influencing Nutrient Retention. *Biochar for Environmental Management*, 171-96.
- Iskandar, T., dan Rofiatin, U. 2017. Karakteristik Biochar Berdasarkan Jenis Biomassa dan Parameter Proses Pyrolysis. *Jurnal Teknik Kimia*, 12(1): 28-34.
- Jayasanka, D.J., Jayasinghe, G.Y., and Maheepala, S.A.D.S.S. 2020. Cinnamon Wood Biochar Characteristics and Application Rates Influence on Crop Growth and Properties of Problematic Soil in Southern Sri Lanka. *International Journal of Innovative Technology and Exploring Engineering (IJITEE)* 9(3S): 30-33.
- Jindo, K., Mizumoto, H., Sawada, Y., Sanchez-Monedero, M., and Sonoki, T. 2014. Physical and Chemical Characterization of Biochars Derived from Different Agricultural Residues. *Biogeosciences*, 11 (23): 6613-662,
- Jouiad, M., Al-Nofeli, N., Khalifa, N., Benyettou, F. and Yousef, L. 2015. Characteristics of Slow Pyrolysis Biochars Produced from Rhodes Grass and Fronds of Edible Date Palm. *J. Anal. Appl. Pyrol* 111: 183-190.
- Karim, A.A., Kumar, M., Mohapatra, S., and Singh, S.K. 2019. Nutrient Rich Biomass and Effluent Sludge Wastes Co-Utilization for Production of Biochar Fertilizer through Different Thermal Treatments. *Journal of Cleaner Production* 228: 570-79.

- Kim, K., Kim, J. Cho, T., and Choi, J. 2012. Influence of Pyrolysis Temperature on Physicochemical Properties of Biochar Obtained from The Fast Pyrolysis of Pitch Pine (*Pinus rigida*). *Bioresource Technol* 118: 158-162.
- Komarayati dan Cusmailina. 1994. Pembuatan Arang dan Briket Arang dari Kayu Manis (*Cinnamomum burmanii* Ness ex. BL) dan Kayu Sukun (*Artocarpus altilis* Parkinson). *Jurnal Penelitian Hasil Hutan* 12(6): 225-228.
- Li, X., Shen, Q., Zhang, D., Mei, X., Ran, W., Xu, Y., and Yu, G. 2013. Functional Groups Determine Biochar Properties (pH and EC) as Studied by Two-dimensional <sup>13</sup>C NMR Correlation Spectroscopy”, *PLoS ONE* 8(6): e65949.
- Liescahyani, I., Djatmiko, H. dan Sulistyarningsih, N. 2015. Pengaruh Kombinasi Bahan Baku dan Ukuran Partikel Biochar terhadap Perubahan Sifat Fisika Tanah Pasiran. *Berkala Ilmiah Pertanian*, 1(1): 1-6.
- Lita, A.L. 2021. Karakteriasi Biochar Limbah Kelapa Muda (*Cocos nucifera* L.) dan Bambu (*Bambuseae*) Berdasarkan Ukuran Partikel sebagai Amelioran Tanah. *Skripsi*. Padang: Universitas Andalas.
- Mandre, M. 2006. Influence of Wood Ash on Soil Chemical Composition and Biochemical Parameters of Young Scotspine. *Proceedings of the Estonian Academy of Sciences: Biology, Ecology*, 55(2):91–107.
- National Plant Database. 2005. Classification for Kingdom Plantae Down to Species *Cinnamomum burmannii* (Nees & Th. Nees) Nees ex Blume. Diakses pada tanggal 31 Januari 2021 melalui <https://plants.usda.gov/java/ClassificationServlet?source=profile&symbol=CIBU2&display=31>
- Oguntunde, P. G., Fosu, M., Ajayi, A. E., and van de Giesen, N. 2004. Effects of Charcoal Production on Maize Yield, Chemical Properties and Texture. *Biol. Fertil. Soils* 39(4): 295–299.
- Pandit, I. Ketut N., Nandika, D., dan Darmawan, I. W.. 2011. Analisis Sifat Dasar Kayu Hasil Hutan Tanaman Rakyat (*Analysis of Wood Character of Social Plantation Forests*). *Jurnal Ilmu Pertanian Indonesia* 16(2): 119-124.
- Papari, S., and Hawboldt, K. 2015. A Review on The Pyrolysis of Woody Biomass to Bio-oil: Focus on Kinetic Models. *Renewable and Sustainable Energy Reviews*, 52:1580–1595.
- Pari, G. 2004. Kajian Struktur Arang Aktif dari Serbuk Gergaji Kayu sebagai Adsorben Emisi Formaldehida Kayu Lapis. *Disertasi Pascasarjana*, IPB. Bogor. Tidak diterbitkan.
- Pari, G., Roliadi, H., Setiawan, D. dan Saepuloh. 2006. Komponen Kimia Sepuluh Jenis Kayu Tanaman dari Jawa Barat. *Jurnal Penelitian Hasil Hutan* 24(2): 89-101.
- Pasaribu, G., Sipayung, B., dan Pari, G. 2007. Analisis Komponen Kimia Empat Jenis Kayu. *Jurnal Penelitian Hasil Hutan*, 25(4): 327–333.

- Pastor-Villegas, J., Pastor-Valle, J. F., Rodríguez, J. M. M., and García, M. G. 2006. Study of Commercial Wood Charcoals for The Preparation of Carbon Adsorbents. *Journal of Analytical and Applied Pyrolysis* 76(1–2) :103–108.
- Peake, L., Reid, B., and Tang, X., 2014. Quantifying The Influence of Biochar on The Physical and Hydrological Properties of Dissimilar Soils. *Geoderma* 235, 182–190.
- Pereira, B. L. C., Carneiro, A. D. C. O., Carvalho, A. M. M. L., Colodette, J. L., Oliveira, A. C., and Fontes, M. P. F. 2013. Influence of Chemical Composition of Eucalyptus Wood on Gravimetric Yield and Charcoal Properties. *BioResources*, 8(3):4574–4592.
- Poletto, M., Zattera, A. J., Forte, M. M. C., and Santana, R.M.C. 2012. Thermal Decomposition of Wood: Influence of Wood Components and Cellulose Crystallite Size. *Bioresource Technology*, 109:148–153.
- Rehrah, D., M. R. Reddy, J. M. Novak, R. R. Bansode, K. A. Schimmel, J. Yu, D. W. Watts, and M. Ahmedna. 2014. “Production and Characterization of Biochars from Agricultural By-Products for Use in Soil Quality Enhancement.” *Journal of Analytical and Applied Pyrolysis* 108: 301–9.
- Ronsse F., Hecke, S.V., Dickinson, D., and Prins, W. 2013. Production and Characterization of Slow Pyrolysis Biochar: Influence of Feedstock Type and Pyrolysis Conditions. *GCB Bioenergy* 5, 104–115.
- Rowell, R.M., 2005. *Handbook of Wood Chemistry and Wood Composites*. United States of America: CRC PRESS.
- Sangani, M. F., Abrishamkesha, S., and Owens, G. 2020. Physicochemical Characteristics of Biochars Can Be Beneficially Manipulated Using Post-Pyrolyzed Particle Size Modification. *Bioresource Technology* 306 123157 <https://doi.org/10.1016/j.biortech.2020.123157>
- Saueprasearsit, P., Nuanjaren, M, and Chinlapa, M. 2010. Biosorption of Lead (Pb<sup>2+</sup>) by Luffa Cylindrical Fibre. *Environmental Research Journal*, 4(1): 157-166,
- Schröder, E., Thomauske, K., Weber, C., Hornung, A., and Tumiatti, V. 2007. Experiments on The Generation of Activated Carbon from Biomass. *Journal of Analytical and Applied Pyrolysis*, 79(1-2), 106-111.
- Shenbagavalli, S. and Mahimairaja, S. 2012. Production and Characterization of Biochar from Different Biological Wastes. *International Journal of Plant, Animal, and Environmental Sciences* 2 (1): 197 – 201.
- Shetty, R. and Prakash, N. B. 2020. Effect of Different Biochars on Acid Soil and Growth Parameters of Rice Plants Under Aluminium Toxicity. *Scientific Reports* 10:12249, <https://doi.org/10.1038/s41598-020-69262-x>
- Sik, Y., Uchimiya, S., Chang, S. and Bolan, N. 2016. *Biochar: Production, Characterization and Applications*. London: CRC Press.

- Singh, B., Camps-Arbestain, M., and Lehmann, J. 2017. *Biochar: A Guide to Analytical Methods*. Australia: CSIRO Publishing.
- Speight, J. G. 1994. *The Chemistry and Technology of Coal: 2nd Edition*. New York: Macel Dekker Inc.
- Stackpole, D. J., Vaillancourt, R. E., Alves, A., Rodrigues, J., and Potts, B. M. 2011. Genetic Variation in The Chemical Components of *Eucalyptus globulus* Wood. *G3: Genes, Genomes, Genetics*, 1(2):151–159.
- Suárez-Hernández, L., Ardila-A., A. N., and Barrera-Zapata, R. 2017. Morphological and Physicochemical Characterization of Biochar Produced by Gasification of Selected Forestry Species. *Revista Facultad de Ingeniería (Rev. Fac. Ing.)* 26 (46):123-130.
- Sujarwo, W. 2009. The Making of Activated Charcoal from Waste of Suren Wood (*Toona sureni Merr*) as Purifier of Well Water. *Prosiding Seminar Nasional Pengembangan Teknologi Berbasis Bahan Baku Lokal*. UPT BPPPTK Yogyakarta LIPI. 533-541.
- Ueno M., Kawamitsu Y., Komiya Y., and Liya S. 2008. Carbonisation and Gasification of Bagasse for Effective Utilisation of Sugarcane Biomass. *In Proceedings of the XXVI Congress of the International Society of Sugar Cane Technologists. ICC, Durban, 29 July–2 August 2007*. pp. 1194–1201. International Society of Sugar Cane Technologists, Quatre-Bornes, Mauritius.
- Usmana, A. S., Rianda, S., dan Novia. 2012. Pengaruh Volume Enzim dan Waktu Fermentasi Terhadap Kadar Etanol (Bahan Baku Tandan Kosong Kelapa Sawit dengan Pretreatment Alkali). *Jurnal Teknik Kimia Kimia*, 18(2): 17–25.
- Wang, T., Camps-Arbestain, M., Hedley, M., Singh, B.P., Calvelo Pereira R, and Wang, C. 2014. Determination of Carbonate-C in Biochars. *Soil Research* 52(5), 495–504. doi:10.1071/SR13177.
- Yao, Y., Bin, G., Ming, Z., Mandu, I., and Andrew, R. 2012. Effect of Biochar Amendment on Sorption and Leaching of Nitrate, Ammonium, and Phosphate in a Sandy Soil. *Chemosphere* 89, 1467–1471.
- Yargicoglu, E. N., Sadasivam, B.Y., Reddy, K.R., and Spokas, K. 2015. Physical and Chemical Characterization of Waste Wood Derived Biochars. *Waste Management* 36: 256–268.
- Yeo J.Y., Chin B.L.F., Tan J.K., and Loh Y.S. 2017. Comparative Studies on The Pyrolysis of Cellulose, Hemicellulose, and Lignin Based on Combined Kinetics. *Journal of the Energy Institute* 92:27–37.
- Yuan J.H., and Xu R.K. 2012. Effects of Biochars Generated from Crop Residues on Chemical Properties of Acid Soils from Tropical and Subtropical China. *Soil Research* 50(7), 570–578. doi:10.1071/SR12118

- Yuan J.H., Xu R.K., and Zhang H. 2011. The Forms of Alkalis in The Biochar Produced from Crop Residues at Different Temperatures. *Bioresource Technology* 102(3), 3488– 3497.
- Yunanta, R. R. K., Lukmandaru, G., dan Fernandes, A. 2014. Sifat Kimia dari Kayu *Shorea retusa*, *Shorea macroptera*, dan *Shorea macrophylla*. *Jurnal Penelitian Dipterokarpa*, 8(1):15–24.
- Zhang, J., Chen, Q., and You, C. 2016. Biochar Effect on Water Evaporation and Hydraulic Conductivity in Sandy Soil. *Pedosphere* 26: 265–272.

