

DAFTAR PUSTAKA

1. Kementerian Kesehatan RI. Buletin Kanker. Jakarta: Kementerian Kesehatan Republik Indonesia; 2015.
2. Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, Bray F. Global Cancer Statistics 2020 : GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. 2021;71(3):209–49.
3. Nurwijaya H. Kanker Serviks. Jakarta: Elex Media Komputindo; 2010.
4. Azhari A. Aktivitas Sitotoksik Senyawa Metabolit Sekunder Kapang Endofit *Evodia suaveolens* dengan Metode BS LT (Brine Shrimp Lethality Test). 2014;Vol 3 No 2.
5. Hasiani VV, Islamudin A, Laode R. Isolasi Jamur Endofit dan Produksi Metabolit Sekunder Antioksidan dari Daun Pacar (*Lawsonia inermis* L.). Jurnal Sains dan Kesehatan. 2015;1(4).
6. Kuncoro H, Sugijanto EN. Mini Review Jamur Endofit, Biodiversitas, Potensi, dan Prospek Penggunaannya Sebagai Sumber Bahan Obat Baru. 2016;1 No. 3(January 2011):247–62.
7. Meng LH, Li XM, Liu Y, Xu GM, Wang BG. Antimicrobial alkaloids produced by the mangrove endophyte *Penicillium brocae* MA-231 using the OSMAC approach. RSC Advances. 2017;7(87):55026–33.
8. Nofiani R. Urgensi dan Mekanisme Biosintesis Metabolit Sekunder Mikroba Laut. Jurnal Natur Indonesia. 2012;10(2):120.
9. Bode HB, Bethe B, Höfs R, Zeeck A. Big effects from small changes: Possible ways to explore nature's chemical diversity. ChemBioChem. 2002;3(7):619–27.
10. Si Y, Tang M, Lin S, Chen G, Feng Q, Wang Y, Hua H, Bai J, Wang H, Pei Y. Cytotoxic cytochalasans from *Aspergillus flavipes* PJ03-11 by OSMAC method. Tetrahedron Letters. 2018;59(18):1767–71.
11. Özkaya FC, Ebrahim W, El-Neketi M, Tansel Tanrikul T, Kalscheuer R, Müller WEG, Guo Z, Zou K, Liu Z, Proksch P. Induction of new metabolites from sponge-associated fungus *Aspergillus carneus* by OSMAC approach. Fitoterapia. 2018;131(August):9–14.
12. Ariantari NP, Daletos G, Mádi A, Kurtán T, Müller WEG, Lin W, Ancheeva E, Proksch P. Expanding the chemical diversity of an endophytic fungus: *Bulgaria inquinans*, an ascomycete associated with mistletoe, through an OSMAC approach. RSC Advances. 2019;9(43):25119–32.
13. Gao Y, Stuhldreier F, Schmitt L, Wesselborg S, Guo Z, Zou K, Mádi A, Kurtán T, Liu Z, Proksch P. Induction of New Lactam Derivatives From the Endophytic Fungus *Aplosporella javeedii* Through an OSMAC Approach. Frontiers in Microbiology. 2020;11(November):1–13.
14. Amriani M. Skrining Aktivitas Antimikroba Ekstrak Etil Asetat Jamur Endofit dari Tumbuhan Bakau Nipah (*Nypa fruticans* Wurm). Skripsi Stifarm Padang; 2021.
15. Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. Nature Protocols. 2010;5(3):479–90.
16. Sandrawati N, Pariatno R, Suharti N, Handayani D. In vitro cytotoxic activity

- assay of bacteria extract derived marine sponge *Haliclona fascigera* toward Hela, WiDr, T47D, and Vero cell line. Journal of Applied Pharmaceutical Science. 2019;9(8):66–70.
17. Tan RX, Zou WX. Endophytes: A rich source of functional metabolites. Natural Product Reports. 2001;18(4):448–59.
 18. White JF. An Overview of Endophytic Microbes: Endophytism Defined. Microbial Endophytes. 2020;(January 2000):17–44.
 19. Ariyono RQ, Djauhari S, Sulistyowati L. Keanekaragaman Jamur Endofit Akar Kangkung Darat (*Ipomoea reptans* Poir.) Pada Lahan Pertanian Organik Dan Konvensional. Jurnal Hama dan Penyakit Tanaman. 2014;2(1):1–10.
 20. Handayani D, Pratiwi EMI, Fajrina A. Isolasi Senyawa Antimikroba dari Jamur Endofit *Trichoderma koningiopsis* SaKB1 yang Diisolasi dari Tanaman Mangrove Sonneratia alba Sm. Jurnal Sains Farmasi & Klinis. 2019;6(2):78.
 21. Rivai H, Handayani D, Tifani R, Eriadi A, Rasyid R. Antimicrobial and cytotoxic activities of endophytic fungi isolated from mangrove plant *Sonneratia alba* Sm. Journal of Applied Pharmaceutical Science. 2018;8(2):049–53.
 22. Rodriguez RJ, White JF, Arnold AE, Redman RS. Fungal endophytes: Diversity and functional roles: Tansley review. New Phytologist. 2009;182(2):314–30.
 23. Sudantha IM, Abadi L, Hama PS, Pertanian F, Mataram U, Hama J, Pertanian F, Brawijaya U. Identifikasi jamur endofit dan mekanisme antagonismenya terhadap jamur. Agroteksos. 2007;17(April 2007):23–38.
 24. Kita. Fungal Databases, Nomenclature & Species Banks: *Aspergillus tamarii*. 1913. 433 p.
 25. Homa M, Manikandan P, Szekeres A, Kiss N, Kocsb   S, Kredics L, Alshehri B, Dukhyil AA Bin, Revathi R, Narendran V, V  gvolgyi C, Shobana CS, Papp T. Characterization of *Aspergillus tamarii* Strains From Human Keratomycoses: Molecular Identification, Antifungal Susceptibility Patterns and Cyclopiazonic Acid Producing Abilities. Frontiers in Microbiology. 2019;10(October):1–11.
 26. Blackburn CDW. Food spoilage microorganisms. Food spoilage microorganisms. 2006. 472–473 p.
 27. Bhatnagar D, Ehrlich KC, Moore GG, Payne GA. Aspergillus: *Aspergillus flavus*. Encyclopedia of Food Microbiology: Second Edition. Second Edi. 2014;1:83–91.
 28. Nagmani A, Kumar I., Manoharachary C. Handbook of Soil Fungi. New Delhi and Bangalore; 2006.
 29. Raper K., Fennell, D I. The Genus Aspergillus. Baltimore: The Williams and Wilkins Company; 1965.
 30. Horn BW, Greene RL. Vegetative compatibility within populations of *Aspergillus flavus*, *A. parasiticus*, and *A. tamarii* from a peanut field. Mycologia. 1995;87(3):324–32.
 31. Goto T, Wicklow DT, Ito Y. Aflatoxin and cyclopiazonic acid production by a sclerotium-producing *Aspergillus tamarii* strain. Applied and Environmental Microbiology. 1996;62(11):4036–8.

32. Saravanan A, Jayasree R, Kumar PS, Varjani S, Hemavathy R V., Jeevanantham S, Yaashikaa PR. Production of pigment using *Aspergillus tamarii*: New potentials for synthesizing natural metabolites. Environmental Technology and Innovation. 2020;19:100967.
33. El-Metwally MM, ElBealy ER, Beltagy DM, Shaaban M, El-Kott AF. Suppressive efficiency of Kojic acid from *Aspergillus tamarii* MM11 against HepG-2 cell line derived from human. Tropical Journal of Pharmaceutical Research. 2020;19(8):1661–8.
34. Janardhanan KK, Sattar A, Husain A. Production of fumigaclavine A by *Aspergillus tamarii* Kita. Canadian Journal of Microbiology. 1984;30(2):247–50.
35. Abcam. Product Datasheet Fumigaclavine A , Antibacterial Agent ab144257. :1–2.
36. Uka V, Moore GG, Arroyo-Manzanares N, Nebija D, De Saeger S, Di Mavungu JD. Unravelling the diversity of the cyclopiazonic acid family of mycotoxins in *aspergillus flavus* by UHPLC triple-TOF HRMS. Toxins. 2017;9(1):1–21.
37. Tokuoka M, Kikuchi T, Shinohara Y, Koyama A, Iio SI, Kubota T, Kobayashi J, Koyama Y, Totsuka A, Shindo H, Sato K. Cyclopiazonic acid biosynthesis gene cluster gene cpaM is required for speradine A biosynthesis. Bioscience, Biotechnology and Biochemistry. 2015;79(12):2081–5.
38. Tsuda M, Mugishima T, Komatsu K, Sone T, Tanaka M, Mikami Y, Shiro M, Hirai M, Ohizumi Y, Kobayashi J. Speradine A, a new pentacyclic oxindole alkaloid from a marine-derived fungus *Aspergillus tamarii*. Tetrahedron. 2003;59(18):3227–30.
39. Teleky BE, Vodnar DC. Biomass-derived production of itaconic acid as a building block in specialty polymers. Polymers. 2019;11(6).
40. Zhang HC, Ma YM, Liu R, Zhou F. Endophytic fungus *Aspergillus tamarii* from *Ficus carica* L., a new source of indolyl diketopiperazines. Biochemical Systematics and Ecology. 2012;45:31–3.
41. Li X, Zhang Q, Zhang A, Gao J. Metabolites from Aspergillus an endophytic fungus associated with Melia azedarach , and Their Antifungal , Antifeedant and Toxic Activities . Corresponding author : Prof. Dr . Jin-Ming Gao . Tel .: + 86-29-87092335. Journal of Agricultural and Food Chemistry. 2012;60(13):3424–31.
42. Jia B, Ma YM, Liu B, Chen P, Hu Y, Zhang R. Synthesis, Antimicrobial Activity, Structure-Activity Relationship, and Molecular Docking Studies of Indole Diketopiperazine Alkaloids. Frontiers in Chemistry. 2019;7(November):1–13.
43. Couty F, Evano G. Bicyclic 5-6 systems with one bridgehead (ring junction) nitrogen atom: One extra heteroatom 1:0. Comprehensive Heterocyclic Chemistry III. 2008;11:409–99.
44. Varga J, Frisvad JC, Samson RA. Two new aflatoxin producing species, and an overview of *Aspergillus* section Flavi. Studies in Mycology. 2011;69:57–80.
45. Nevalainen H, Kautto L, Te’O J. Methods for isolation and cultivation of filamentous fungi. Methods in Molecular Biology. 2014;1096:3–16.
46. Rendowaty A, Djamaan A, Handayani D. Waktu Kultivasi Optimal dan

- Aktivitas Antibakteri dari Ekstrak Etil Asetat Jamur Simbion *Aspergillus unguis* (WR8) dengan Haliclona fascigera. Jurnal Sains Farmasi & Klinis. 2017;4(1):49.
- 47. Romano S, Jackson SA, Patry S, Dobson AD. Extending the “ One Strain Many Compounds ” (OSMAC) Principle to Marine Microorganisms. 2018;16(7):1–29.
 - 48. Rutledge PJ, Challis GL. Discovery of microbial natural products by activation of silent biosynthetic gene clusters. Nature Reviews Microbiology. 2015;13(8):509–23.
 - 49. Bertrand S, Bohni N, Schnee S, Schumpp O, Gindro K, Wolfender JL. Metabolite induction via microorganism co-culture: A potential way to enhance chemical diversity for drug discovery. Biotechnology Advances. 2014;32(6):1180–204.
 - 50. Stanbury PF, Whitaker A, Hall SJ. Principles of Fermentation Technology: Second Edition. Elsevier Science Ltd; 2016.
 - 51. Dos Santos Dias AC, Couzinet-Mossion A, Ruiz N, Bellec M Le, Gentil E, Wielgosz-Collin G, Bertrand S. Sugar Induced Modification in Glycolipid Production in *Acremonium* sp. Revealed by LC-MS Lipidomic Approach. Current Biotechnology. 2017;6(3).
 - 52. Preetha R, Jayaprakash NS, Philip R, Bright Singh IS. Optimization of carbon and nitrogen sources and growth factors for the production of an aquaculture probiotic (*Pseudomonas* MCCB 103) using response surface methodology. Journal of Applied Microbiology. 2007;102(4):1043–51.
 - 53. Pan R, Bai X, Chen J, Zhang H, Wang H. Exploring structural diversity of microbe secondary metabolites using OSMAC strategy: A literature review. Frontiers in Microbiology. 2019;10(FEB):1–20.
 - 54. Nigam VK, Verma R, Kumar A, Kundu S, Ghosh P. Influence of medium constituents on the biosynthesis of cephalosporin-C. Electronic Journal of Biotechnology. 2007;10(2):230–9.
 - 55. Bouras N, Mathieu F, Sabaou N, Lebrihi A. Effect of amino acids containing sulfur on dithioliopyrrolone antibiotic productions by *Saccharothrix algeriensis* NRRL B-24137. Journal of Applied Microbiology. 2006;100(2):390–7.
 - 56. Guo W, Zhang Z, Zhu T, Gu Q, Li D. Penicyclones A-E, Antibacterial Polyketides from the Deep-Sea-Derived Fungus *Penicillium* sp. F23-2. Journal of Natural Products. 2015;78(11):2699–703.
 - 57. Liu DS, Rong XG, Kang HH, Ma LY, Hamann MT, Liu WZ. Raistrickiones a–e from a highly productive strain of *penicillium raistrickii* generated through thermo change. Marine Drugs. 2018;16(6).
 - 58. Burja AM, Abou-Mansour E, Banaigs B, Payri C, Burgess JG, Wright PC. Culture of the marine cyanobacterium, *Lyngbya majuscula* (Oscillatoriaceae), for bioprocess intensified production of cyclic and linear lipopeptides. Journal of Microbiological Methods. 2002;48(2–3):207–19.
 - 59. Sarkar S, Roy D, Mukherjee J. Production of a potentially novel antimicrobial compound by a biofilm-forming marine *Streptomyces* sp. in a niche-mimic rotating disk bioreactor. Bioprocess and Biosystems Engineering. 2010;33(2):207–17.
 - 60. Overy D, Correa H, Roullier C, Chi WC, Pang KL, Rateb M, Ebel R, Shang

- Z, Capon R, Bills G, Kerr R. Does osmotic stress affect natural product expression in fungi? *Marine Drugs*. 2017;15(8).
61. Leba MAU. *Ekstraksi dan Real Kromatografi*. Cetakan Pe. Yogyakarta: CV Budi Utama; 2017.
62. Handa S. *An Overview of Extraction Techniques for Medicinal and Aromatic Plants*. 2008.
63. Endarini LH. *Farmakognosi dan Fitokimia*. Jakarta: Pusdik SDM Kesehatan; 2016.
64. Zhang QW, Lin LG, Ye WC. Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*. 2018;13(1):1–26.
65. Departeman, Kesehatan RI. *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Cetakan Pertama. Jakarta: Dikjen POM, Direktorat Pengawasan Obat Tradisional; 2000.
66. Mukhriani. *Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif*. *Jurnal of Pharmacy*. 2014;VII(2):361.
67. Parasuraman S, Rao A, Balamurugan S, Muralidharan S, Jayaraj Kumar K, Vijayan V. An Overview of Liquid Chromatography-Mass Spectroscopy Instrumentation. *Pharmaceutical Methods*. 2014;5(2):47–55.
68. Rollando. *Senyawa Antibakteri dari Fungi Endofit*. Malang: CV. Seribu Bintang; 2019.
69. Gandjar IG, Rohman A. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar; 2007.
70. Pratima NA, Gadikar R. Liquid Chromatography-Mass Spectrometry and Its Applications: A Brief Review. *Archives of Organic and Inorganic Chemical Sciences*. 2018;1(1):26–34.
71. Mukherjee PK. LC-MS: A Rapid Technique for Understanding the Plant Metabolite Analysis. *Quality Control and Evaluation of Herbal Drugs*. 2019;459–79.
72. Julianti WP, Ikrawan Y, Iwansyah AC. Pengaruh Jenis Pelarut terhadap Kandungan Total Fenolik, Aktivitas Antioksidan dan Toksisitas Ekstrak Buah Ciplukan (*Physalis angulata* L.). 2019;50:70–9.
73. Ahmad A. Managing Cytotoxic Drugs. *Malaysian Journal Of Pharmacy*. 2002;1(3):63–8.
74. Meyer BN, Ferrigni NR, Putnam JE, Jacobsen LB, Nichols DE, McLaughlin JL. Brine shrimp: A convenient general bioassay for active plant constituents. *Planta Medica*. 1982;45(1):31–4.
75. Dumitrascu M. *Artemia salina*. *Balneo Research Journal*. 2011;2(4):119–22.
76. Mayer AMS, Gustafson KR. Marine pharmacology in 2005-2006: Antitumour and cytotoxic compounds. *European Journal of Cancer*. 2008;44(16):2357–87.
77. Bahuguna A, Khan I, Bajpai VK, Kang SC. MTT assay to evaluate the cytotoxic potential of a drug. *Bangladesh Journal of Pharmacology*. 2017;12(2):115–8.
78. Departemen K. *Farmakope Indonesia (Edisi IV)*. Jakarta: BPOM; 1995.
79. Mc Laughlin JL. Crown Gall Tumors on Potato Disc and Brine Shrimp Lethality: Two Sample Bioassay for Hinger plants Screening Sponge Fractionation. Method in Plant Biochemistry. 1991;6:1–32.

80. Pratiwi S. Mikrobiologi Farmasi. Jakarta: Erlangga; 2008.
81. Jain A, Jain R, Jain S. Basic Techniques in Biochemistry, Microbiology and Molecular Biology. Vol. 1. New York: Springer US; 2020.
82. Ristiari NPN, Julyasih KSM., Suryanti IAP. Isolasi dan identifikasi jamur mikroskopis pada rizosfer tanaman jeruk siam (*Citrus nobilis* Lour.) di Kecamatan Kintamani, Bali. Jurnal Pendidikan Biologi Undiksha. 2018;6(1):10–9.
83. Nurulita Y, Yuhamen, Nenci N, Mellani AO, Nugroho TT. Metabolit Sekunder Sekresi Jamur *Penicillium* spp. Isolat Tanah Gambut Riau sebagai Antijamur *Candida albicans*. Chimica et Natura Acta. 2020;5(3):124–31.
84. Susilowati E, Rahmadani A, Meylina L, Kuncoro H. Uji Fitokimia Ekstrak Kulit Buah Salak (*Salacca zalacca*) dan Pengaruh Ekstrak terhadap Pertumbuhan Bakteri *Streptococcus mutans* dan Jamur *Candida albicans*. Mulawarman Pharmaceutical Conference. 2018;1–23.
85. Watson DG. Analisis Farmasi: Buku Ajar untuk Mahasiswa Farmasi dan Praktisi Kimia Farmasi. 2nd ed. Jakarta: EGC; 2007.
86. Keskes H, Belhadj S, Jlail L, El Feki A, Damak M, Sayadi S, Allouche N. LC-MS-MS and GC-MS analyses of biologically active extracts and fractions from tunisian juniperus phoenice leaves. Pharmaceutical Biology. 2017;55(1):88–95.
87. Hanafi H, Irawan C, Rochaeni H, Sulistiawaty L, Roziafanto AN, Supriyono. Phytochemical screening, LC-MS studies and antidiabetic potential of methanol extracts of seed shells of *Archidendron bubalinum* (Jack) I.C. Nielson (Julang Jaling) from Lampung, Indonesia. Pharmacognosy Journal. 2018;10(6):S77–82.
88. Oramahi HA. Identifikasi Jamur Genus *Aspergillus* Pada Gapek Di Kabupaten Gunung Kidul. 2006;12(1).
89. Hanani E. Analisis Fisikokimia. Jakarta: EGC; 2015.
90. Harmita, Radji M. Buku Ajar Analisis Hayati. Jakarta: EGC; 2008.
91. Geethaa S, Thavamany PJ, Chiew SP, Thong OM. Interference from ordinarily used solvents in the outcomes of *Artemia salina* lethality test. Journal of Advanced Pharmaceutical Technology and Research. 2013;4(4):179–82.
92. Maryati, Sutrisna EM. Potensi Sitotoksik Tanaman Ceplukan (*Physalis angulata* L) Terhadap Sel HeLa. Pharmacon. 2007;8(1).
93. Nielsen KF, Smedsgaard J. Fungal metabolite screening: Database of 474 mycotoxins and fungal metabolites for dereplication by standardised liquid chromatography-UV-mass spectrometry methodology. Journal of Chromatography A. 2003;1002(1–2).
94. DellaGreca M, Tommaso G De, Salvatore MM, Nicoletti R, Becchimanzi A, Iuliano M, Andolfi A. The Issue of Misidentification of Kojic Acid with Flufuran in *Aspergillus flavus*. Molecules. 2019;24(9).
95. Nielsen KF, Mogensen JM, Johansen M, Larsen TO, Frisvad JC. Review of secondary metabolites and mycotoxins from the *Aspergillus niger* group. Analytical and Bioanalytical Chemistry. 2009;395(5).