

## Daftar Pustaka

- Akyuz O, Ardahanli I, Aslan R. 2020. Relationship between chronic complications of type 2 diabetes mellitus and hypomagnesemia. *Journal of Elemntology*, 25(2); 565-579
- Alam S, Hasan K, Neaz S, Hussain N, Hossain F, Rahman T. 2021. Diabetes mellitus: insights from epidemiology, biochemistry, risk factorm diagnosis, complications and comprehensive management. *Diabetology*,2: 36-50
- Ang, L., Jaiswal, M., Martin, C., & Pop-Busui, R. 2014. Glucose Control and Diabetic Neuropathy: Lessons from Recent Large Clinical Trials. *Current Diabetes Reports*, 14(9), 528. <https://doi.org/10.1007/S11892-014-0528-7>
- Argoff CE, Cole EB, Fishbain DA, Irvinng GA. 2006. Diabetic peripheral neuropathic pain: clinical and quality of life issues. *Mayo Clin Pro*; 81
- Arpaci D, Tocoglu AG, Korkmaz S, Ucar A. Tamer A. 2015. Associations of serum magnesium levels with diabetes mellitus and diabetic complications. *Hippokratia*, 19(2): 153-157
- Baba M, Suzuki C, Ogawa Y. 2018. Severity grading of diabetic neuropathy in type-2 diabetes by nerve conduction study: five-year prospective study in occurrence of diabetic foot, macroangiopathic events, and eventual death. *Japanese journal of clinical neurophysiology*, 46(2): 71-77
- Bansal V, Kalita J, Misran UK. 2006. Diabetic neuropathy. *Postgrad Med J*, 82(964): 95-100
- Barbagallo M, Dominguez LJ. 2007. Magnesium metabolism in type 2 diabetes mellitus, metabolic syndrome and insulin resistance. *Archives of Biochemistry and Biophysics*, 458: 40-47
- Basuki M, Hamdan M, Fidiana, Fadil, Noormainiwati. 2020. Diagnostic test in distal diabetic sensorimotor polyneuropathy patients. *International Journal of Psychosocial Rehabilitation*, 24 (2): 4188-4197
- Belin RJ. 2007. Magnesium physiology and pathogenic mechanisms that contribute to the development of the metabolic syndrome. *Magnes Res*, 20: 107-129

- Bhardwaj A, Chaurasia P, Chaturvedi A. 2018. A study of magnesium supplementation on sensory nerve conduction velocity in patient of diabetic neuropathy. *Indian Journal of Clinical Anatomy and Physiology*, 5(3): 373-376
- Buxo JAD, Bonadio TLC. 2008. Choice of insulin administration route in diabetic peritoneal dialysis patients in *Handbook of Dialysis Therapy*, 4 ed. Elsevier, 1076-1085
- CDC. 2004. *Physical activity among asian and native hawaiaan or other pacific islanders-50 states and the District of Columbia, 2001-2003* .MMWR, 53: 756-760
- Chu C, Zhao W, Zhang Y, Li L, Lu J, Jiang L, *et al.* 2016. Low serum magnesium levels are associated with impaired peripheral nerve function in type 2 diabetic patients. *Scientific reports*, 6
- Cunha JM, Jolivat CG, Ramos KM, Gregory JA, Calcutt NA, *et al.* 2009. Elevated lipid peroxidation and DNA oxidation in nerve from diabetic rats: effects of aldose reductase inhibition, insulin and neurotrophic factors. *Metabolism*, 57 (7): 873-881
- Dasgupta A, Sarma D, Saikia UK. 2012. Hypomagnesemia in type 2 diabetes mellitus. *Indian Journal of Endocrinology and Metabolism*;16
- Duboz P, Chapuis-Lucciani N, Boetsch G, Gueye L. 2012. Prevalence of diabetes and associated risk factors in a Senegalese urban (Dakar) population. *Diabetes Metab*, 38: 332-6
- Dziemidok, P, Szcześniak, G, Kostrzewa-Zabłocka, E, Paprzycki P, Burakowska, A. K. 2012. Current glycaemic control has no impact on the advancement of diabetic neuropathy. *Annals of Agricultural and Environmental Medicine*, 19(4), 742–745. [www.aem.pl](http://www.aem.pl)
- Elshourbagy T. 2019. Pathogenesis of diabetic neuropathy and the treatment efforts for it. *Acta scientific neurology*: 85-87
- Eyth E, Naik R. 2021. Hemoglobin A1c. *Statpearls*. Treasure Island: StatPearls Publishing
- Fasil A, Biadgo B, Abebe M. 2019. Glycemic control and diabetes complications among diabetes mellitus patients attending at University of Gondar Hospital, Northwest Ethiopia. *Diabetic, Metabolic syndrome and obesity: targets and therapy*; 1275-83

Fekkel TM, Cakici N, Coert JH, Verhagen AP, Bramer WM, Neck JW. 2020. Risk factor for developing diabetic peripheral neuropathy: a meta-analysis. *SN Comprehensive Clinical Medicine*, 2: 1853-1864

Fitri A, Sjahrir H, Bachtiar A, Ichwan M, Fitri FI, Rambe AS. 2019. Predictive model of diabetic polyneuropathy severity based on vitamin D level. *Maced J Med Sci*

Freeman VS. 2014. Glucose and hemoglobin A1c. *Lab Medicine*, 45: e21-24

Fujita Y, Murakami T, Nakamura A. 2021. Recent advances in biomarker and regenerative medicine for diabetic neuropathy. *International Journal of Molecular Sciences*, 22: 2301

Geraldes P, King GL. 2010. Activation of protein kinase c isoform & its impact on diabetic complication. *Circ Res*;106(8)

Gill HK, Yadav SB, Ramesh V, Bhatia E. 2014. A prospective study of prevalence and association of peripheral neuropathy in Indian patients with newly diagnosed type 2 diabetes mellitus. *J Postgrad Med*, 60: 270-275

Gommers LM, Hoenderop JG, Bindels RJ, de Baaij JH. 2016. Hypomagnesemia in type 2 diabetes: a vicious circle?. *Diabetes*, 65: 3-12

Hicks CW, Selvin E. 2019. Epidemiology of peripheral neuropathy and lower extremity disease in diabetes. *Curr Diab Rep*, 19(10): 86

Huang CC, Chen TW, Weng MC, Lee CL. 2005. Effect of glycemic control on electrophysiologic changes of diabetic neuropathy in type 2 diabetic patients.

*Kaohsiung J Med*, 21: 15-21

Hunaifi I, Agustriadi IG, Asmara IG, Budyono C. 2021. The correlation between HbA1c and neuropathy disability score in type 2 diabetes. *Indones J Intern Med*, 53 (2)

Hurley RW, Henriquex OH, Wu CL. 2014. Neuropathic pain syndrome in Practical management of pain, fifth ed. Ed: Benzon HT, Rathmell JP, Wu CL, Turk DC, Argoff CE, Hurley RW. Philadelphia: Elsevier; 354-357

Hussein M, Menasri S. 2019. Prevalence of microvascular complications in type 2 diabetics attending a primary healthcare centre in Sudan. *Int J Diabetes Metab*, 25: 127-133

- Jarvis FM. 2018. Gender differences in glucose homeostasis and diabetes. *Physiology & behavior*, 187:20-23
- Jamali AA, Jamali GM, Tanwani BM, Jamali AA, Tanwani Y, Jamali NM. 2018. Association of Hypomagnesemia in Type 2 Diabetic Patients with and without Peripheral Neuropathy. *Journal of Diabetes Mellitus*, 8: 27-42
- Jhajharia S, Bahinipati J, Pradhan T. 2020. Association of serum magnesium levels with glycosylated hemoglobin and degree of neuropathy in patients with diabetic peripheral neuropathy. *Biomedicine*, 4: 447-450
- Kawano T. 2014. A current overview of diabetic neuropathy-mechanism, symptoms, diagnosis, and treatment. *Intech*. doi: 10.5772/58308
- Khalil FM, Assal MA, Dabour AM, Latif MA, Khamiss AF, Hady RM. 2016. Plasma magnesium status in type 2 diabetic patients with and without diabetic neuropathy. *International journal of advanced research*, 4: 2166-2170
- Khan BB, Flier JS. 2000. Obesity and insulin resistance. *J Clin Invest*, 106(4): 473-481
- Khanna D, Bhatnagar M, Tayal S. 2020. Study of magnesium levels in type 2 diabetes mellitus. *J Evolution Med Dent Sci*, 9(4): 206-210
- Khawaja, N., Abu-Shennar, J., Saleh, M., Dahbour, S. S., Khader, Y. S., & Ajlouni, K. M. 2018. The prevalence and risk factors of peripheral neuropathy among patients with type 2 diabetes mellitus; the case of Jordan. *Diabetology & Metabolic Syndrome*, 10(1). <https://doi.org/10.1186/S13098-018-0309-6>
- Kirkland AE, Sarlo GL, Holton KF. 2018. The role of magnesium in neurological disorders. *Nutrients*, 10: 730
- Kostov K. 2019. Effects of magnesium deficiency on mechanisms of insulin resistance in type 2 diabetes: focusing in the processes of insulin secretion and signaling. *International Journal of Molecular Science*, 20: 1351
- Kurstjens S, Baaij JHF, Bouras H, Bindels RJM, Tack CJJ, Hoenderop JGJ. 2017. Determinants of hypomagnesemia in patients with type 2 diabetes mellitus. *European Journal of Endocrinology*, 176: 11-19

- Lai YR, Chiu WC, Huang CC, Tsai NW, Wang HC, Lin WC, et al. 2019. HbA1c variability is strongly associated with the severity of peripheral neuropathy in patients with type 2 diabetes. *Front. Neurosci*, 13: 90
- Lee WJ, Jang S, Lee SH, Lee HS. 2016. Correlation between the severity of diabetic peripheral polyneuropathy and glycosylated hemoglobin levels: a quantitative study. *Ann Rehabil Med*, 40(2):263-270
- Li T, Quan H, Zhang H, Lin L, Lin L, Qu Q, et al. 2021. Type 2 diabetes is more predictable in women than men by multiple anthropometric and biochemical measures. *Scientific Reports*, 11: 6062
- Li Z, Lei X, Xu B, Wang S, Gao T, Lv H. 2020. Analysis of risk factor of diabetes peripheral neuropathy in type 2 diabetes mellitus and nursing intervention. *Exp Ther Med*, 20(6): 127
- Lovic D, Piperidou A, Zografou I, Grassos H, Pittaras A, Manolis A. 2020. The growing epidemic of diabetes mellitus. *Current Vascular Pharmacology*, 18(2): 104-109
- Malik RA, Andag-Silva A, Dejthevaporn C, Hakim M, Koh JS, Pinzon R, et al. 2020. Diagnosing peripheral neuropathy in South-East Asia: A focus on diabetic neuropathy. *Journal of Diabetes Investigation*, 11: 1097-1103
- Matasak VBM, Siwu JF, Bidjuni H. 2018. Hubungan kadar hba1c dengan neuropati pada penderita diabetes melitus tipe 2 di poliklinik kimia farmasi rumah sakit sario manado. *E-journal keperawatan*, 6(1): 1-6
- Mudjanarko SW & Nasution HN. 2020. Association of serum magnesium levels with glycemic control in patients with type 2 diabetes mellitus. *International Journal of Current Research*, 12(1): 9531-9533
- Murthy PS, Palvai K. 2019. A study of serum magnesium levels in type 2 diabetes mellitus. *International Journal of Scientific Study*, 6(10): 92-98
- Noronha JL, Matuschak GM. 2002. Magnesium in critical illness: metabolism, assessment, and treatment. *Intensive Care Med*; 28:667-679
- Olokoba AB, Obateru OA, Olkokba LB. 2012. Type 2 diabetes mellitus: a review of current trends. *Orman Medical Journal*, 27(4):269-273

- Papatheodorou K, Banach M, Bekiari E, Rizzo M, Edmonds M. 2018. Complications of diabetes 2017. *Journal of diabetes research*
- Perkeni. 2019. Pedoman pengelolaan dan pencegahan diabetes melitus tipe 2 dewasa di Indonesia. PB Perkeni.
- Petropoulos IN, Ponirakis G, Khan A, Almuhammad H, Gad H, Malik RA. 2018. Diagnosing diabetic neuropathy: something old, something new. *Diabetes Metab J*, 42(4):255-269
- Pham PC, Pham PM, Pham SV, Miller JM, Pham PT. 2007. Hypomagnesemia in patients with type 2 diabetes. *Clin J Am Soc Nephrol*, 2: 366-373
- Poernomo H, Basuki M, Widjaja D. 2003. *Petunjuk praktis elektrodiagnostik*. Surabaya: Airlangga University Press
- Rahman F, Siddiqui AH, Singhal S, Ashraf H, Faraz A. 2020. Association of nerve conduction velocity with total body fat mass and body mass index in type 2 diabetes mellitus. *Journal of clinical and diagnostic research*, 14 (9): CC04 CC07.
- Ramachandran A, Ma R, Snehalatha C. 2010. Diabetes in Asia. *Lancet*, 375:408-418
- Rehman K, Akash MSH. 2016. Mechanisms of inflammatory responses and development of insulin resistance: how are they interlinked?. *J Biomed Sci*, 23: 87
- Riset Kesehatan Dasar. 2018. *Laporan nasional 2018*. Jakarta
- Ropper AH, Samuels MA, Klein JP, Prasad S. 2019. *Adams and Victor's: Principles of neurology*. 11th edition. New York: Mc Graw Hill
- Sacks DB. 2012. Measurement of hemoglobin A1c. *Diabetes care*, (35): 2674-2680
- Said G. 2013 *Diabetic neuropathy in Handbook of Clinical Neurology*. Ed Said G, Krarup C. France: Elsevier BV; 115(3)
- Saris NE, Mervaala E, Karppanen H, Khawaja JA, Lewenstam A. 2000. Magnesium, An update on physiological, clinical and analytical aspects. *Clin Chim Acta*, 294:1-26
- Seidell JC, Visscher TL, 2008. *Aspek kesehatan masyarakat pada gizi lebih*. Dalam (Widyastuti P, Hardiyanti EA ed) *Gizi kesehatan masyarakat*. Terj, dari: *Public health nutrition*. Jakarta: EGC, hal 203-205

- Seo JW, Park TJ. 2008. Magnesium metabolism. *Electrolyte Blood Press*, 6(2): 86-95
- Setiawati D, Nuhriawangsa A, Wasita B. 2019. Hubungan magnesium serum dengan kadar glukosa darah pada dewasa overweight dan obesitas. *Amerta Nutr*: 239-246
- Shanik MH, Xu Y, Skrha J, Dankner R, Zick Y, Roth J. 2008. Insulin resistance and hyperinsulinemia: is hyperinsulinemia the cart or the horse?. *Diabetes Care*, 31: S262-S268
- Sherwani SI, Khan HA, Ekhzaimy A, Masood A, Sakharkar MK. 2016. Significance of HbA1c Test in Diagnosis and Prognosis of Diabetic Patients. *Biomarker insights*, 11: 95-104
- Shin HJ, Na HS, Do SH. 2020. Magnesium and pain. *Nutrients*; 12
- Skljarevski V, Malik RA. 2007. Clinical diagnosis of diabetic neuropathy in Diabetic neuropathy Clinical Management, second edition. Ed Veves A, Malik RA. New Jersey:Humana Press; 275-292
- Storm A, Strassburger K, Schmuck M, Shevalye H, Davidson E, Zivehe F, et al. 2020. Interaction between magnesium and methylglyoxal in diabetic polyneuropathy and neuronal models. *Molecular Metabolism*
- Su J, Zhao L, Zhang X, Cai H, Huang H, Xu F, et al. 2018. HbA1c variability and diabetic peripheral neuropathy in type 2 diabetic patients. *Cardiovasc Diabetol*, 17: 47
- Suastika K, Dwipayana P, Semadi MS, Kuswardhani T. 2012. Age is an important risk factor for type 2 diabetes mellitus and cardiovascular diseases in Glucose tolerance. Ed Chackrewarthy S.
- Sugondo S, 2009. Obesitas. Dalam (Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S ed) *Buku ajar penyakit dalam, Edisi ke-5, Jilid III*. Jakarta: Balai penerbit FKUI, hal 1973-1980
- Swaminathan R. 2003. Magnesium metabolism and its disorder. *Clin Biochem Rev*, 24:47-66
- Syed IA. 2011. Glycated hemoglobin: past, present, and future are we ready for the change. *J Pak Med Assoc*, 61(4): 383-388

- Tinawi M. 2020. Disorders of magnesium metabolism: hypomagnesemia and hypermagnesemia. *Arch Clin Biomed Res*, 4(3): 205-220
- Ugoya SO, Owolabi MO, Ugoya TA, Puepet FH, Echejoh GO, Ogunniyi A. 2008. The association between body mass index and diabetic peripheral neuropathy. *Hungarian medical journal*, 2: 63-68
- Vincent AM, Feldman EL. 2004. New insights into the mechanism of diabetic neuropathy. *Endocrine and metabolic disorders*, 5: 227-236
- Wahab Z, Novitasari A, Fitria N. 2015. Profil lipid sebagai kontrol glikemik pada pasien diabetes mellitus tipe II. *Jurnal unimus*
- Xu J, Xu W, Yao H, Sun W, Zhou Q, Cai L. 2013. Associations of serum and urinary magnesium with the pre-diabetes, diabetes and diabetic complications in the chinese northeast population. *PLoS ONE*,8(2): e56750
- Yagihashi S, Mizukami H, Sugimoto K. 2010. Mechanism of diabetic neuropathy: where are we now and where to go?. *Journal of Diabetes Investigation*, 2(1): 18-32
- Ye J. 2013. Mechanisms of insulin resistance in obesity. *Front Med*, 7(1): 14-24
- Zhang H, Ni J, Yu C, Wu Y, Li J, Liu J, et al. Sex-based differences in diabetes prevalence and risk factors: A population-based cross-sectional study among low-income adults in china. *Front Endocrinol*. 2019; 10: 658
- Zhang J, Zhang B, Zhang J, Lin W, Zhang S. 2021. Magnesium promotes the regeneration of the peripheral nerve. *Front Cell Dev Biol*, 9
- Zhang Q, Ji L, Zheng H, Li Q, Xiong Q, Sun W, et al. 2018. Low serum phosphate and magnesium levels are associated with peripheral neuropathy in patients with type 2 diabetes mellitus. *Diabetes Research and Clinical Practice*, 146: 1-7
- Zhou L, Xu X, Sheng H, Qu S, Cui R. 2020. Association between hemoglobin and diabetic peripheral neuropathy at different glycoylated hemoglobin levels in type 2 diabetes mellitus patients. *Diabetology & metabolic syndrome*