

DAFTAR PUSTAKA

- [1] International Labor Organization, *Meningkatkan Keselamatan dan Kesehatan Pekerja Muda*. 2018.
- [2] T. Lansia, "Open Acces E-Journals," vol. 02, no. 01, pp. 377–381, 2020.
- [3] M. I. Hamdy, J. Affi, A. Malik, and B. Metodologi, "Kekuatan Tarik Tulang Femur dan Tibia Sapi Jenis Simmental dan Korelasinya Dengan Struktur Mikro Tulang," vol. 21, no. 1, pp. 30–34, 2014.
- [4] T. S. Bedi, S. Kumar, and R. Kumar, "Corrosion performance of hydroxyapate and hydroxyapate/titania bond coating for biomedical applications," *Mater. Res. Express*, vol. 7, no. 1, 2019, doi: 10.1088/2053-1591/ab5cc5.
- [5] S. L. De Assis, S. Wolyneec, and I. Costa, "Corrosion characterization of titanium alloys by electrochemical techniques," *Electrochim. Acta*, vol. 51, no. 8–9, pp. 1815–1819, 2006, doi: 10.1016/j.electacta.2005.02.121.
- [6] T. Gold, R. Azhari, and N. Lotan, *Enzyme-promoted degradation of polymeric matrices for controlled drug delivery: Analytical model and numerical simulations*, vol. 9781461439. 2012.
- [7] N. Eliaz, "Corrosion of metallic biomaterials: A review," *Materials (Basel)*, vol. 12, no. 3, 2019, doi: 10.3390/ma12030407.
- [8] D. D. Giatmana, J. Affi, Y. Yetri, M. Niinomi, and M. Nakai, "CORROSION BEHAVIOR OF NEW BETA TYPE TITANIUM ALLOY, TI-29NB-13TA-4.6ZR (TNTZ) IN FUSAYAMA-MEYER ARTIFICIAL SALIVA SOLUTION Nomenclatures EDX Energy Dispersive X-ray ELI Extra Low Interstitial SEM Scanning Electron Microscope XPS X-ray Photoelectron Spectr," *J. Eng. Sci. Technol.*, vol. 13, no. 5, pp. 1274–1281, 2018.
- [9] M. Karthega, V. Raman, and N. Rajendran, "Influence of potential on the electrochemical behaviour of β titanium alloys in Hank's solution," *Acta*

Biomater., vol. 3, no. 6, pp. 1019–1023, 2007, doi: 10.1016/j.actbio.2007.02.009.

- [10] D. C. Hansen, “Metal corrosion in the human body: The ultimate bio-corrosion scenario,” *Electrochem. Soc. Interface*, vol. 17, no. 2, pp. 31–34, 2008, doi: 10.1149/2.f04082if.
- [11] P. De Matos, C. Leonardo, and L. De Freitas, “ASTM F138 Steel Metallurgical Characterization and CTOD Analysis Applicable to Orthopedic Implants,” *Am. Sci. Res. J. Eng. Technol. Sci.*, vol. 62, no. January, pp. 179–191, 2020.
- [12] G. Madhavan, *Biomechanics - Principles and applications [Book Review]*, vol. 22, no. 4. 2003.
- [13] E. Takematsu *et al.*, “Adhesive strength of bioactive oxide layers fabricated on TNTZ alloy by three different alkali-solution treatments,” *J. Mech. Behav. Biomed. Mater.*, vol. 61, pp. 174–181, 2016, doi: 10.1016/j.jmbbm.2015.12.046.
- [14] W. R. Lacefield, “UNCOATED / CERAMIC-COATED IMPLANT MATERIALS,” pp. 21–26, 2015.
- [15] B. Mulyati, “Tanin dapat Dimanfaatkan Sebagai Inhibitor Korosi,” *J. Ind. Elektro, dan Penerbangan*, vol. 8, no. 1, pp. 1–4, 2019, [Online]. Available: <http://jurnal.unnur.ac.id/index.php/indept/article/download/224/191>.
- [16] H. Reza Asgari Bidhendi and M. Pournavari, “Corrosion study of metallic biomaterials in simulated body fluid,” *Metal. Metall.*, vol. 17, no. 1, pp. 13–22, 2011, doi: 10.30544/384.
- [17] K. Ramabadran, M. Bansinath, H. Turndorf, and M. M. Puig, “Tail immersion test for the evaluation of a nociceptive reaction in mice. Methodological considerations,” *J. Pharmacol. Methods*, vol. 21, no. 1, pp. 21–31, 1989, doi: 10.1016/0160-5402(89)90019-3.
- [18] S. Ardhy and J. Affi, “Ti 12 Cr Aging Treatment (AT) 30 Ks,” *Namely Ti-*

12 Cr Solut. Treat., vol. 6, no. 2, p. 64, 2015.

- [19] “TA Sidang 1610911016 Muhammad Rifo Ramadino.” .
- [20] S. Ardhy, Gunawarman, and J. Affi, “Perilaku Korosi Titanium dalam Larutan Modifikasi Saliva Buatan Untuk Aplikasi Ortodontik,” *J. Mek.*, vol. 6, no. 2, pp. 585–593, 2015.
- [21] “Makalah 2 - Rifki Fadlilah Latif (1610911052).” .

