

DAFTAR PUSTAKA

- Adam, R. J. 1970. *Field guide to the spiders of California and the Pacific Coast states*. University of California Press . Berkeley and Los Angeles, California.
- Ameline, C., C. Puzin., J. J. Bowden., K. Lambeets., P. Vernoon and J. Petillon. 2017. Habitat specialization and climate affect arthropod fitness: a comparison of generalist vs. specialist spider species in Arctic and temperate biomes. *Biological Journal of the Linnean Society*. (20) 1-8
- Anderson, D. T. 2001. *Invertebrate Zoology Second Edition*. Oxford University Press. New York.
- Aswad, M., R. Koneri dan S. P. Siahaan. 2014. Komunitas Laba-Laba (Arachnida: Araneae) Pada Lahan Perkebunan di Kawasan Taman Nasional Bogani Nani Wartabone Sulawesi Utara. *Jurnal Mipa Unsrat Online* Vol 3 (2) 64-67.
- Balai Konservasi Sumber daya Alam Sumatera Barat. 2012. *Buku Informasi Kawasan Konservasi*. Balai KSDA Sumatera Barat. Padang.
- Barrión, A. T. and Litsinger, 1995. *Riceland spider of South and Southeast Asia, international rice research institute*. CAB International, Manila.
- Bergmann, C. 1847. Ueber die Verhältnisse der Wärmeökonomie der Thiere zu ihrer Grösse. *Göttinger Studien* 3: pp 595-708.
- Blackburn, T.M., Gaston, K.J. and Loder, N. 1999. Geographic gradients in body size: a clarification of Bergmann's rule. *Diversity and Distributions* 5: pp165-174
- Bowden, J. J and T. T. Hoye. 2013. Fecundity and sexual size dimorphism of wolf spiders (Araneae: Lycosidae) along an elevational gradient in the Arctic. *Polar Biol.* 36:831–836
- Bowden, J. J., and , C. M. Buddle. 2010. Spider assemblages across elevational and latitudinal gradients in the Yukon territory, Canada. *Arctic*, 63(3), 261–272.
- Brehm, G. and Fiedler, K. 2004. Bergmann's rule does not apply to geometrid moths along an elevational gradient in an Andean montane rain forest. *Global Ecology and Biogeography* 13: 7-14.
- Brown, J.H. 1988. Species diversity. *Analytical biogeography: an integrated approach to the study of animal and plant distribution* (ed. by A.A. Myers & P.S. Giller), pp. 57–89. Chapman & Hall, New York.

- Brown, J.H. 1988. Species diversity. *Analytical biogeography: an integrated approach to the study of animal and plant distribution* (ed. by A.A. Myers & P.S. Giller), pp. 57–89. Chapman & Hall, New York.
- Brown, W.L. 1953. Revisionary studies in the ant tribe Dacetini. *American Midland Naturalist* 50: pp1-137
- Cardoso, P. 2009. Standardization and Optimization of Arthropod Inventories-The Case of Iberian Spider. *Biodivers Conserv* 18: pp3949-3962
- Chen, K.C and I. M. Tso. 2004. Spider Diversity on Orchid Island, Taiwan: A Comparison between habitats receiving Different Degrees of Human Disturbances. *Zoological Studies* 43(3): 598-611
- Chikuni, Y. 1989. *Pictorial Encyclopedia of Spiders in Japan*. Kaisei-sha Publishing Co., Tokyo
- Cushman, J.H., Lawton, J.H. and Manly, B.F.J. 1993: Latitudinal patterns in European ant assemblages: variation in species richness and body size. *Oecologia* 95: 30-37.
- Deeleman-Reinhold, C. L. 2001. *Forest Spider of South East Asia*. K. Brill NV. Leiden, The Netherland.
- Diniyati, F. Dahelmi dan H. Herwina.2016.Laba-Laba Famili Araneidae pada Kawasan Cagar Alam Lembah Anai Kabupaten Tanah Datar, Sumatera Barat. *Jurnal Biologi Universitas Andalas (J. Bio. UA.)* 6(1): 15-22
- Diniyati, F., Y. Virdana dan G. Permana. 2014. Eksplorasi Laba-Laba Di Gua Objek Wisata Dan Kawasan Karst Sumatera Barat. *Pogram Kreativitas Mahasiswa DIKTI 2014. Unpublished.*
- Dolson, S. J., M.Mcphee., C.F. Viquez., W.Hallwachs., D.H. Janzen. M.A. Smith.2019. Spider diversity across an elevation gradient in Área de Conservación Guanacaste (ACG), Costa Rica. *Biotropica*. 00;1-11
- Entling, W., Schmidt-entling, M. H., Bacher, S., Brandl, R., & Nentwig, W. 2002. Body size – climate relationships.
<https://core.ac.uk/download/pdf/20645494.pdf> diakses 10 Januari 2019.
- Fardiansah, R., Dupérré, N., Widayastuti, R., Potapov, A., Scheu, S. & Harms, D. (2018). Description of three new species of *Aposphragisma* Thoma, 2014 (Araneae: Oonopidae) from Sumatra, Indonesia. *ZooKeys* 797: 71-85
- Foelix, R. F. 1996. *Biology of spider second edition*. Oxford University Press. New York

- Gaston, K.J. 2003. The structure and dynamics of geographic ranges. Oxford University Press, Oxford, 266 pp.
- Gaston, K.J. 2003. The structure and dynamics of geographic ranges. – Oxford University Press, Oxford, 266 pp.
- Gaston, K.J. and Blackburn, T.M. 2000. Pattern and process in macroecology. *Blackwell Science* pp377.
- Gaston, K.J. and Blackburn, T.M. 2000. Pattern and process in macroecology. – Blackwell Science, 377 pp.
- Ghafoor, A., U. S. Chatha and M. S. Khan. 2006. *Biodiversity of the Cursial Spiders in a Cotton Field at Faisalabad, Pakistan*. Zoology Department, GC-University Faisalabad.
- Ghavani, S. 2005. Spider Fauna in Caspian Costal Region of Iran. *Pakistan Journal Of Biological Sciences* 10 (5) : 682-691.
- Hawkeswood, J. T. 2003. *Spider of Australia: An introduction to their classification, Biology and distribution*. Pensoft. Moscow.
- Hawkins, B.A. 1995. Latitudinal body-size gradients for the bees of the eastern United States. *Ecological Entomology* 20: pp195-198.
- Hawkins, B.A. and Devries, P.J. 1996. Altitudinal gradients in the body sizes of Costa Rican butterflies. *Acta Oecologia* 17: pp185-194.
- Hawkins, B.A. and Lawton, J.H. 1995: Latitudinal gradients in butterfly body sizes: is there a general pattern? *Oecologia* 102: pp31-36.
- Helsdingen, P. J., K. Thaler., and C. Deltshev. 2001. The European species of *Bolyphantes* with an attempt of a phylogenetic analysis (Araneae Linyphiidae). *Memorie della Società Entomologica Italiana, Genova* 80: 3-35
- Higgins, L. 2002. Female gigantism in a New Guinea population of the spider *Nephila maculata*. *Oikos*. 99: 377–385.
- Hoye, J. J and J.U Hammel. 2010. Climate change and altitudinal variation in sexual Size dimorphism of arctic wolf spiders. *Climate Research*. 41: 259–265
- Kurniawan, C., T. R. Setyawati dan A. H. Yanti. 2013. EksplorasiLaba-laba (Araneae) di Hutan Sebelah Darat Desa Lingga Kecamatan Sungai Ambawang. *Protobiont Vol 3 (2)*: 218 – 224.
- Lalisan, J. A., A. L. B. Dupo, and O. Nuneza. 2015. Diversity of spiders along an elevational gradient in Mt.Pinukis, Zamboanga del Sur, Philippines. *Journal of Biodiversity and Environmental Sciences*. 7(5): 190-201

- Lomolino, M.V. 2001. Elevational gradients of species-density: historical and prospective views. *Global Ecology and Biogeography*, **10**, 3–13.
- Magguran, A. E. 2004. Measuring Biological Diversity. *Blackwell Publishing Company*. ISBN 0-632-05633-9
- Meiri, S. and Dayan, T. 2003. On the validity of Bergmann's rule. *Journal of Biogeography* 30: pp331-351
- Mineo, M. F. and K. D. Claro. 2005. Diversity of Tropical Spiders-Ground dwelling species of Brazilian Savannas. *Tropical Diversity and Conservation managemen* (**11**): 1-4
- Mousseau, T.A. 1997. Ectotherms follow the converse Bergmann's rule. *Evolution* 51: pp 630-632
- Nababan, E. P. 2009. Keanekaragaman laba-laba (ordo Aranaeae) Di daerah mangrove. *Skripsi*. Depatermen Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam. IPB. Bogor.
- Nasution, N. 2009. Laba-Laba (Araneae) di Kebun Kakao (Theobroma cacao L.) Milik Rakyat Kecamatan V Koto Kampung Dalam Kabupaten Padang Pariaman. *Skripsi*. Universitas Andalas.
- Noble, D and Joseph, M. M. 2015. Riparian Spider Along an Elevation Gradient of the River Periyar. *Heartian Journal of Pure and Applied Science* **2**: 82-101
- Partasasmita, R. 2003. Ekologi Burung Pemakan Buah dan Peranananya Sebagai Penyebar Biji. Makalah Falsafah Sains Program Pascasarjana Institut Pertanian Bogor. Bogor
- Partridge, L and Coyne, J.A. 1997. Bergmann's rule in ectotherms: is it adaptive? *Evolution* 51: pp 632-635
- Pearcel, J.L., A. Venier, G. Eccles, J. Pedlar And D. Mckenney.2004. Influence of habitat and microhabitat on epigaeal spider (Araneae) assemblages in four stand types. *Biodiversity and Conservation* **13**: 1305–1334.
- Porter, E. E. and Hawkins, B. A. 2001. Latitudinal gradients in colony size for social insects: termites and ants show different patterns. *The American Naturalist* 157: pp97-106
- Puja, K. (2014). Diversity of Spiders fauna from Sarangpuri Lake , Arvi , Vidarbha Region, 2(2), 165–167. *International journal of life science* 2(2): 165-167

- Rahbek, C. 1995. The elevational gradient of species richness: a uniform pattern? *Ecography*, **18**, 200–205.
- Ridwan, A., S. Suhandono dan D. Goenarso. 1995. *Identifikasi Jenis Laba-laba yang Berpotensi sebagai Faktor Pengendali Serangga Hama pada Beberapa Agrosistem*. [Laporan Penelitian]. Institut Teknologi Bandung. Bandung.
- Robert, J. M. 1995. *Spiders of Britain and Northern Europe*. Harper Collins Publisher. London.
- Rosenzweig, M.L. (1995) *Species diversity in space and time*. Cambridge University Press, Cambridge.
- Sebastian, P.A and K. V. Peter. 2009. *Spider of India*. Orient Blackswan, Hyderabad.
- Stenchly, K. 2011. Checklist of spiders from Indonesia and New Guinea (Arachnida:Araneae)http://www.cacaospiders.com/IndonesianSpiders_2011.pdf diakses 23 Februari 2019.
- Stevens, G.C. 1992. The elevational gradient in altitudinal range: an extension of Rapoport's latitudinal rule to altitude. *American Naturalist*, **140**, 893–911.
- Sudhikumar, A. V. 201). Distribution Pattern of Spiders along an Elevational Gradient in Nelliampathy Hill Ranges of the Western Ghats , Kerala , India. *International Journal of Science and Research*, **4**(7), 2013–2016.
- Sutar. 2012. Keanekaragaman laba-laba (Arachnida) pada ketinggian tempat yang berbeda di taman nasional gunung merbabu kabupaten Boyolali.
- Sutar. 2012. *Keanekaragaman laba-laba (Arachnida) pada ketinggian tempat yang berbeda di taman nasional gunung merbabu kabupaten Boyolali*. http://eprints.ums.ac.id/19802/26/02._Publikasi_Karya_Ilmiah.pdf. Di akses 12 Januari 2019.
- Vanvoorhies, W. A. 1996: Bergmann size clines: a simple explanation for their occurrence in ectotherms. *Evolution* 50: pp1259-1264
- Vincent, V and L. Hadrien. 2013. Standardized Sampling Protocol For Spider Community Assessment In The Neotropical Rainforest. *Journal of Entomology and Zoology Studies* Vol 1 (2).
- Vincent, V and L. Hadrien. 2013. Standardized Sampling Protocol For Spider Community Assessment In The Neotropical Rainforest. *Journal of Entomology and Zoology Studies* Vol 1 (2).

Wiens, J.A. 1992. The ecology of Bird Communities. Foundations and Patterns. Cambridge University Press

Wilder, S. M. 2011. Spider Nutrition: An Integrative Perspective. *Advances In Insect Physiology*. 40:88-125

World Spider Catalog, (2019). World Spider Catalog. Version 20.0. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. Diakses tanggal 13 Januari 2019



