

DAFTAR PUSTAKA

- [1] T.Rochim, *Proses Pemesinan, Teori dan Teknologi*. 1993.
- [2] M. B. Da Silva and J. Wallbank, “Lubrication and application method in machining,” *Ind. Lubr. Tribol*, vol. 50, no. 4, pp. 149–152, 1998.
- [3] Z. A. Zailani, R. Hamidon, M. S. Hussin, H. Hadi, and S. Sulaiman, “THE INFLUENCE OF SOLID LUBRICANT IN MACHINING,” vol. 3, no. 6, pp. 5221–5226, 2011.
- [4] N. news Wires, “Researchers Develop New Solid Lubricant to Reduce Friction and Wear,” 2017..
- [5] V. Sharma, R. Joshi, H. Pant, and V. K. Sharma, “Materials Today : Proceedings Improvement in frictional behaviour of SAE 15W-40 lubricant with the addition of graphite particles,” *Mater. Today Proc.*, no. xxxx, 2019.
- [6] P. V. Krishna, R. R. Srikant, and D. N. Rao, “Proceedings of the Institution of Mechanical Engineers , Part J : Journal of Engineering Tribology,” 2011.
- [7] E. Benedicto, D. Carou, and E. M. Rubio, “Technical, Economic and Environmental Review of the Lubrication/Cooling Systems Used in Machining Processes,” *Procedia Eng*, vol. 184, pp. 99–116, 2017.
- [8] L. L. San Andrés et al, “Modern Lubrication Theory, ‘Gas Film Lubrication,’ Notes 15,” *8th IFToMM Int. Conf. Rotordynamics*, vol. 12, no. 3, pp. 1–8, 2009.
- [9] S. Sartori, A. Ghiotti, and S. Bruschi, “Temperature effects on the Ti6Al4V machinability using cooled gaseous nitrogen in semi-finishing turning,” *J. Manuf. Process*, vol. 30, pp. 187–194, 2017.
- [10] K. Meyer, “Book Review: Lubricants and Lubrication. Edited by Theo Mang and Wilfried Dresel,” vol. 40, no. 20, 2001.
- [11] I. Justina and S. Modi, “Types of Lubrication Liquid (Mineral Oils , Synthetic Oils , and Vegetable Oils) Semi-Solid (Grease) Solid (Graphite , Molybdenum),” *SlidePlayer*, 2018.
- [12] F. Mustaqim, “LAJU KEAUSAN PAHAT HSS PADA PEMBUBUTAN BAJA ST37 DENGAN MENGGUNAKAN METODA HIGH PRESSURE JET COOLANT (HPC) YANG DIBATASI DENGAN JUMLAH CAIRAN PENDINGIN,” 2017.

- [13] A. Gandarias, L. N. L. de Lacalle, X. Aizpitarte, and A. Lamikiz, “Study of the performance of the turning and drilling of austenitic stainless steels using two coolant techniques,” *Int. J. Mach. Mach. Mater.*, vol. 3, no. 1–2, pp. 1–17, 2008.
- [14] Stachowiak G. W dan Batchelor A. W, *Engineering Tribology Third Edition*. UK, 2005.
- [15] T. Rochim, *Teori dan Teknologi Proses Pemesinan*. Bandung: Institut Teknologi Bandung, 2007.
- [16] S. Pend, T. Mesin, F. Teknik, and U. N. Surabaya, “Bima Aditya S S1 Pend Teknik Mesin , Fakultas Teknik , Universitas Negeri Surabaya,” pp. 10–19.
- [17] J. P. Astakhov, V.P. and Davim, *Tools (Geometry and Material) and Tool Wear. In J. P. Davim, ed. Machining Fundamentals and Recent Advances*. Portugal: Springer London Heidelberg New York Dordrecht, 2008.
- [18] K. Nugroho, S. H. Senoaji, “Karakterisasi pahat bubut HSS Boehler tipe Molibdenum dan tipe cold work steel (A8),” vol. 12, p. 4, 2010.
- [19] M. 198. Saw, *Metal Cutting Principles*. United Kingdom: Oxford Science, Oxford.
- [20] P. Trent, E., dan Wrigth, *Metal Cutting*. Boston: MA: Butter worth Heinemann., 2000.
- [21] Sukirno, “Pelumasan Dan Teknologi Pelumas,” *Lect. Note*, p. 87, 2011.
- [22] W. Heru Suryanto, Aminnudin, “Pengaruh Penambahan Grafit Terhadap Kekerasan dan Ketangguhan Aluminium Cor,” *Pros. SNATIF*, no. 1995, 2008.
- [23] M. Dienwiebel, G. S. Verhoeven, N. Pradeep, and J. W. M. Frenken, “Superlubricity of Graphite,” no. March, pp. 1–4, 2004.
- [24] O. Gutnichenko, V. Bushlya, S. Bihagen, and J. E. Ståhl, “Influence of graphite nanoadditives to vegetable-based oil on machining performance when MQCL assisted hard turning,” *Procedia CIRP*, vol. 77, pp. 437–440, 2018.
- [25] D. Nageswara Rao and P. Vamsi Krishna, “The influence of solid lubricant particle size on machining parameters in turning,” *Int. J. Mach. Tools Manuf.*, vol. 48, no. 1, pp. 107–111, 2008.

- [26] T. Sugiarto and A. Setiawan, “ANALISA PENGARUH PEMBERIAN CAIRAN PENDINGIN (ETHYL ALCOHOL)PENGUCURAN LANGSUNG DAN PENGABUTAN (SPRAY) TERHADAP UMUR DAN KEAUSAN PAHAT HSS PADA PROSES MILLING VERTICAL BAJA ST 42 DENGAN VARIASI KECEPATAN POTONG,” *J. Flywheel*, vol. 1, no. 2, pp. 60–71, 2008.
- [27] T. L. Krantz and A. Kahraman, “An experimental investigation of the influence of the lubricant viscosity and additives on gear wear,” *Tribol. Trans.*, vol. 47, no. 1, pp. 138–148, 2004.
- [28] S. Bair and F. Qureshi, “Accurate measurements of pressure-viscosity behavior in lubricants,” *Tribol. Trans.*, vol. 45, no. 3, pp. 390–396, 2002.

