

DAFTAR PUSTAKA

1. Ansel HC. Pengantar Bentuk Sediaan Farmasi. (Edisi Keempat), Jakarta: Universitas Indonesia Press; 2008.
2. Shargel L., Wu-pong S, & Yu ABC. Biofarmasetika dan Farmakokinetika Terapi. 5th ed. Surabaya: Airlangga University Press; 2012.
3. Salmiaton Ali 1, Firoozeh Danafar 1 2, 1. Control-Release Fertilizers: Advances and Challenges. *Life Sci J.* 2015;7(6–1):33-45.
4. Lachman L, Herbert A, Joseph L. Teori dan Praktek Farmasi Industri III. Jakarta: UI Press. 1994.
5. Matiz A, Miotto PT, Mercier H. Urea in Plants: Metabolic Aspects and Ecological Implications. Brazil: Universidade Federal de Santa Catarina; 2019.
6. Riady MR. Pengaruh pemberian pupuk urea terhadap pertumbuhan dan produksi rumput gajah (*Pennisetum purpureum*) [skripsi]. Makassar: Fakultas Peternakan Universitas Hasanuddin; 2015. p. 1–45.
7. Tong Z, Yuhai L, Shihuo Y, Zhongyi H. Superabsorbent hydrogels as carriers for the controlled- release of urea : Experiments and a mathematical model describing the release rate. 2009;102:44–50.
8. Ni B, Liu M, Lü S. Multifunctional slow-release urea fertilizer from ethylcellulose and superabsorbent coated formulations. 2009;155:892–8.
9. Azeem B, Kushaari K, Man ZB, Basit A, Thanh TH. Review on materials & methods to produce controlled release coated urea fertilizer. *J Control Release.* 2014;181(1):11–21.
10. Muslim S, Salman , Fitriani L, Suharti N, Erizal Z, Febriyenti, et al. Use of Bioblend Polystyrene/Starch for Coating Urea Granules as Slow Release Fertilizer. *J Chem Pharm.* 2015;7(11):478–84.
11. Suharti N, Salman, Muslim S, Dwisari D, Febriyenti, Idris, et al. Coating of urea granules for slow release fertilizer using bioblend polystyrene/polycaprolactone. *Res J Pharm Biol Chem Sci.* 2016;7(1):1691–9.
12. Costa MME, Cabral-albuquerque ECM, Alves TLM, Pinto JC, Fialho RL.

- Use of Polyhydroxybutyrate and Ethyl Cellulose for Coating of Urea Granules. *J of Agricultural and Food Chemistry*. 2013; 61(1):9984–91.
13. Salman. Kajian penggunaan Bioblend Polistiren sebagai Penyalut Urea Lepas Lambat dengan teknik Penyalutan Semprot [tesis]. Padang: Fakultas Farmasi Universitas Andalas; 2015.
 14. Amalia D, Fajri R. Analisis Kadar Nitrogen Dalam Pupuk Urea Prill Dan Granule Menggunakan Metode Kjeldahl Di Pt Pupuk Iskandar Muda. *Quim J Kim Sains dan Terap*. 2020;2(1):28–32.
 15. Departemen Kesehatan Republik Indonesia. *Farmakope Indonesia*. Edisi VI. Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan; 2020. p.1756.
 16. Maxwell GR. Urea. In *Synthetic Nitrogen Products*. New York: Springer US; 2004.p.267–84.
 17. Badan Standardisasi Nasional. (SNI) 2801:2010: Pupuk Urea. Jakarta: Badan Standardisasi Nasional Republik Indonesia; 2010.
 18. Djamaan A. *Konsep Pembuatan Pupuk Urea Lepas Lambat*. Yogyakarta: Gre Publishing; 2017.
 19. Siregar CJP. *Teknologi Farmasi Sediaan Tablet: dasar-dasar praktes*. Jakarta: EGC; 2010.
 20. Jeude M, Dittrich B, Niederschulte H, Anderlei T, Knocke C, Klee D, & Buchs J. Fed-batch mode in shake flasks by slow-release technique. *Biotechnology and Bioengineering*. 2006;209(6): 2994–3000.
 21. Fernández-Pérez M, Garrido-Herrera FJ, González-Pradas E, VillafrancaSánchez M, & Flores-Céspedes F. (2008). Lignin and ethylcellulose as polymers in controlled release formulations of urea. *Journal of Applied Polymer Science*. 2008;108(6):3796–3803.
 22. Park S, Croteau P, Boering KA, Etheridge DM, Ferretti D, Fraser PJ, Trudinger CM. Trends and seasonal cycles in the isotopic composition of nitrous oxide since 1940. *Nature Geoscience*. 2012; 5(4): 261–265.
 23. Zulhaimi NZ, Kushaari K, & Man Z. Characterization of Chemically Modified Biomass as a Coating Material for Controlled Released Urea by Contact Angle Measurement. *International Scholarly and Scientific Research & Innovation*. 2011; 5(10): 10–22.

24. Hamid NNA, Mohamad N, Hing LY, Dimin MF, Azam MA, Hassan MHC, Shaanban A. The effect of chitosan content to physical and degradation properties of biodegradable urea fertilizer. *Journal of Scientific and Innovative Research*. 2013; 2(5):893–902.
25. Vashishtha M, Dongara P, Singh D. Improvement in properties of urea by phosphogypsum coating. *International Journal of Chemical Technology Research*. 2010;2(1):36–44.
26. Diwani GE, Motawie N, Shaarawy HH, & Shalaby MS. Nitrogen slow release biodegradable polymer based on oxidized starch prepared via electrogenerated mixed oxidants. *Journal of Applied Sciercer Research*. 2013;9(3):1931–1939.
27. Ramteke KH, Dighe PA, Kharat AR, & Patil SV. Review Article Mathematical Models of Drug Dissolution: A Review. *Sch. Acad. J. Pharm.* 2014;3(5), 388–396.
28. Singh M, & Pilani S. Review: In vitro Drug Release Characterization Models. *International Journal of Pharmaceutical Studies and Research*. 2011;2(1):77–84.
29. Edy HJ dan mansauda KLR. *Teknologi dan Formulasi Sediaan Padat*. Klaten: Penerbit Lakeisha; 2019.
30. Pattankude GB, Balwan A. A Riview of Coating Proses. *Int Res J Eng Technol*. 2019;6(3):7980–4.
31. Srivastava S, & Mishra G. Fluid bed technology: Overview and parameters for process selection. *International Journal of Pharmaceutical Sciences and Drug Research*. 2010;2(4): 236–46.
32. Turton R & Cheng XX. (2005). The scale-up of spray coating processes for granular solids and tablets. *Powder Technology*. 20005;150(2): 78–85.
33. Lachman, L., Lieberman, H. A., & Kanig, J. L. (1986). *The Theory and Practice of Industrial Pharmacy*. 3th ed. Philadelphia: Lea & Febiger;1986.
34. Hachemi R, Belhaneche-Bensemra N, Massardier V. Elaboration and characterization of bioblends based on PVC/PLA. *J Appl Polym Sci*. 2014;131(7):1–7

35. Mohamed, A., Gordin, S.H., & Biresaw, G. 2007. Polycaprolactone/polystyrene bioblends characterized by thermogravimetry, modulated differential scanning calorimetry and infrared photoacoustic spectroscopy. *Polymer Degradation and Stability*. 2007;92(7): 1177–1185.
36. Pelto JM, Virtanen S, Munter T, Larismaa J, Jämsä S, Nikkola J. Encapsulation of 3-iodo-2-propynyl N-butylcarbamate (IPBC) in polystyrene-polycaprolactone (PS/PCL) blends. *J Microencapsul*. 2014; 31(5):415–21.
37. Dağ SE, Bozkurt PA, Eroğlu F, Çelik m. Preparation, characterization, and properties of polystyrene/Na-montmorillonite composites. *J Thermoplast Compos Mater*. 2019;32(8):1078–91.
38. HoBT, Roberts TK, Lucas S. An overview on biodegradation of polystyrene and modified polystyrene; the microbial approach. *Crit Rev Biotechnol*. 2018;38(2):308–20.
39. Y. Maryani, N. kanani R. Pembuatan Lem Lateks dari Limbah Styrofoam yang Digunakan untuk Kemasan Makanan. *J Tek*. 2018;12(2)189–200.
40. Meenakshi P, Noorjahan S, Rajini R., Venkateswarlu U, Rose C, & Sastry T. Mechanical and microstructure studies on the modification of CA film by blending with PS. *Bulletin of Materials Science*. 2002;25(1): 25–29.
41. Kan A, & Demirboğa R. A new technique of processing for waste expanded polystyrene foams as aggregates. *Journal of Materials Processing Technology*. 2009;209(6): 2994–3000.
42. Pimentel TPF, Durães J, Drummond A, Schlemmer D, Falcão R, & Sales M. Preparation and characterization of blends of recycled polystyrene with cassava starch. *Journal of Materials Science*. 2007; 42(17):7530–7536.
43. Singh B, & Sharma N. Optimized synthesis and characterization of polystyrene graft copolymers and preliminary assessment of their biodegradability and application in water pollution alleviation technologies. *Polymer Degradation and Stability*. 2007; 92(5): 876–885.
44. Gama NV, Ferreira A, Barros-Timmons A. Properties and Characterization of a. *Polymers (Basel)*. 2019; 11:1–35.

45. Rowe R C, Sheskey P J, and Quinn M E. Handbook of Pharmaceutical Excipients. Ed ke2. USA: Pharmaceutical Press; 2009. p. 686–89.
46. Teseme WB. Riview on the Manufacturing of Biodegradable Plastic Packaging Film from Root and Tuber Starches. Am J Nano Res Appl. 2020;8(1):1–8.
47. Estevan C, Vilanova E. Ethyl Acetate. In: Marino DJ. Encyclopedia of Toxicology. 3 st ed. Elsevier; 2014. p. 506–10.
48. Murdana AFR. Pemanfaatan Limbah Styrofoam sebagai Bahan Alternatif Pembuatan Perekat Pipa PVC dengan Proses Mixing [tugas akhir]. Surabaya: Fakultas Vokasi Institut Teknologi Sepuluh Nopember; 2018.
49. Raval N, Tambe V, Maheshwari R, Deb PK, Tekade RK. Scale-Up Studies in Pharmaceutikal Products Development. In: Tekade RK, editor. Dosage Form Design Consideration: Avolume in Advance in Pharmaceutical Produch Development and Research. 1 st ed. Elsevier;2017. p.669–700.
50. Rahayuningsih M, Syamsu K, DARwis AA, Purnawati R. Penggandaan skal produksi bioinsektisida Bacillus thuringiensis untuk membasmi jentik nyamuk Aedes aegypti. Jurnal Ilmu Pertanian Indonesia. 2007;12(2): 123–30.
51. Setianingsih T. Mikroskop Elektron Transmisi: Teori dan Aplikasinya untuk Karakterisasi Material. Malang: Universitas Brawijaya Press; 2017. p. 2–7.
52. Mohammed A, Abdullah A. Scanning Electron Microscopy (SEM): A Riview S. In: Proceedings of Internasional Conference on Hydraulics and Pneumatics – HERVEX. Romania; 2018.p.1-10.
53. Choudhary OP, Husbandry A, Choudhary P. Scanning Electron Microscope: Advantages and Disadvantages in Imaging Components. Int J Curr Microbiol Appl Sci. 2017;6(5):1877–82.
54. Jeol. Scanning Electron Microscope;2020. p. 1–10.
55. Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: LPTIK Universitas Andalas; 2004. p. 21–25.
56. Dutta A. Fourier Transform Infrared Spectroscopy. In: Thomas S, Thomas R, Zachariah AK, Kumar R, editors. Spectroscopic Methods for Nanomaterials Characterization. 1 st ed. India: Elsevier; 2017. p. 77–78.

57. O'Neal, Crouch DJ, Fatah AA. Validation of twelve chemical spot test for the detection of drug abuse. *Foresic Science International*. 2000;3(6):185–89.
58. Zheng T, Yuhai L, Shihou Y, Zhonghi. Superabsorbent hydrogel as carriers for the controlled release of urea. Experiments and a methamathical model describing the release rate. 2009;5(3):231–38.
59. Kodre KV, Attarde SR, Yendhe PR, Patil RY, and Barge VU. Research and Reviews: *Journal of Pharmaceutical Analysis*. 2014;3(3):11-22.
60. Suharti N, Sulaiman S, Febrienti, Zaini E, Suardi M, Ben ES, et al. Effect of Bioblend Polystyrene/Polycaprolactone and Polystyrene/Starch Utilization toward Coating Thickness and Release of Active Substance from Urea Granule. *Der Pharma Chemica*. 2016;8(11): 83–87.
61. Wei Q, Zhang L, Chen J, Tong Z, Zhou X, Shao, L, Wu Z, Zhan P, Wang F, Liu N, Lin H, & Dong H. Solvent-free coating of crosslinked and hydrophobic lignin-based biocomposite for slow-release fertilizer. *Polymer Testing*. 2021;102: 107335.
62. Chen L, Xie Z, Zhuang X, Chen X, & Jing X. Controlled release of urea encapsulated by starch-g-poly(l-lactide). *Carbohydrate Polymers*. 2008;72(2): 342–348.
63. Tomaszewska M, & Jarosiewicz A. Polysulfone coating with starch addition in CRF formulation. *Desalination*. 2004;163(1–3): 247–252.
64. BMKG. Buletin Analisis Hujan Bulan Januari 2014 dan Prakiraan Hujan Bulan Maret, April dan Mei 2014, Jakarta: Badan Meteorologi, Klimatologi dan Geofisika;2014.
65. Xiaoyu N, Yuejin W, Zhengyan W, Lin W, Guannan Q, & Lixiang Y. A novel slow-release urea fertiliser: Physical and chemical analysis of its structure and study of its release mechanism. *Biosystems Engineering*. 2013;115(3): 274–282.
66. Lan R., Liu Y, Wang G, Wang T, Kan C, & Jin, Y. Experimental modeling of polymer latex spray coating for producing controlled-release urea. *Crystalization and Nanotechnology*. 2011;9(5): 510–516.
67. Djamaan A, Riri M, Asiska PD, Muslim S, Ben ES, & Zaini E. The use of biopolymer of poly(3-hydroxybutyrate) as matrix of urea slow release

fertilizer. *Journal of Chemical and Pharmaceutical Research*. 2015;7(7): 498– 503.

68. Srichuwong S, Sunarti TC, Mishima T, Isono N, & Hisamatsu M. Starches From Different Botanical Sources I: Contribution of Amylopectin Fine Structure To Thermal Properties and Enzyme Digestibility. *Carbohydrate Polymers*. 2005;60(4): 529–5

