

## DAFTAR PUSTAKA

1. Organization WH. Jaipur Declaration on Antimicrobial Resistance. In WHO Regional Office for South-East Asia; 2011.
2. Centers for Disease Control and. Antibiotic resistance threats in the United States. U.S Department of Health and Human services. United States: Department of Health and Human Services; 2019.
3. World Health Organization. Geneva: World Health Statistic 2013. 2013.
4. de Kraker MEA, Davey PG, Grundmann H. Mortality and Hospital Stay Associated with Resistant *Staphylococcus aureus* and *Escherichia coli* Bacteremia: Estimating the Burden of Antibiotic Resistance in Europe. *PLOS Med*. 2011;8(10):e1001104.
5. Nurjanah GS, Cahyadi AI, Windria S. Kajian Pustaka: Resistensi *Escherichia coli* Terhadap Berbagai Macam Antibiotik pada Hewan dan Manusia. *Indones Med Veterinus*. 2020;9(6):970–83.
6. Radji M. PERANAN BIOTEKNOLOGI DAN MIKROBA ENDOFIT DALAM PENGEMBANGAN OBAT HERBAL. *Pharm Sci Res*. 2012;2(3):113–26.
7. Strobel GA. Endophytes as sources of bioactive products. *Microbes Infect*. 2003;5(6):535–44.
8. Yu X, Gao Y, Frank M, Mándi A, Kurtán T, Müller WEG, et al. Induction of ambuic acid derivatives by the endophytic fungus *Pestalotiopsis lespedezae* through an OSMAC approach. *Tetrahedron*. 2021;79.
9. Pan R, Bai X, Chen J, Zhang H, Wang H. Exploring structural diversity of microbe secondary metabolites using OSMAC strategy: A literature review. *Front Microbiol*. 2019;10(FEB):1–20.
10. Ariantari NP, Daletos G, Mándi A, Kurtán T, Müller WEG, Lin W, et al. Expanding the chemical diversity of an endophytic fungus: *Bulgaria inquinans*, an ascomycete associated with mistletoe, through an OSMAC approach. *RSC Adv*. 2019;9(43):25119–32.
11. Wang M, Carver JJ, Phelan V V., Sanchez LM, Garg N, Peng Y, et al. Sharing and community curation of mass spectrometry data with Global Natural Products—Social Molecular Networking. *Nat Biotechnol*. 2016;34(8):828–37.
12. Can F, Ebrahim W, El-neketi M, Tanr TT, Kalscheuer R, Müller WEG, et al. Induction of new metabolites from sponge-associated fungus *Aspergillus carneus* by OSMAC approach. *Fitoterapia*. 2018;131:9–14.
13. Amriani M. SKRINING AKTIVITAS ANTIMIKROBA EKSTRAK ETIL ASETAT JAMUR ENDOFIT DARI TUMBUHAN BAKAU NIPAH (*Nypa fructicans* Wurm). SEKOLAH TINGGI ILMU FARMASI; 2021.
14. Schoch CL, Ciufu S, Domrachev M, Hottton CL, Kannan S, Khovanskaya R, et al. NCBI Taxonomy : a comprehensive update on curation , resources and tools. 2020;21(2):1–21.
15. Gibbons JG, Rokas A. The function and evolution of the *Aspergillus* genome. *Trends Microbiol*. 2013;21(1):14–22.
16. Inglis DO, Binkley J, Skrzypek MS, Arnaud MB, Cerqueira GC, Shah P, et al. Comprehensive annotation of secondary metabolite biosynthetic genes

- and gene clusters of *Aspergillus nidulans*, *A. fumigatus*, *A. niger* and *A. oryzae*. *BMC Microbiol.* 2013;13(1).
17. Ito Y, Peterson SW, Goto T. Properties of *Aspergillus tamarii*, *A. caelatus* and related species from acidic tea field soils in Japan. *Mycopathologia.* 1998;144(3):169–75.
  18. Horn BW. *Aspergillus caelatus*, A New Species in Section Flavi. *Mycotaxon.* 1997;61:185–91.
  19. Varga J, Frisvad JC, Samson RA. Two new aflatoxin producing species, and an overview of *Aspergillus* section Flavi. *Stud Mycol.* 2011;69:57–80.
  20. Oramahi HA. Identifikasi Jamur Genus *Aspergillus* Pada Gaplek Di Kabupaten Gunung Kidul. *J Perlindungan Tanam Indones.* 2006;12(1):25–32.
  21. El-Metwally MM, ElBealy ER, Beltagy DM, Shaaban M, El-Kott AF. Suppressive efficiency of Kojic acid from *Aspergillus tamarii* MM11 against HepG-2 cell line derived from human. *Trop J Pharm Res.* 2020;19(8):1661–8.
  22. Janardhanan KK, Sattar A, Husain A. Production of fumigaclavine A by *Aspergillus tamarii* Kita. *Can J Microbiol.* 1984;30(2):247–50.
  23. Abcam. Product datasheet Fumigaclavine A , Antibacterial agent ab144257.
  24. Uka V, Moore GG, Arroyo-Manzanares N, Nebija D, De Saeger S, Di Mavungu JD. Unravelling the diversity of the cyclopiazonic acid family of mycotoxins in *aspergillus flavus* by UHPLC triple-TOF HRMS. *Toxins (Basel).* 2017;9(1):1–21.
  25. Tokuoka M, Kikuchi T, Shinohara Y, Koyama A, Iio SI, Kubota T, et al. Cyclopiazonic acid biosynthesis gene cluster gene *cpaM* is required for speradine A biosynthesis. *Biosci Biotechnol Biochem.* 2015;79(12):2081–5.
  26. Tsuda M, Mugishima T, Komatsu K, Sone T, Tanaka M, Mikami Y, et al. Speradine A, a new pentacyclic oxindole alkaloid from a marine-derived fungus *Aspergillus tamarii*. *Tetrahedron.* 2003;59(18):3227–30.
  27. Teleky BE, Vodnar DC. Biomass-derived production of itaconic acid as a building block in specialty polymers. *Polymers (Basel).* 2019;11(6).
  28. Zhang HC, Ma YM, Liu R, Zhou F. Endophytic fungus *Aspergillus tamarii* from *Ficus carica* L., a new source of indolyl diketopiperazines. *Biochem Syst Ecol.* 2012;45:31–3.
  29. Li X, Zhang Q, Zhang A, Gao J. Metabolites from *Aspergillus* an endophytic fungus associated with *Melia azedarach* , and Their Antifungal , Antifeedant and Toxic Activities . Corresponding author : Prof . Dr . Jin-Ming Gao . Tel .: + 86-29-87092335. *J Agric Food Chem.* 2012;60(13):3424–31.
  30. Jia B, Ma YM, Liu B, Chen P, Hu Y, Zhang R. Synthesis, Antimicrobial Activity, Structure-Activity Relationship, and Molecular Docking Studies of Indole Diketopiperazine Alkaloids. *Front Chem.* 2019;7:1–13.
  31. Couty F, Evano G. Bicyclic 5-6 systems with one bridgehead (ring junction) nitrogen atom: One extra heteroatom 1:0. *Compr Heterocycl Chem III.* 2008;11(1996):409–99.
  32. Nevalainen H, Kautto L, Junior T. Methods for Isolation and Cultivation of

- Filamentous Fungi. *Methods Mol Biol.* 2014;1908:2–6.
33. Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. *Nat Protoc.* 2010;5(3):479–90.
  34. Romano S, Jackson SA, Patry S, Dobson ADW. Extending the “one strain many compounds” (OSMAC) principle to marine microorganisms. *Mar Drugs.* 2018 Jul 1;16(7):1–29.
  35. Begani J, Lakhani J, Harwani D. Current strategies to induce secondary metabolites from microbial biosynthetic cryptic gene clusters. *Ann Microbiol.* 2018;68(7):419–32.
  36. Thomson NR, James KD, Harris DE, Quail MA, Bentley SD, Harper D, et al. Complete genome sequence of the model actinomycete *Streptomyces*. *Nature.* 2002;417(6885):141–7.
  37. Wang J, Soisson SM, Young K, Shoop W, Kodali S, Galgoci A, et al. Platensimycin is a selective FabF inhibitor with potent antibiotic properties. *Nature.* 2006;441(7091):358–61.
  38. Rutledge PJ, Challis GL. Discovery of microbial natural products by activation of silent biosynthetic gene clusters. *Nat Rev Microbiol.* 2015 Aug 29;13(8):509–23.
  39. Bode HB, Bethe B, H<sup>^</sup>fs R, Zeeck A. Big Effects from Small Changes : Possible Ways to Explore Nature ’ s Chemical Diversity. *ChemBioChem.* 2002;3(7):619–27.
  40. Firn RD, Jones CG. The evolution of secondary metabolism - A unifying model. *Mol Microbiol.* 2000;37(5):989–94.
  41. Valayil JM, Kuriakose GC, Jayabaskaran C. Modulating the biosynthesis of a bioactive steroidal saponin, cholestanol glucoside by *lasiodiplodia theobromae* using abiotic stress factors. *Int J Pharm Pharm Sci.* 2015;7(7):114–7.
  42. Okazaki T, Kitahara T, Yoshiro O. A new antibiotic SS-228 Y produced by *Chainia* isolated from shallow sea mud. *J Antibiot (Tokyo).* 1975;XXVIII(3):176–84.
  43. Yenn TW, Zakaria L, Ibrahim D. Antimicrobial activities of endophytic fungal isolates from medicinal herb *Orthosiphon stamineus* Benth. *J Med Plant Res.* 2011;5(5):831–6.
  44. Lauritano C, Andersen JH, Hansen E, Albrigtsen M, Escalera L, Esposito F, et al. Bioactivity Screening of Microalgae for Antioxidant , Anti-Inflammatory , Antibacterial Activities. *Front Mar Sci.* 2016;3(68):1–12.
  45. Nigam VK, Verma R, Kumar A, Kundu S, Ghosh P. Influence of medium constituents on the biosynthesis of cephalosporin-C. *Electron J Biotechnol.* 2007;10(2):230–9.
  46. Si Y, Tang M, Lin S, Chen G, Feng Q, Wang Y, et al. Cytotoxic cytochalasans from *Aspergillus flavipes* PJ03-11 by OSMAC method. *Tetrahedron Lett.* 2018 May 2;59(18):1767–71.
  47. Gribble GW. Natural Organohalogens: A New Frontier for Medicinal Agents? *J Chem Educ.* 2004;81(10):1441–9.
  48. Miao L, Kwong TFN, Qian PY. Effect of culture conditions on mycelial growth, antibacterial activity, and metabolite profiles of the marine-derived fungus *Arthrinium* c.f. *saccharicola*. *Appl Microbiol Biotechnol* 2006 725.

- 2006;72(5):1063–73.
49. Darabpour E, Roayaei Ardakani M, Motamedi H, Ronagh MT, Najafzadeh H. Purification and optimization of production conditions of a marine-derived antibiotic and ultra-structural study on the effect of this antibiotic against MRSA. *Eur Rev Med Pharmacol Sci.* 2012;16(2):157–65.
  50. Yamazaki H, Rotinsulu H, Narita R, Takahashi R, Namikoshi M. Induced Production of Halogenated Epidithiodiketopiperazines by a Marine-Derived *Trichoderma cf. brevicompactum* with Sodium Halides. *J Nat Prod.* 2015;78(10):2319–21.
  51. Overy D, Correa H, Roullier C, Chi WC, Pang KL, Rateb M, et al. Does Osmotic Stress Affect Natural Product Expression in Fungi? *Mar Drugs* 2017, Vol 15, Page 254. 2017 Aug 13;15(8):254.
  52. Wang Y, Zheng J, Liu P, Wang W, Zhu W. Three New Compounds from *Aspergillus terreus* PT06-2 Grown in a High Salt Medium. *Mar Drugs* 2011, Vol 9, Pages 1368-1378. 2011;9(8):1368–78.
  53. Zhang QW, Lin LG, Ye WC. Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Med (United Kingdom).* 2018;13(1):1–26.
  54. Ditjen POM DR. Parameter standar umum ekstrak tumbuhan obat, Jakarta: Departement Kesehatan Republik Indonesia. Edisi IV. Jakarta: Departemen Kesehatan Republik Indonesia; 2000.
  55. Simanjuntak M. Ekstraksi dan Fraksinasi Komponen Ekstrak Daun Tumbuhan Senduduk (*Melastoma malabathricum*. L) Serta Pengujian Efek Sediaan Krim Terhadap Penyembuhan Luka Bakar. 2008;
  56. Julianto TS. Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia. I. Vol. 53, *Journal of Chemical Information and Modeling.* Yogyakarta: Universitas Islam Indonesia; 2019.
  57. Hasrianti, Nururrahmah, Nurasia. Pemanfaatan Ekstrak Bawang Merah dan Asam Asetat Sebagai Pengawet Alami Bakso. *J Din.* 2016;07(1):9–30.
  58. Hanani E. Analisis Fitokimia Original. Jakarta: EGC; 2016. 1–227 p.
  59. Najib A. Ekstraksi Senyawa Bahan Alam. I. Yogyakarta: Deepublish; 2018.
  60. Sari IRM. Uji Aktivitas Antioksidan Ekstrak Jamur *Pleurotus Ostreatus* dengan Metode DPPH dan Identifikasi Golongan Senyawa Kimia dari Fraksi Teraktif. Skripsi UI Jakarta. 2012.
  61. Pratiwi L, Fudholi A, Martien R, Pramono S. Ethanol Extract, Ethyl Acetate Extract, Ethyl Acetate Fraction, and n-Heksan Fraction Mangosteen Peels (*Garcinia mangostana* L.) As Source of Bioactive Substance Free-Radical Scavengers. *JPSCR J Pharm Sci Clin Res.* 2016;1(2):71.
  62. Harmita K, Harahap Y, Supandi. *Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)*. 1st ed. Jakarta: ISFI Penerbitan; 2019. 124 p.
  63. Wulandari L. *Kromatografi Lapis Tipis*. 1st ed. Taman Kampus Presindo. Jember: Taman Kampus Presindo; 2011.
  64. Himawan RF. *Kromatografi Cair Kinerja Tinggi (KCKT)*. Jakarta: Universitas Indonesia Press; 2010.
  65. Vogeser M, Seger C. A decade of HPLC-MS/MS in the routine clinical laboratory--goals for further developments. *Clin Biochem.* 2008;41(9):649–

- 62.
66. Etebu E, Arikekpar I. Antibiotics: Classification and mechanisms of action with emphasis on molecular perspectives. *IJAMBR*. 2016;4:90–101.
  67. Reygaert WC. An overview of the antimicrobial resistance mechanisms of bacteria. *AIMS Microbiol*. 2018;4(3):482.
  68. Tille PM. *Bailey & Scott's Diagnostic Microbiology*. 14th ed. South Dakota: Elsevier; 2015. 1136 p.
  69. Valgas C, De Souza SM, Smânia EFA, Smânia A. Screening methods to determine antibacterial activity of natural products. *Brazilian J Microbiol*. 2007;38(2):369–80.
  70. Pratiwi ST. *Mikrobiologi Farmasi*. Jakarta: Erlangga; 2008.
  71. Choma IM, Grzelak EM. Bioautography detection in thin-layer chromatography. *J Chromatogr A*. 2011;1218(19):2684–91.
  72. Apristiani D, Astuti P. Isolation of antibacterial compounds from chloroform extract of neem (*Azadirachta indica* A. Juss.) leaves guided by bioautography. *Biofarmasi J Nat Prod Biochem*. 2005;3(2):43–6.
  73. Lerouge S. Sterilisation and cleaning of metallic biomaterials. *Met Biomed Devices*. 2010;303–26.
  74. Jain A, Jain R, Jain S. *Basic Techniques in Biochemistry, Microbiology and Molecular Biology*. New York, NY: Springer US; 2020.
  75. Merck. *Microbiology Manual 12th Edition*. Unitech Commun Faisalabad. 2000;1–688.
  76. Gao Y, Stuhldreier F, Schmitt L, Wesselborg S, Guo Z, Zou K, et al. Induction of New Lactam Derivatives From the Endophytic Fungus *Aplosporella javeedii* Through an OSMAC Approach. *Front Microbiol*. 2020;11.
  77. Handayani D, Pratiwi EMI, Fajrina A. Isolasi Senyawa Antimikroba dari Jamur Endofit *Trichoderma koningiopsis* SaKB1. *J Sains Farm Klin*. 2019;6(2):78.
  78. Handayani D, Artasasta MA, Mutia D, Atikah N, Rustini, Tallei TE. Antimicrobial and cytotoxic activities screening of fungal secondary metabolites isolated from marine sponge *Callyspongia* sp. *AACL Bioflux*. 2021;14(1):249–58.
  79. Artasasta MA, Yanwirasti Y, Taher M, Djamaan A, Ariantari NP, Edrada-Ebel RA, et al. Apoptotic activity of new oxisterigmatocystin derivatives from the marine-derived fungus *Aspergillus nomius* nc06. *Mar Drugs*. 2021;19(11):1–10.
  80. Hudzicki J. Kirby-Bauer Disk Diffusion Susceptibility Test Protocol Author Information. *Am Soc Microbiol*. 2012;1–13.
  81. Watson DG. *Analisis Farmasi: Buku Ajar untuk Mahasiswa Farmasi dan Praktisi Kimia Farmasi*. 2nd ed. Jakarta: EGC; 2007.
  82. Shaikh JR, Patil M. Qualitative tests for preliminary phytochemical screening: An overview. *Int J Chem Stud*. 2020;8(2):603–8.
  83. Kristanti AN, Aminah NS, Tanjung M, Kurniadi B. *Buku Ajar Fitokimia*. Surabaya: Airlangga University Press; 2006.
  84. Keskes H, Belhadj S, Jlail L, El Feki A, Damak M, Sayadi S, et al. LC-MS-MS and GC-MS analyses of biologically active extracts and fractions from tunisian *Juniperus phoenicea* leaves. *Pharm Biol*. 2017;55(1):88–95.

85. Azmir J, Zaidul ISM, Rahman MM, Sharif KM, Mohamed A, Sahena F, et al. Techniques for extraction of bioactive compounds from plant materials: A review. *J Food Eng.* 2013;117(4):426–36.
86. Pakki S. Epidemiologi dan pengendalian penyakit bercak daun. *J Litbang Pertan.* 2015;24(3):101–8.
87. Posas F, Chamber JR, Heyman JA, Hoeffler JP, De Nadal E, Ariño J. The transcriptional response of yeast to saline stress. *J Biol Chem.* 2000;275(23):17249–55.
88. Rowe R, Shekey P, Quinn M. *Handbook of Pharmaceutical Excipients Sixth Edition.* USA: Pharmaceutical Press and American Pharmacist Association; 2009.
89. Venâncio C, Pereira R, Freitas AC, Rocha-Santos TAP, da Costa JP, Duarte AC, et al. Salinity induced effects on the growth rates and mycelia composition of basidiomycete and zygomycete fungi. *Environ Pollut.* 2017;231:1633–41.
90. Davis WW, Stout TR. Disc Plate Method of Microbiological Antibiotic Assay I. Factors Influencing Variability and Error1. *APPLIED MICROBIOLOGY.* 1971.
91. Firdaus M, Nurdiani R. Endophytic Fungi Isolated from Mangrove ( *Rhizophora mucronata* ) and Its Antibacterial Activity on *Staphylococcus aureus* and *Escherichia coli*. *J Food Sci Eng.* 2011;(1):386–9.
92. Handayani D, Deapati M, Marlina, Meilan. *Skrining Aktivitas Antibakteri Beberapa Biota Laut dari Perairan Pantai Painan, Sumatera Barat.* Sumatera Barat; 2009.
93. Mujeeb F, Bajpai P, Pathak N. Phytochemical evaluation, antimicrobial activity, and determination of bioactive components from leaves of *Aegle marmelos*. *Biomed Res Int.* 2014;1–11.
94. Nzogong RT, Ndjateu FST, Ekom SE, Fosso JAM, Awouafack MD, Tene M, et al. Antimicrobial and antioxidant activities of triterpenoid and phenolic derivatives from two Cameroonian Melastomataceae plants: *Dissotis senegambiensis* and *Amphiblemma monticola*. *BMC Complement Altern Med.* 2018;18(1):1–11.
95. Siuzdak G. *Mass spectrometry for biotechnology.* 1996;
96. Nielsen KF, Smedsgaard J. Fungal metabolite screening: Database of 474 mycotoxins and fungal metabolites for dereplication by standardised liquid chromatography-UV-mass spectrometry methodology. *J Chromatogr A.* 2003;1002(1–2):111–36.
97. Xin W, Ye X, Yu S, Lian XY, Zhang Z. New Capoamycin-Type Antibiotics and Polyene Acids from Marine *Streptomyces fradiae* PTZ0025. *Mar Drugs.* 2012;10(11):2388.
98. El-Elimat TM. *DISCOVERING NEW STRUCTURAL DIVERSITY FROM UNEXPLORED FUNGI.* University of North Carolina; 2014.