

DAFTAR PUSTAKA

- Abduchalek, B. 2016. Kutu Putih Singkong *Phenacoccus manihoti* Matile-Ferrero (Hemiptera: Pseudococcidae): Persebaran Geografi di Pulau Jawa dan Rintisan Pengendalian Hayati. Disertasi. Institut Pertanian Bogor. Bogor.
- Afriyeni, R. 2016. Hama Utama Tanaman Ubi Kayu (*Manihot esculenta* Crantz) di Kabupaten Pesisir Selatan. Skripsi. Fakultas Pertanian. Universitas Andalas. Padang. Sumatera Barat.
- Badan Pusat Statistik Sumatera Barat [BPS]. 2020. Padang Dalam Angka. Laporan Tahunan Bappeda Sumbar: Padang.
- Berita Pusat Statistik Provinsi [BPS] . 2014. Produksi Ubi Kayu 2013-2014. No. 39/07/13/Th.XVII, 1 Juli 2014
- Bellotti AC, Melo EL, Arias B, Herrera CJ, Hernandez MDP, Holguin CM, Guerrero JM, and Trujillo H. 2003. Biological control in the neotropics: a selective review with emphasis on cassava. *Biologic Contr Arthrop.*
- Bellotti AC, Smith L, & Lapointe SL. 1999. Recent advances in cassava pest management. *Annu. Rev.. Entomol* 44: 343–370.
- Center for Agriculture and Biosciences International [CABI]. 2005. Crop Protection Compendium. CAB International, Wallingford.
- Center for Agriculture and Biosciences International [CABI]. 2017. *Phenacoccus manihoti* (cassava mealybug). <http://cabi.org/isc/mobile/datasheet/40173>. [20 Juni 2018].
- Calatayud PA, Rahbé Y, Delobel B, Khuong-Huu E, Tertuliano M, & Le Ru B. 1994a. Influence of secondary compounds in the phloem sap of cassava on expression of antibiosis towards the mealybug *Phenacoccus manihoti*. *Entomol. Exp. Appl.* 72: 47-57.
- Catalayud PA & Le Ru B. 2006. *Cassava-Mealybug Interactions*. Institut de Reserche Pour le Development, Paris.
- Dwianri I. 2013. *Praktek Budi Daya dan Persepsi Petani Ubi Kayu terhadap Hama Kutu Putih Phenacoccus manihoti di Kabupaten Bogor*. Skripsi. Bogor: Institut Pertanian Bogor
- Hanafiah, K. A. 2010. *Rancangan Percobaan*. Universitas Sriwijaya. Palembang.
- Hafifah, S. 2018. *Biologi Dan Neraca Hayati Kutu Putih Pseudococcus jackbeardsleyi Gimpel-Miller (Hemiptera: Pseudococcidae) Pada Tanaman Hias Aglaonema*. Bogor. Skripsi. Departemen Proteksi Tanaman, Fakultas Pertanian, Institut Pertanian Bogor.
- Ivakdalam. LM. 2010. *Survei Serangan Hama Baru Paracoccus marginatus (Hemiptera:Pseudococcidae) Pada Pertanaman Pepaya Di Kabupaten*

- Bogor. Jurnal Ilmiah Agribisnis dan Perikanan (agrikan UMMU-Ternate). Volume 3 Edisi 2 (Oktober 2010)
- James, B., Yaninek, J., Neuenschwander, P., Cudjoe, A., Modder, W., Echendu, N & Toko, M. 1997. Pest Control in Cassava Farms. IPM Field Guide.(229): 1–20.
- Kalshoven, L.G.E. 1981, The pests of crops in Indonesia, van der Laan, PA (trans. and rev.), PT Ichtiar Baru Van Hoeve, Jakarta.
- Lovalini, D. 2016. Jenis Dan Tingkat Serangan Hama Kutu Putih Dan Tungau Merah Pada Tanaman Ubi Kayu (*Manihot esculenta* Crantz) di Kota Padang. Skripsi. Fakultas Pertanian. Universitas Andalas. Padang. Sumatera Barat.
- Mau RFL, and Kessing JLM. 2000. Crop knowledge master: *Pseudococcus jackbeardsleyi* Gimpel and Miller [internet]. [diunduh 2016 mei 24]. Tersedia pada: [http:// www.extento.hawaii.edu/kbase/crop/type/p_jackbe.htm](http://www.extento.hawaii.edu/kbase/crop/type/p_jackbe.htm).
- Miller DR, Williams DJ, & Hamon AB. 1999. Notes on a new *mealybug* (Hemiptera: Coccoidea: Pseudococcidae) pest in Florida and the Caribbean: the papaya *mealybug*, *Paracoccus marginatus* Williams and Granara de Willink. Insecta Mundi 13(3–4): 179–181.
- Muniappan R, Shepard BM, Watson GW, Carner GR, Sartiami D, Rauf A, & Hammig MD. 2008. First report of the papaya *mealybug*, *Paracoccus marginatus* (Hemiptera: Pseudococcidae), in Indonesia and India. J. Agric. Urban Entomol. 25(1): 37–40
- Nurmasari F. 2020. Identifikasi Keanekaragaman Dan Pola Sebaran Hama Kutu Putih Dan Musuh Alaminya Pada Tanaman Singkong (*Manihot esculenta*) Di Kabupaten Banyuwangi. Biotropika: Journal of Tropical Biology. Vol. 8 | No. 3 | 2020 |. <https://biotropika.ub.ac.id>.
- Neuenschwander, P., A. P. Gutierrez, A. R. Cudjoe, R. Adjakoe, J.U. Baumgartner, and U. Regev. 1989. Impact assessment of the biological control of the cassava mealybug, *Phenacoccus manihoti* Matile- Ferrero (Hemiptera: Pseudococcidae), by the introduced parasitoid *Epidnocris lopezi* (De santis) (Hymenoptera: Encyrtidae) Bull. Ent. Res. 79: 579-594
- Nwanze KF. 1978. Biology of the cassava *mealybug* *Phenacoccus manihoti* Mat-Ferr. in the Republic of Zaire. In: Nwanze KF & Leuschner K (Eds.). Proceedings of the International Workshop on Cassava *Mealybug* *Phenacoccus manihoti* MatFerr. (Pseudococcidae). pp. 20–28. INERA, M’Vuazi, Zaire, June 26–29, 1977. IITA Press, Ibadan, Nigeria.
- Nwanze KF. 1982. Relationships between cassava root yields and crop infestations by the *mealybug*, *Phenacoccus manihoti*. Int. J. Pest Manage. 28: 27–32.
- Pantoja A, Abreu E, Pena J, & Robles W. 2007. *Paracoccus marginatus* Williams and Granara de Willink (Homoptera: Pseudococcidae) affecting papaya in Puerto Rico. J. Agric. Univ. PR 91(3–4): 223–225.

- Proyek Pengendalian Hama Terpadu Perkebunan Rakyat [PPHTPR]. 2002. Musuh Alami hama dan penyakit tanaman kopi, Direktorat Perlindungan Perkebunan, Direktorat Bina Produksi Perkebunan, Departemen Perkebunan, Jakarta
- Rauf A. 2008. Ribuan pohon pepaya di Bogor mati diserang hama baru. Departemen Proteksi Tanaman, Fakultas Pertanian-IPB, Bogor.
- Rauf, A. 2011. Hama Kutu Putih *Phenacoccus manihoti*. Pusat Pertanian Ilmu Hama Tanaman. Institut Pertanian Bogor
- Ratib, F. 2016. Jenis dan Tingkat Serangan Hama Utama Tanaman Ubi Kayu (*Manihot esculenta* Crantz) di Kabupaten Lima Puluh Kota. Skripsi. Fakultas Pertanian. Universitas Andalas. Padang. Sumatera Barat.
- Rovaienin, O. 1980. *Mealybugs*. in: vektors of plant pathogens, Eds. K.F. Harris & K. Marmorosch. Academic Press. New York. P.15-38.
- Saktika, FD. 2016. Inventarisasi Hama Utama Tanaman Ubi Kayu (*Manihot esculenta* Crantz) di Kabupaten Solok. Skripsi. Fakultas Pertanian. Universitas Andalas. Padang. Sumatera Barat.
- Sakthivel P, Karuppuchamy P, Kalyanasundaram M, & Srinivasan T. 2012. Host plants of invasive papaya mealybug, *Paracoccus marginatus* (Williams and Granara de Willink) in Tamil Nadu. Madras Agric. J. 99: 615–61
- Sari RW. 2019. Tingkat Kerusakan Tanaman Dan Populasi Tungau Serta Kutu Putih Pada 23 Klon Ubi Kayu (*Manihot Esculenta* Crantz). J. Agrotek Tropika. ISSN 2337-4993 .Vol. 7, No. 3: 497 - 502, September 2019.
- Setyorini SD. 2017. Mengenal Hama Kutu Putih pada Ubi Kayu. <http://balitkabi.litbang.pertanian.go.id/?p=13119>. [27 Oktober 2017].
- Shylesha, AN. 2013. Host range of invasive Jack Beardsley mealybug, *Pseudococcus jackbeardsleyi* Gimpel and Miller in Karnataka. Pest Management in Horticultural Ecosystems. 19(1): 106-107.
- Soysouvanh P & Siri N. 2013. Population abundance of pink mealybug, *Phenacoccus manihoti* on four cassava varieties. Khon Kaen Agr. J. 41(1): 149- 153.
- Susilawati, Nurdjanah S., Putri S. 2008. Karakteristik Sifat Fisik Dan Kimia Ubi Kayu (*Manihot esculenta*) Berdasarkan Lokasi Penanaman Dan Umur Panen Berbeda. Jurnal Teknologi Industri dan Hasil Pertanian 13 (2): 59-72.
- Wardani, N. 2015. Kutu Putih Ubi Kayu, *Phenacoccus manihoti* Matile-Ferrero (Hemiptera: Pseudococcidae), Hama Invasif Baru di Indonesia. Disertasi. Institut Pertanian Bogor. Bogor.
- Walker, A. Hoy M, Meyerdirk D. 2003. Papaya mealybug (*Paracoccus marginatus*) Williams & Granara de Willink (Insecta: Hemiptera: Pseudococcidae)). Featured creatures. Entomology and Nematology

Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Science, University of Florida, Gainesville, FL.

- Walker A, Hoy M, & Meyerdirk DE. 2006. Papaya mealybug (*Paracoccus marginatus* Williams & Granara de Willink) (Hemiptera: Pseudococcidae). Featured creatures. Entomology and Nematology Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, FL.
- Walker A, Hoy M, & Meyerdirk D. 2003. Papaya mealybug (*Paracoccus marginatus*) Williams and Granada de Willink (Insecta: Hemiptera: Pseudococcidae). Featured creatures. Institut of Food and Agricultural Sciences, University of Florida, Gainesville
- Williams DJ & Granara de Willink MC. 1992. *Mealybugs* of Central and South America. CABI, Wallingford.
- Widiani, AR. 2017. Inventarisasi Hama Daun Tanaman Ubi Kayu (*Manihot esculenta* Crantz) dan Tingkat Serangannya di Kota Payakumbuh. Skripsi. Fakultas Pertanian. Universitas Andalas. Padang. Sumatera Barat.
- Yuliawati. 2009. Pengelolaan tanaman dan organisme pengganggu tanaman (opt) ubi kayu (*Manihot esculenta* Crans) di Kecamatan Ciemas, Sukabumi dan Kecamatan Dramaga, Brogor. [Skripsi]. Fakultas Pertanian. Institut Pertanian Bogor.

