

## DAFTAR PUSTAKA

- Abizar M. dan D. Prijono. 2010. Aktivitas insektisida ekstrak daun dan biji *Tephrosia vogelii* J.D. Hooker (Leguminosae) dan ekstrak buah *Piper cubeba* L. (Piperaceae) terhadap larva *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae). *JHPT Trop* 10:1-12.
- Abhilash PC, Singh N. 2009. Pesticide use and application: an Indian scenario. *Hazard Mater* :165:1-2
- Benita, S., 2006. Microencapsulation Methods and Industrial Application. New York: MarcelDekker Inc.
- Bernard C. B, Krishnamurty H. G, Chauret D, Durst T, Philogene B. J. R et al. 1995. Insecticidal defenses of Piperaceae from the Neotropics. *J Chem Ecol* 21:801-814.
- Bernard CB, Arnason JT, Philogene B. J. R, Lam J, Waddell T. 1989. Effect of lignans and other secondary metabolites of the asteraceae on the monooxygenase activity of the European corn borer. *Phytochemistry* 28(5) 1373-1377.
- Bernard CB, Arnason JT, Philogene B. J. R, Lam J, Waddell T. 1990. In vivo effect of mixtures of allelochemicals on the life cycle of the European corn borer, *Ostrinia nubilalis*. *Entomol Exp Appl* 57:17-22.
- Bhabra G, Sood A, Fisher B, Cartwright L, Saunders M., dan Evans W. H. 2009. Nanoparticles can cause DNA damage across a cellular barrier. *Nat Nanotech* 4:876-83
- [BPS] Badan Pusat Statistika Sumatera Barat. 2016. Produksi Tanaman Buah-buahan dan Sayuran di Sumatera Barat Pada Tahun 2010-2015 [update terakhir Februari 2015].
- Cabizza. 2004. Rotenone and rotenoids in cube resins formulations, and residues or olives. *J Agric Food Chem* 52: 288-293.
- Cabras P, Caboni P, Cabras M, Angioni A and Russo M. 2002. Rotenone residues on olives and in olive oil. *J Agric Food Chem* 50: 2576-2580.
- Chou TC, Talalay P. 1984. Quantitative analysis of dose-effect relationships: the combined effects of multiple drugs or enzyme inhibitors. *Adv Enzyme Regl* 22:27-55.

- Dadang dan D. Prijono. 2008. Insektisida Nabati: Prinsip, Pemanfaatan, dan Pengembangan. Bogor: Departemen Proteksi Tanaman, Institut Pertanian Bogor.
- Dadang, N. Isnaeni dan K. Ohsawa. 2007. Ketahanan dan pengaruh fitotoksik campuran ekstrak *Piper retrofractum* (Piperaceae) and *Annona squamosa* (Annonaceae) pada pengujian semi lapangan. J. HPT Tropika. 7(2): 91 – 99
- Djamaan A., Fitra F, Pusmegadewi, Dillasamola D, Asiska P. D and Anthoni A. 2016. Isolation and Identification of Polyhydroxyalkanoates Producing Bacteria from Soil Sample in Tropical Forest of Anai Valley, West Sumatra, Indonesia.
- Djojosumarto, P. 2008. Pestisida dan Aplikasinya. Jakarta: Agromedia Pustaka.
- Delfel N. E., Tallent W. H., Carlson D. G., and Wolff I. A. 1970. Distribution of rotenone and deguelin in *Tephrosia vogelii* and separation of rotenoid-rich fractions. J Agric Food Chem 188(3): 385-390.
- Duran N. and Marcato P. D. 2013. Nano biotechnology perspectives. Role nanotechnology in the food industry : a review. Int food sci technol. 48(6): 1127-34
- Erlina, L. H. 2019. Aktivitas Insektida Sediaan Nanoemulsi *Piper aduncum* dan Efek Fisiologisnya Terhadap Larva *Crocodolomia pavonana* F. (Lepidoptera: Crambidae). [Tesis]. Padang. Program Pascasarja jurusan Ilmu Hama dan Penyakit Tumbuhan. Universitas Andalas. 65 hal.
- Gaskins M. H, White G. A, Martin F. W, Delfel N. E, Ruppel E. G, Barnes D. K. 1972. *Tephrosia vogelii*: A Source of Rotenoids for Insecticidal and Piscicidal Use. Washington DC: United States Department of Agriculture.
- Georghiou G. P. 1983. Management of resistance in arthropods. Di dalam: Georghiou G. P, Saito T, editor. Pest Resistance to Pesticides. New York: Plenum Press. hlm 769-792.
- Ghormade V., Deshpande M. V and Paknikar K. M. 2011. Perspectives for nanobiotechnology enabled protection and nutrition of plants. Biotechnol Adv 29(6): 792-803
- Gogos, A, Knauer, K and Buchelli T. D. 2012. Nanomaterials in plant protection and fertilization: current state, foreseen applications and research priorities. J Agric food Chem 60(39): 9781-92

- Gonzalez, J. O. W, Gutierrez, M. M, Ferrero A. A., and Band B. F. 2014. Essential oils nanoformulations for stored-product pest control-characterization and biological properties. *Chemopshere* 100: 130-8
- Grainge, M and Ahmed, S. 1988. *Handbook of Plants with Pest Control Properties*. New York: J Wiley Hagemann, J. W, Pearl M. B, Higgins JJ, Delfel NE, Earle FR. 1972. Rotenone and deguelin in *Tephrosia vogelii* at several stages of maturity. *J Agric Food Chem* 20:906-908.
- Hollingworth, R. M. 2001. Inhibitors and uncouplers of mitochondrial oxidative phosphorylation. Di dalam: Krieger R, Doull J, Ecobichon D, Gammon D, Hodgson et al., editor. *Handbook of Pesticide Toxicology*. San Diego (US): Academic Press, 2: 1169-1227
- Heyne, K. 1987. *Tumbuhan Berguna Indonesia*. Jilid ke-2. Badan Litbang Kehutanan, penerjemah. Jakarta: Yayasan Sarana Warna Jaya. Terjemahan dari: De Nuttige Planten van Ned-Indië.
- Higueras L, Lopez-Carballo G, Cerisuello J. P, Gavara R, and Hernandez-Munoz P. 2013. Preparation and Caracterization of chitosan/HP-cyclodextrins compositers with hign sorption capacity for carvacrol. *Carbohydr Polym* 97(2):262-8
- Isman MB. 1995. Leads and prospects for the development of new botanical insecticides. *Rev Pestic Toxicol* 3:1-20.
- Isman MB. 2006. Botanical insecticides, deterrents and repellents in modern agriculture and an increasingly regulated world. *Annu Rev Entomol* 51(1): 45-66
- Isman MB. 2000. Plant essential oils for pest and disease management. *Crop Prot* 19(8-10) : 603-8
- InTech Photakamuri UR, Barbosa-Canovas GV. 1995. Fundamental aspect of controlled release in foods. *Trends food Sci Techno* 6: 397-406
- Jensen H. R, Philogene BJR, Arnason JT. 2008. A review of *Piper* spp. (Piperaceae) phytochemistry, insecticidal activity and mode of action. *Phytochem Rev* 7: 65-75.
- Jerobin J, Sureshkumar R. S, Anjali C. H, Mukherjee A, and Chandrasekaran N. 2012. Biodegradable polymer based encapsulation of neem oil nanoemulsion for controlled release of Aza-A. *Carbohydr Polym* 90(4):1750-6

- Keawchaoon, L. and Yoksan R. 2011. Preparation, characterization and in vitro release study of carvacrol-loaded chitosan nanoparticles. *Colloids Surf B Biointerfaces* 84(1):163-71
- Kohler H. R and Triebeskorn R. 2013. Wildlife ecotoxicology of pesticides: can we track effects to the population level and beyond? *Science* 341: 759-65
- Khot L. R, Sankaran S, Maja J. M, Ehsani R., and Schuster E. W. 2012. Applications of nanomaterials in agricultural production and crop protection: a review. *Crop Prot* 35:64-70
- Kumar R, Sharon M and Coudhary A. K. 2010. Nanotechnology in agricultural diseases and food safety. *Phytol* 2(4).
- Lao S. B, Zhang Z. X, Xu H. H, and Ijang G-B. 2010. Novel amphiphilic chitosan derivatives: synthesis, characterization and micellar solubilization of rotenone. *Carbohydr Polym* 82(4): 1136-42
- Lee W. M, Kwak L, and An Y. 2012. Effect of silver nano particles in crop plants *Phaseolus radiatus* and *Sorghum bicolor*: media effect on phytotoxicity. *Chemosphere* 86:491-9
- Lim G. O, Jang S. A, and Song K. B. 2010. Physical and antimicrobial properties of gellidium corneum/nano-clay composite film containing grape fruit seed extract or thymol. *J food Eng* 98(4):415-20
- Lina, E. C., Arneti, Djoko, P dan Dadang. 2009. Potensi insektisida melur (*Brucea javanica* L. Merr) dalam mengendalikan hama kubis *Crocidolomia pavonana* (L) (Lepidoptera: Yponomeutidae). *J. Natur Indonesia* 12(2): 109-116 hal.
- Lina, E. C., Dadang, S. Manuwoto, G. Syahbirin and D. Prijono. 2013. Synergistic Action of Mixed Extracts of *Brucea javanica*, *Piper aduncum* and *Tephrosia vogelli* Against Cabbage Head Caterpillar *Crocidolomia pavonana*. *Journal of Biopesticides*. 6(1): 77-83.
- Lina, E. C., Dadang, Syafrida, M. Dan Gustini, S. 2014. Gangguan fisiologi dan biokimia *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae) akibat perlakuan ekstrak campuran *Tephrosia vogelii* dan *Piper aduncum*. *Jurnal Entomologi Indonesia* 12 (2): 94-101 hal.
- Lina, E. C., Arneti, D. Prijono, Dadang. 2010. Aktifitas Insektisida *Brucea javanica* L. Merr Terhadap Hama Kubis *Crocidolomia pavonana* (Lepidoptera: Crambidae). Departemen proteksi tanaman. Institut Pertanian Bogor. Bogor. 11(1): 36-39.

- Lina, E. C., Dadang, S. Manuwoto, G. Syahbirin. 2016. Gangguan Fisiologis dan Fisikokima *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae) Akibat Perlakuan Ekstrak Campuran *Tephrosia vogelii* dan *Piper Aduncum*. Jurnal Entomologi Indonesia 12(2) 94-101.
- Lina, E. C., Dadang, S. Manuwoto, G. Syahbirin and D. Prijono. 2013. Synergistic Action of Mixed Extracts of *Brucea javanica*, *Piper aduncum* and *Tephrosia vogelii* Against Cabbage Head Caterpillar *Crocidolomia pavonana*. Journal of Biopesticides. 6(1): 77-83.
- Lin D, Xing B. 2008. Root uptake and phytotoxicity of ZnO nanoparticles. Environ Sci Techno. 42:5580-5 Martin L, Liparoti S, Della Porta G, Adami R, Marques JL, Urieta JS, et al. 2013. Rotenone coprecipitation with biodegradable polymers by supercritical assisted atomization. Supercrit Fluids 48-54
- Menezes E de LA. 2005. Insecticidas botanicos: seus princípios ativos.modo de acao e uso agriola. Seropedia; Rio de Janeiro: Embrapa Agrobiologia
- Metcalf R. L. 1982. Insecticides in pest management. Di dalam: Metcalf RL, Luckman WH, editor. Introduction to Insect Pest Management. Ed ke-2. New York: J Wiley. hlm 217-253.
- Miyakado M, Nakayama I, Ohno N. 1989. Insecticidal unsaturated isobutyramides from natural products to agrochemical leads. In Arnason JT, Philogene BJR, Morand P, editor. Insecticides of Plant Origin. Washington DC (US): ACS. Pp 173-187.
- Morgan DE, Wilson DI. 1999. Insect hormones and insect chemical ecology. In Barton SD, Nakanishi K, Meth-Cohn O, Mori K, editor. Comprehensive Natural Products Chemistry. Vol 8:264-364. Amsterdam (NL): Elsevier.
- Morallo-Rejesus B. 1986. Botanical insecticides against the diamondback moth. <http://www.avrdc.org/pdf86dbm86DBM23.pdf> [16 Maret 2007].
- Muslim, S., Salman, Fitriani, Suharti, N., Erizal, Z., Febriyenti, Aldi, Y. & Akmal, D., 2015. Use of Bioblend Polystyrene/Starch for Coating Urea Granules as Slow Release Fertilizer. Journal of Chemical and Pharmaceutical Research, 7(11), pp. 478-484
- Nailufar, N. 2011. Aktivitas Insektisida Ekstrak Daun *Tephrosia vogelii* (Leguminosae) dan Buah *Piper aduncum* (Piperaceae) terhadap Larva *Crocidolomia pavonana*. [Skripsi]. Bogor. Fakultas Pertanian. Institut Pertanian. 47 hal.
- Perry A. S, Yamamoto I, Ishaaya I, Perry R. Y. 1998. Insecticides in Agriculture and Environment: Retrospects and Prospects. Berlin: Springer-Verlag.

- Perlatti B, Bergo Souza, de P. L, Fernandes da Silva M. F, das G, Batista J, Rossi M. 2013. Polymeric nanoparticle-based insecticides: a controlled release purpose for agrochemicals. In: Trdan S, editor. Insectic-Dev safer More Eff Technol.
- Prijono D. 1999. Prospek dan strategi pemanfaatan insektisida alami dalam PHT. Di dalam: Nugroho BW, Dadang, Prijono D, editor. Bahan Pelatihan Pengembangan dan Pemanfaatan Insektisida Alami, Bogor, 9-13 Agustus 1999. Bogor: Pusat Kajian Pengendalian Hama Terpadu, IPB. Hlm 1-7.
- Prijono D. 2002. Pengujian Keefektifan Campuran Insektisida: Pedoman bagi Pelaksana Pengujian Efikasi untuk Pendaftaran Pestisida. Bogor: Jurusan Hama dan Penyakit Tumbuhan, Fakultas Pertanian, Institut Pertanian Bogor.
- Prijono D. 2006. Peranan pestisida botani dalam pengendalian hama terpadu. Di dalam: Pertemuan Koordinasi Pengembangan Pertanian Ramah Lingkungan & Organik; Bogor, 17-18 Maret 2006. Bogor: Departemen Proteksi Tanaman, Fakultas Pertanian, Institut Pertanian Bogor. hlm 1-18.
- Risch SJ, Reineccius GA, editors. 1995. Encapsulation and controlled realease of food igredients ACS symposium series.p.590
- Riyajan S-A, Sakdapipaich JT. 2009. Developnment of a controlled release neem capsule with a sodium alginate matrix, crosslinked by glutaraldehyde and coated with natural rubber. Polym Bull 63(4):609-22
- Saryanah NA. 2008. Toksisitas campuran ekstrak *Piper retrofractum* Vahl (Piperaceae) dan *Tephrosia vogelii* Hook. F. (Leguminosae) terhadap larva *Crocidolomia pavonana* (F.) (Lepidoptera: Pyralidae) [skripsi]. Bogor: Fakultas Pertanian, Institut Pertanian Bogor.
- Sastrosiswojo, S. and W. Setiawati. 2007. Biology and Control of *Crocidolomia binotalis* in Indonesia. Bandung. Lemhang Horticultura Research Institute. 81-87.
- SAS Institute. 1990. SAS/STAT User's Guide, Version 6, Vol 2. 4th ed. Cary (North Carolina): SAS Institute.
- Sasson H, Levy-Ruso G, Toledano O, Ishaaya. 2012. Nanosuspensions: emerging nove agro-chemicals formulations. In: Inlshaaya I. Nauen R, Horowitz AR. Editors. Insecticides design usign advanced technologies. Heidelberg: Springer-Verlag. P 1-32 Scott IM,

- Sri, S. J, Seethadevi, A., Prabha, K.S., Muthuprasanna, P. & Pavitra, P. 2012. Microencapsulation: A Review. International Journal of Pharma and Bio Sciences, 3(1): 509-531.
- Stephenson G. R. 2003. Pesticide use and world food production: risks and benefits in: Coats R Yamamoto H, editors. Environmental fate and effect of pesticides.853. ACS Symposium Series. P. 261-70. Washington.
- Steel R. G. D, Torrie J. H, and Dickey D. A. 1997. Principles and Procedures of Statistics: A Biometrical Approach. 3rd ed. Boston: McGraw-Hill.
- Tramon C. 2014. Modelling the controlled release of essential oils from a polymer matrix-a special case. Indus Crops Product 61:23-30
- Stone ND, Makela ME, Plapp FW. 1988. Nonlinear optimization analysis of insecticide mixtures for the control of the tobacco budworm (Lepidoptera: Noctuidae). J Econ Entomol 81:989-994.
- Tama, D. P. 2019. Nanoemulsi Insektisida Botani Berbahan *Tephrosia vogelii* dan Pengujiannya Terhadap Hama Kubis *Crocidolomia pavonana* F. (Lepidoptera: Crambidae). [Tesis]. Padang. Program Pascasarja jurusan Ilmu Hama dan Penyakit Tumbuhan. Universitas Andalas. 57 hal.
- Yamashta K, Yosioka Y, Higashisaka K, Mimura K, Morishita Y, Nozaki, and M. 2011. Silica and titanium dioxide nanoparticles cause pregnancy complications in mice nature nanotech 6:321-8