

DAFTAR PUSTAKA

- Almeida Y.C., Sibille K.T., Goodin B.R., Ruiter M., Bartley E.J., Riley J.L., . King C.D.,et al. Racial and ethnic differences in older adults with knee osteoarthritis. *Arthritis Rheumatol.* 2014; 66(7):1800–1810.
- Anderson J, Felson DT: Factors associated with osteoarthritis of the knee in the First National Health and Nutrition Examination (HANES I).*Am.J.Epidemiol.* 1988;128:179-189.
- A Freemont, V Hampson, R Tilman, P Goupille, Y Taiwo, and J Hoyland. Gene expression of matrix metalloproteinases 1, 3, and 9 by chondrocytes in osteoarthritic human knee articular cartilage is zone and grade specific. *Ann Rheum Dis.* 1997 Sep; 56(9): 542–549.
- Bleasel JF. Aetiological pathway. Osteoarthritis & inflammatory arthritis: osteoarthritis. *Aplar J of Rheumatology*1998;2:148-51.
- Brandt KD. Management of osteoarthritis.In: Kopman WJ, editor. Arthratis of allied conditions. A textbook of rheumatology. 13rd ed. Baltiomore: William & Wilkins; 1997.p.1393-1403.
- Berenbaum F. Osteoarthritis, pathology and pathogenesis. In: Klipper JH, Stone JH,Crofford LJ, White PH, editors. Primer on the rheumatic diseases. 13th ed. New York:Springer Science & Business Media;2008.p.229-34.
- Chaisson CE, Zhang Y, Sharma L, Kannel W, Felson DT. Grip strength and the risk of developing radiographic hand osteoarthritis: results from the Framingham Study. *Arthritis Rheum.*1999;42(1):33–8.
- Charles BJ, David CS, David MH. Matrixmetalloproteinses: a review of their structureand role in acute coronary syndrome. Department of Internal/Cardiology. USA:Wake Forest University;2003.
- Chen JJ, Huang JF., Du WX., Tong PJ. Expression and significance of MMP3 in synovium of knee joint at different stage in osteoarthritis patients. *Asian Pacific Journal of Tropical Medicine;* (2014);p297-300.
- Chen HC, Shah SH, Li YJ, Stabler TV, Jordan JM, Kraus VB. Inverse association of general joint hypermobility with hand and knee osteoarthritis and serum cartilage oligomeric matrix protein levels. *Arthritis Rheum.*2008;58(12):3854–64.
- Chen Y, Nixon NB, Dawes PT., and Matthey DL. Influence of variations across the MMP-1 and -3 genes on the serum levels of MMP-1 and -3 and diseaseactivity in rheumatoid arthritis. *Genes and Immunity* (2012) 13,29–37.

Christensen R, Bartels EM, Astrup A, Bliddal H. Effect of weight reduction in obese patients diagnosed with knee osteoarthritis: a systematic review and meta-analysis. *Ann Rheum Dis.* 2007;66(4):433–9. [PMC free article] [PubMed] [GoogleScholar].

Cirillo DJ, Wallace RB, Wu L, Yood RA. Effect of hormone therapy on risk of hip and knee joint replacement in the Women's Health Initiative. *Arthritis Rheum.* 2006;54(10):3194–204.

De Isla NG & Stoltz JF (2008): In vitro inhibition of IL-1 β catabolic effects on cartilage: A mechanism involved on diacerein anti-OA properties. *Biorheology* 45:433–43.

Dolan AL, Hart DJ, Doyle DV, Grahame R, Spector TD. The relationship of joint hypermobility, bone mineral density, and osteoarthritis in the general population: the Chingford Study. *J Rheumatol.* 2003;30(4):799–803.

Dominick KL, Jordan JM, Renner JB, Kraus VB. Relationship of radiographic and clinical variables to pinch and grip strength among individuals with osteoarthritis. *Arthritis Rheum.* 2005;52(5):1424–30.

Efstathiou M and Settas L. The effect of non-steroidal anti-inflammatory drugs on matrix metalloproteinases levels in patients with osteoarthritis. *Mediterr J Rheumatol.* 2017 Sep; 28(3): 133–141.

Englund M, Guermazi A, Gale D, et al. Incidental meniscal findings on knee MRI in middle-aged and elderly persons. *N Engl J Med.* 2008;359(11):1108–15.

Felson DT, Anderson JJ, Naimark A, Walker AM, Meenan RF: Obesity and knee osteoarthritis: The Framingham study. *Ann.Int.Med.* 1988;109:18-24.

Felson DT, Zhang Y, Anthony JM, Naimark A, Anderson JJ. Weight loss reduces the risk for symptomatic knee osteoarthritis in women. The Framingham Study. *Ann Intern Med* 1992; 116:535–539.

Fernandes JC, Martel-Pelletier J, Pelletier JP. The role of cytokines in osteoarthritis pathophysiology. *Biorheology.* 2002;39(1-2):237–46.

Fujita K., Ando T., Ohba T., Wako M., Sato N., Nakamura Y., et al. Age-related expression of MCP-1 and MMP-3 in mouse intervertebral disc in relation to TWEAK and TNF- α stimulation. *J Orthop Res Actions.* 2012 Apr;30(4):599–605.

Gabay O., Hall DJ., Berenbaum F.,^b Henrotin Y., and Sanchez C. Osteoarthritis and obesity: Experimental models. *Joint Bone Spine.* 2008 Dec; 75(6): 675–679.

Georgiev T., Ivanova M., Kopchev M., Velikova, T., Miloshev, A., Kurteva, M., et al. Cartilage oligomeric protein, matrix metalloproteinase-3, and Coll2-1 as serum biomarkers in knee osteoarthritis: a cross-sectional study. *Rheumatology International*, volume 38, pages 821–830 (2018).

Guo W, Xu P, Jin T, Wang J, Fan D, Hao Z, Ji Y, et al. *MMP-3 gene polymorphisms are associated with increased risk of osteoarthritis in Chinese men.* Oncotarget. 2017 Oct 3; 8(45):79491–79497.

Goldring SR, Goldring MB. The role of cytokines in cartilage matrix degeneration in osteoarthritis. Clinical Orthopaedics and Related Research. 2004;(427, supplement):S27–S36.

Grotte M, Hagen HB, Natvig B, Dahl FA, Rvien TK. Prevalence and burden of osteoarthritis : results from a population survey in Norway. PMID2008;(1).

GS Man and G Mologhianu. Osteoarthritis pathogenesis – a complex process that involves the entire joint J Med Life. 2014 Mar 15; 7(1):37–41.

Hannan MT, Felson DT, Anderson JJ, Naimark A, Kannel WB. Estrogen use and radiographic osteoarthritis of the knee in women. The Framingham Osteoarthritis Study. Arthritis Rheum. 1990;33(4):525–32.

Harris WH. Etiology of osteoarthritis of the hip. Clin Orthop Relat Res. 1986;213:20–33.

Hunter D J., and Eckstein F. Exercise and osteoarthritis. J Anat. 2009 Feb; 214(2): 197– 207. Centers for Disease Control and Prevention. <https://www.cdc.gov/arthritis/basics/osteoarthritis.htm#what>.

Hideaki N, Woosener JF. Matrixmetalloproteinase. J Biol Chem 1999;274:1491–4.
Lee A, Park K, Choi SJ, Seo DH, Kim K, Kim HS, et al. Prediction of antiarthritic drug

Imbawan IE, Putra TR., Kambayana G. Korelasi Kadar MatrixMetalloproteinases-3 (MMP-3) Dengan Derajat Beratnya Osteoarthritis Lutut. J Peny Dalam: Volume 12; Nomor 3, p181-192.

Indonesian Rheumatology Association. Rekomendasi Perhimpunan Reumatologi Indonesia untuk Diagnosis dan Penatalaksanaan Osteoarthritis, [Tempat tidak diketahui]: PB IRA; 2014. Diunduh dari: <http://www.reumatologi.or.id/reurek/download/24>. Diakses tanggal 10 September 2017.

Irwan, 2013. Angka Harapan Hidup Lansia. Fakultas Kedokteran. Universitas Indonesia.

IPAQ Research Committee, 2004. Guidelines for the data processing and analysis of the International Physical Activity Questionnaire (short form). Diunduh dari <http://www.ipaq.ki.se> tanggal 20 April 2015.

Jacques C, Gosset M, Berenbaum F, Gabay C (2006). The role of IL-1 and IL-1Ra in joint inflammation and cartilage degradation. *Vitam Horm.* 74:371-403.

Kara M., Imerci A., Canbek U., Akgun U., Dubektas Canbek D,T., Aydogan N,H. (2016). The Relationship Between Primary Knee Osteoarthritis (OA) and MMP-1 and MMP-3 Gene Polymorphisms in a Turkish Population: A Population-Based Case-Control Study. *Medical Journal of Mugla Sitki Kocman University.* 2016;3(2):9-12.

Kahlert S, Grohé C, Karas RH, Löbbert K, Neyses L, Vetter H: Effects of estrogen on skeletal myoblast growth. *Biochem Biophys Res Commun.* 1997, 232: 373-378. 10.1006/bbrc.1997.6223.

Kenneth DB. Osteoarthritis. In: Kasper DL,Fauci AS, Longo DL, Braunwald E, Hauser SL, Jameson JL, editors. *Harrison Principles of Internal Medicine.*16th ed. McGraw- Hill Companies; 2005.p.2036-44.

Komosinska-Vassev K., Olczyk P., Winsz-Szcztka K., Kuznik-Trocha K., Klimek K., Olczyk K. Age- and Gender-Dependent Changes in Connective Tissue Remodeling: Physiological Differences in Circulating MMP-3, MMP-10, TIMP-1 and TIMP-2 Level. *Gerontology.* 2011;57:44–52

Lawrence RC, Felson DT, Helmick CG, et al. Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part II. *Arthritis Rheum.* 2008;58(1):26–35.

Lee A, Park K, Choi SJ, Seo DH, Kim K, Kim HS, et al. Prediction of antiarthritic drug efficacies by monitoring active matrix metalloproteinase-3 (MMP-3) levels in collagen- induced arthritic mice using the MMP-3 probe. *Mol Pharm.* 2014;11:1450–1458.

Liu YP.,Li J.,Xin SB.,Xu J.Study the relevance between inflammatory factors and estradiol and their association with knee osteoarthritis in postmenopausal women. *European Review for Medical and Pharmacological Sciences.* 2018; 22: 472-478

Loeser RF, MD.Pathogenesis of osteoarthritis.Official reprint from UpToDate. www.uptodate.com ©2019 UpToDate, Inc. and/or its affiliates. All Rights Reserved.

Lu S, Xiao X, Cheng M. Matrine inhibits IL-1 β -induced expression of matrix metalloproteinases by suppressing the activation of MAPK and NF- κ B in human chondrocytes *in vitro* . *Int J Clin Exp Pathol.* 2015; 8(5): 4764–4772.

Mark D. Kohn,BA, Adam A. Sasoon, MD, and Navin D. Fernando, MD.Classifications in Brief: Kellgren-Lawrence Classification of Osteoarthritis. *Clin Orthop Relat Res.* 2016 Aug; 474(8):1886–1893.

Mat S., Jaafar M.H., Teck Ng C., Sockalingam S., Raja J., Kamaruzzaman S.B., et al. Ethnic differences in the prevalence, socioeconomic and health related risk factors of knee pain and osteoarthritis symptoms in older Malaysians

PLOS ONE.2019.<https://doi.org/10.1371/journal.pone.0225075>.

Melo-Florián,A. IL-1 and its role in osteoarthritis.Open Journal of Medicine, 2011Vol. 1 No. 1:3 doi: 10:3823/502.From: <http://www.ojmedicine.com>.

Messier SP, Loeser RF, Miller GD, et al. Exercise and dietary weight loss in overweight and obese older adults with knee osteoarthritis: the Arthritis, Diet, and Activity Promotion Trial. *Arthritis Rheum.* 2004;50(5):1501–10. [PubMed] [Google Scholar].

Mora J,C., Przkora R.,Almeida Y,C.Knee osteoarthritis: pathophysiology andcurrent treatment modalitiesJournal of Pain Research2018;112189–2196.

Murphy G, McGuire MB, Russel RGG, Reynolds J. Characterization of collagenase,other metalloproteinases and an inhibitor(TIMP) produced by human synovium andcartilage in culture. *Clin Sci* 1981;61:711-9.

Nguyen T.,V. Osteoarthritis in southeast Asia. *International Journal of Clinical R heumatology.* (2014) 9(5),405-4.

National Library of Medicine.MMP3 gene matrix metallopeptidase 3.Genetics Home Reference.

Patel A, Abdulaal A., Ariyanayagam D., Killington K., . Denny S,J., Mughal N, et al. Investigating the association between ethnicity and health outcomes in SARS-CoV-2 in a London secondary care population.2020.Plos One. <https://doi.org/10.1371/journal.pone.0240960>

Pelletier JM, Lajenesse D, Pelletier J.Etiopathogenesis of osteoarthritis. In:Koopman WJ, editor. *Arthritis and allied condition. A textbook of rheumatology.* 15th ed. Philadelphia: ippincott Williams & Wilkins;2003.p.1403-22.

Piotr W, Łukasz A. Poniatowski, and Szukiewicz D. The role of inflammatory and anti-inflammatory cytokines in the pathogenesis of osteoarthritis.Mediators of inflammation; vol. 2014 (2014): 581459.doi:10.1155/2014/561459.

RisetKesehatanDasar2013. [cited 2014 April 11].Availablefrom: <http://depkes.go.id/downloadriskkesdas2013Hasil%20Risksdas%202013.pdf>.AdobeReader.

Roach I,H and Simon Tilley (2008).The Pathogenesis of OsteoarthritisBone and Osteoarthritis,ed 1,Vol4,p218-220.

Sastroasmoro, S. dan Ismael, S. (2002) Dasar-dasar metodologi penelitian klinis. Jakarta: SagungSeto.

Soerooso J, Isbagio H, Kalim H, Broto R, Pramudiyo R. Osteoarthritis. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku Ajar Ilmu Penyakit Dalam. 4th ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FKUI; 2006.p.1195- 20110.

Suari B,A., Ihsan M.,Burhanuddin L.Gambaran Penderita Osteoarthritis di bagian Bedah RSUD Arifin Achmad Periode Januari 2011- Desember 2013.JOM FK Volume 2 No. 2 Oktober2015.

Tong Z., Liu Y, Chen B,Yan L and Hao D.Association between MMP3 and TIMP3 polymorphisms and risk of osteoarthritis.Oncotarget, 2017, Vol. 8, (No. 48),pp83563- 83569.

Thornton GM. Gene-expression changes in knee-joint tissues with aging and menopause: implications for the joint as an organ. Clin Interv Aging. 2018; 13: 365–375.

Ushiyama T, Ueyama H, Inoue K, Ohkubo I, Hukuda S: Expression of genes for estrogen receptors alpha and beta in human articular chondrocytes. Osteoarthritis Cartilage. 1999, 7: 560-566.10.1053/joca.1999.0260.

Velandai K., Srikanth Ph.D., Fellowy R, Jayne L. Fryer B.Math. Stat.y,et al.A meta-analysis of sex differences prevalence, incidence and severity of osteoarthritis1.OsteoArthritis and Cartilage (2005) 13, OsteoArthritis Research Society International. Published by Elsevier Ltd. All rights reserved. doi:10.1016/j.joca.2005.04.014.

Wluka AE, Stuckey S, Brand C, Cicuttini FM. Supplementary vitamin E does not affect the loss of cartilage volume in knee osteoarthritis: a 2 year double blind randomized placebo controlled study. J Rheumatol.2002;29(12):2585–91.

Wojdasiewicz P, Lukasz A. Poniatowski A.A., and Szukiewicz D.The Role of Inflammatory and Anti-Inflammatory Cytokines in the Pathogenesis of Osteoarthritis.Hindawi Publishing Corporation Mediators of Inflammation.Volume 2014; Article ID 561459,19pages.<http://dx.doi.org/10.1155/2014/561459>.

Yoshihara Y.,Nakamura H.,Obata K.,Yamada H.,Hayakawa T et al.Matrix Metalloproteinases and Tissue Inhibitorsof Metalloproteinases in Synovial Fluid from Patiens with Rheumatoid Arthritis or Osteoarthritis.Ann RheumDis.2000;59:455-461.

Zhang Y and Joanne M. Jordan J.M.Epidemiology of Osteoarthritis Clin Geriatr Med. 2010 Aug; 26(3): 355–369.