

DAFTAR PUSTAKA

- Ado Muhammad Abubakar, Abas Faridah, Leong Sze Wei, Shaari K, Ismail I.S, Ghazali H.M dan Lajis N.H. 2016. Chemical constituents and biological activities of *Callicarpa maingayi* leaves. *South African Journal of Botany*. 104: 98-104.
- Ajaib Muhammad, Javed Nazish dan Siddiqi Ejaz.H. 2017. Antioxidant and Antimicrobial Activities of an Ethnobotanically Important Plant *Holmskioldia sanguinea* Retz. of District Kotli, Azad Jammu and Kashmir. *Pharmacology Online*. Vol. 1: 135-143.
- Arpiwi Ni Luh, Muksin I Ketut dan Kriswiyanti. 2020. Essential oils from *Vitex trifolia* as an effective repellent for *Aedes aegypti*. *Journal of Biodiversitas*. Vol. 21, No. 10: 4536-4544.
- Ashaari Nur.S, Mohamad Nurul.E, Afzinizam Amirul.H, Rahim Mohd.H, Lai Kok Song dan Abdullah Janna. Chemical Composition of Hexane-Extracted *Plectranthus amboinicus* Leaf Essential Oil: Maximizing Contents on Harvested Plant Materials. *Applied Sciences*. 11.10838.
- Aziz Pakeeza, Muhammad Nadeem, Intisar Azeem, Abid M.A, Din M.I, Yaseen M, Kousar Rehana, Aamir A, Quratulain dan Ejaz Rabia. 2020. Constituents and antibacterial activity of leaf essential oil of *Plectranthus scutellarioides*. *Journal of the Societa Botanica Italiana*.
- Backer, C. A and R. C Bakhuizen van den Brink. 1968. *Flora of Java*. Vol. III. N. V. P. Noordhopp-Groningen. Netherlands.
- Basappa G, Kumar V, B.K Sarojini, D.V Poornima, Gajula H, Sanabommaji T.K, J. Rajashekar. 2015. Chemical composition, biological properties of *Anisomeles indica* Kuntze essential oil. *Journal of Elsevier*. 77: 89-96.
- Basappa Giridhara, Kumar Vadlapudi, B.K. Sarojini, D.V. Poornima, Gajula Hari, Sannabommaji Toran Kumar dan Rajashekar J. 2015. Chemical composition, biological properties of *Anisomeles indica* Kuntze essential oil. *Elsevier* 89–96.

- Bendiksby M, Thorbek L, Scheen A-C, Lindqvist C, Ryding O. 2011. An updated phylogeny and classification of Lamiaceae subfamily Lamioideae. *Taxon*. 60:471–84.
- Bentham, G., and J. D. Hooker. 1876. Verbenaceae. In *Genera plantarum*, vol. 2, 1131 – 1160. L. Reeve, London, England.
- Bhulyan Md. Nazrul, Begum Jaripa dan Nandi Nemei.C. 2010. Chemical component studies on the leaf and inflorescence essential oil of *Hyptis brevipes* (Poit.). *Journal of Medicinal Plants Research*. Vol. 4(20), pp. 2128-2131.
- Briquet J. 1987. Verbenaceae, Labiatae. In: HGA E, KAE P, editors. *Die Natürlichen Pflanzenfamilien*. Berlin: Engelmann, W:132–375.
- Cantino PD, Harley RM, Wagstaff SJ. 1992. Genera of Labiatae: status and classification. In: Harley R, Reynolds T, editors. *Advances in Labiatae science*. London: Royal Botanic Gardens, Kew, p:511–22.
- Cantino PD. 1992. Evidence for a polyphyletic origin of the Labiatae. *Ann. Mo. Bot. Gard.* 79:361–379
- Chen S-L, Gilbert MG. 1994. Verbenaceae. In: Wu Z-Y, Raven PH, editors. *Flora of China*, Vol. 17. Beijing: Science Press; St. Louis: Missouri Botanical Garden Press. pp.1–49.
- Davis, P.D. 1982. Labiatae. In: Davis, P.H. (ed.). *Flora of Turkey*. Vol. 7. Edinburgh University Press, Edinburgh. Pp. 36–463.
- Doha, Km.Shams, Bachar Sitesh C. 2013. Antinociceptive, anti-inflamantory, antimicrobial and central nerveous system depressant activities of ethanoloc extract of leaves and rots of *Gomphostemma parviflorum*. *Pharmacognosy Research*. Vol. 5.
- Erdtman, G. 1945. Pollen morphology and plant taxonomy. IV. Labiatae, Verbenaceae and Avicenniaceae. *Svensk Bot Tidskr.* p:39:277–85.
- Faramayuda Fahrauk, Mariani Totik Sri, Elfahmi dan Sukrasno. 2020. Callus induction in purple and white-purple varieties of *Orthosiphon aristatus* (Blume) Miq. *Biodiversitas*. Vol. 21. No. 10: 4967-4972.
- GBIF (The Global Biodiversity Information Facility). 2021. What is GBIF? Diakses 15 Agustus 2021, dari <https://www.gbif.org/what-is-gbif>

- GBIF. (The Global Biodiversity Information Facility). 2020. Herbarium ANDA. <https://www.gbif.org/publisher/43f4255c-f218-4a17-857a-ba3ac8456191>. Diakses tanggal 26 Agustus 2020.
- Global Invasive Species Database (GISD). 2021. Diakses 15 Agustus 2021, dari <http://www.iucngisd.org/gisd/search.php>
- Harley, M. 1992. The potential value of pollen morphology as an additional taxonomic character in subtribe Ociminae (Ocimeae: Nepetoideae: Labiatae). In R. M. Harley & T. Reynolds (Eds.), *Advances in labiate science* (pp. 125–138). Kew, Richmond, Surrey, UK: Kew: Royal Botanic Gardens.
- Harley, R. M., Atkins, S., Budantsev, A. L., Cantino, P. D., Conn, B. J., Grayer, R., Paton, A. J. 2004. Labiatae. In Flowering Plants Dicotyledons (pp. 167–275). Berlin, Heidelberg: Springer
- Harris, J. G and Harris, M. W. 1954. Plant Identification Terminology. USA: *Spring Lake Publishing*.
- Hedge, I.C. 1986. Labiatae of SW Asia: diversity, distribution and endemism. *Proceedings of the Royal Society of Edinburgh*, B 89: 23–85.
- Hedge, I.C. 1992. A global survey of the biogeography of Labiatae. *Advances in Labiate Science*. Pp. 7–17. In: R.M. Harley & T. Reynolds (eds). Royal Botanic Gardens Kew, Kew.
- Heyne K. 1987. *Tumbuhan Berguna Jilid III*. Balai Penelitian dan Pengembangan Kehutanan Departemen Kehutanan, Jakarta.
- Hikmawanti Ni Putu Erni, J+Hariyanti, Nurkamalia dan Nurhidayah S. 2019. Chemical Components of *Ocimum basilicum* L. and *Ocimum tenuiflorum* L. Stem Essential Oils and Evaluation of Their Antioxidant Activities Using DPP Method. *Pharmaceutical Sciences and Research*. Vol. 6(3), 149-154.
- Hung N.H, Dai D.D, Satyal P, Chung N.T, Nguyen B.V, Hien Vu Thi, Setzer Willian N. 2020. Chemical Composition of The Essential Oil From Leaves of *Callicarpa arborea* Roxb. Growing in Vietnam. *Vietnam Journal of Science and Technology*. 58(6A): 280-287.

- Hung Nguyen Huy, Dai Do Ngoc, Satyal Prabodh, Chung Nguyen Thanh, Nguyen Bui Van, Hien Vu Thi, dan Setzer William N. 2020. Chemical Composition Of The Essential Oil From Leaves Of *Callicarpa Arborea* Roxb. Growing In Vietnam. *Vietnam Journal of Science and Technology* 58 (6A) 280-287.
- Hung Nguyen Huy, Dai Do Ngoc, Satyal Prabodh, Huong Le Thi, Chinh Bui Thi, Tai Thieu Anh, Hien Vu Thi dan Setzer William N. 2021. Investigation of Pesticidal Activities of Essential Oils Obtained from *Vitex* Species. *Records of Natural Products*.
- Hung Nguyen Huy, Huong Le Thi, Chung Nguyen Thanh, Thuong Nguyen Thi Hoai, Satyal Prabodh, Dung Nguyen Anh, Tai Thieu Anh and Setzer William N. 2020. *Callicarpa* Species from Central Vietnam: Essential Oil Compositions and Mosquito Larvicidal Activities. *Plants*. 9, 113; doi:10.3390/plants9010113.
- Ismawatil Lisa dan Destryana R. Amilia. 2019. Potensi Tumbuhan Liar Sebagai Obat Tradisional Masyarakat Di Kecamatan Bluto. *Seminar Nasional Optimalisasi Sumberdaya*. ISBN: 978-602-50605-8-8.
- Jamzad, Z. 2012. Lamiaceae. In: Assadi, M., Maassoumi, A. & Mozaffarian, V. (eds). *Flora of Iran*. Vol. 76. Research Institute of Forests & Rangelands, Tehran (in Persian).
- Jayant Shankar, K., Sankunny Mohan, K., 2014. A status review on the medicinal properties of essential oils. *Ind. Crops Prod.* 62, 250–264.
- JSTOR (Journal Storage). 2021. Diakses pada 15 Agustus 2021, dari <https://plants.jstor.org/search>
- JSTOR (Journal Storage). 2022. Diakses pada 22 Maret 2022, dari <https://plants.jstor.org/search>
- Kalemba Danuta dan Synowiec Agnieszka. 2019. Agrobiological Interactions of Essential Oils of Two Menthol Mints: *Mentha piperata* dan *Mentha arvensis*. *Molecules*, 25, 59.
- Kaufmann M, Wink M. 1994. Molecular systematics of the Nepetoideae (Lamiaceae): Phylogenetic implications from rbcL gene sequences. *Z Naturforsch C*. 49:635–45.

- Kusmana C, Hikmat A. 2015. Keanekaragaman Hayati Flora di Indonesia. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan*. 5(2):187–98
- Lawrence, G. H. M. 1951. Taxonomy of Vascular Plant. New York.
- Lawrence, G. H. M. 1955. Taxonomy of Vascular Plants. New York: Macmillan Company.
- Leenhouts, P. W. 1968. A Guide to the Practice Herbarium Taxonomy in Reg Veg 58: 60.
- Li B, Cantino PD, Olmstead RG, Bramley GL, Xiang C-L, Ma Z-H, et al. 2016. A large-scale chloroplast phylogeny of the Lamiaceae sheds new light on its subfamilial classification. *Sci Rep*. 6:34343.
- Li Bo dan Olmstead Richard G. 2017. Two new subfamilies in Lamiaceae. *Journal of Phytotaxa*. 313 (2): 222–226.
- Maigoda Tonny, Judiono, Purkon Dicki.B, Haerussana Ayu Nala.E.M, Mulyo Gurid.P.E. Evaluation of *Peronema canescens* Leaves Extract: Fourier Transform Infrared Analysis, Total Phenolic and Flavonoid Content, Antioxidant Capacity, and Radical Scavenger Activity. *Journal of Medical Sciences*. 10(A): 117-124.
- Marcela Padure Ioana, Ioan Burzo, Dan M, Liliana Badulescu, Aurelia D dan Elena Delian. 2008. Chemical Constituents of The Essential Oils of Eight Species of *Salvia* L. (Lamiaceae) From Romania. *Acta Horti Bot. Bucurest*. 35.
- Maxed, N. 1992. Toward Devining a Taxonomic Revision Methodology in Taxon 41: 653-659.
- Moon, H.-K., Vinckier, S., Walker, J. B., Smets, E., & Huysmans, S. (2008). A search for phylogenetically informative pollen characters in the sub-tribe Salviinae (Mentheae: Lamiaceae). *International Journal of Plant Sciences*, 169(3), 455–471
- Nurainas N, Taufiq A, Handika H, Harapan T S, Syamsuardi S. 2020. Flora Sumatra:Digitizing and data basing specimens of the Sumatran Flora deposited at Herbarium Universitas Andalas (ANDA)-Part 2. Version 1.7. Herbarium of Andalas University. Occurrence dataset <https://doi.org/10.15468/55eview> accessed via GBIF.org on 2020-08-26.

- Nurlin Kintom, Novriyoula Kandowangko, Dewi Wahyuni Baderan. 2020. *Inventarisasi Tumbuhan Bawah Di Kawasan Penambangan Emas Desa Hulawa Kecamatan Sulamata Kabupaten Gorontalo Utara*. Gorontalo: Fakultas Matematika dan IPA Universitas Negeri Gorontalo. h. 31.
- Oyebanji O O, Chukwuma E C, Bolarinwa K A, Adejobi O I, Adeyemi S B dan Ayoola A O. 2020. Re-evaluation of the phylogenetic relationships and species delimitation of two closely related families (Lamiaceae and Verbenaceae) using two DNA barcode markers. *Journal of Biosciences*. 45:96. Doi : 10.1007/s12038-020-00061-2
- Paton AJ. 1990. A global taxonomic investigation of *Scutellaria* (Labiatae). *Kew Bull*. 45:399–450.
- Paton AJ. 1990. The phytogeography of *Scutellaria* L. *Notes Roy Bot Gard Edinburgh*. 46:345–9.
- Perveen, A., & Qaiser, M. (2006). Pollen morphology of the family Labiatae from Pakistan. *Pakistan Journal of Botany*, 35(5), 671–694
- Phosrithong Narumol, Nuchtavorn Nantana. Antioxidant and anti-inflammatory activities of *Clerodendrum* leaf extracts collected in Thailand. *European Journal of Integrative Medicine*. S1876-3820(15)30045-7.
- POWO (Plant of the World Online). (2021). Diakses 15 Agustus 2021, dari <http://www.plantsoftheworldonline.org/taxon/urn:lsid:ipni.org/>
- Radosevich, S. R., Holt, J. S. dan Ghersa, C. M. 2007. Ecology of Weeds and Invasive Plants: Relationship to Agriculture and Natural Resource Management. John Wiley & Sons, Inc.
- Raja RR. 2012. Medicinally potential plants of Labiatae (Lamiaceae) Family: An overview. *Res J Med Plant*: 1-11. Doi: 10.3923/rjmp.2012.
- Ramya, H. G., Palanimuthu, V., Rachna, S. 2013. An introduction to patchouli (*Pogostemon cablin* Benth.) – A medicinal and aromatic plant: It's importance to mankind. *Agricultural Engineering International: CIGR Journal*, 15(2), 243–250.

- Rechinger, K.H., Hedge, I.C., Ietswaart, J.H., Jalas, J., Mennema, J. & Seybold, S. (eds). 1982. Labiatae. In: Rechinger, K.H. (ed.). *Flora Iranica*. Vol. 150. Akademische Druck- u. Verlagsanstalt. Graz.
- Ridley, N. Henry. 1924. *The Flora of Malay Peninsula*. L. Reeve & Co. Ltd London. England.
- Ridley, N. Henry. 1967. *The Flora of Malay Peninsula*. L. Reeve & Co. Ltd London. England.
- Rifai, M. A. 1976. *Sendi-sendi Botani Sistematis*. Bogor: Lembaga Biologi Nasional-LIPI; 75 pp.
- Rupa Darius, Sulistyarningsih Yohana.C, Dorly dan Ratnadewi. 2016. Identification of Secretory Structure, Histochemisry and Phytochemical Compounds of Medicinal Plant *Hyptis capitata* Jacq. *Biotropia*. Vol. 24 No. 2: 94-103.
- Ryding, O. 1995. Pericarp structure and phylogeny of the Lamiaceae-Verbenaceae-complex. *Plant Syst. Evol.* 198 101–141
- Satyral Prabodh, Chuong Nguyen Thi.H, Pham Van The, Hung Nguyen Huy, Hien Vu Thi dan Setzer Willian N. 2018. Chemical composition of the Essential Oils of *Pogostemon auricularius*, a Vietnamese Medicinal Plant. *Natural Product Communications*. Vol. 13(5).
- Scheen A-C, Bendiksby M, Ryding O, Mathiesen C, Albert VA, Lindqvist C. 2010. Molecular phylogenetics, character evolution and suprageneric classification of Lamioideae (Lamiaceae). *Ann Mo Bot Gard.* 97:191–219.
- Simpson Michael. 2019. *Plant Systematics*. Third Edition. eBook ISBN:9780128126295
- Singh S, Tewari G, Pande C dan Singh C. 2013. Variation in essential oil composition of *Ocimum americanum* L. from north-wester Himalayan region. *Journal of Essential Oil Research.* 25:4, 278-290.
- Sitarek Przemyslaw, Rijo Patricia, Cargia Catarina, Skala Ewa, Kalemba Danuta, Bialas A.J, Szemraj Janusz, Pytel D, Wysokinska H dan Sliwinski T. 2017. Antibacterial, Anti-inflamantory, Antioxidant, and Antiproliferative Properties of Essential Oils from Hairy and Normal Roots of *Leonurus*

- sibiricus* L. and Their Chemical Composition. *Oxidative Medicine and Cellular Longevity*. Vol. 2017: 12.
- Stearn, W. T. 1992. *Botanical Latin*. Fourth Edition. England: David & Charles.
- Steenis, C. G. G. J. Van. 1978. *Flora Malesiana*. Alphen : Sijthoffamp; Noordhoff International, 1974-1978.
- Stevens, P. F., & Davis, H. 2001. Angiosperm phylogeny website. Version 14 WWW document]. Retrieved from <http://www.mobot.org/MOBOT/research/APweb/>.
- Suarez Andrea Vargas, Satyal Prabodh dan Setzer William N. 2019. Chemical composition of the wood essential oil of *Tectona grandis*. *Journal of essential oils and natural products*. 7(4): 23-24.
- Tim Herbarium Universitas Andalas. 2008. Rusjdi Tamin: Kurator Herbarium Universitas Andalas. Padang: Herbarium Universitas Andalas.
- Tjitrosoedirdjo, S., and Setyawati, T. 2016. Tumbuhan Invasif dan Pendekatan Pengelolanya. Seameo Biotrop, Bogor, Indonesia.
- Toncer Ozlem, Karaman Sengul, Diraz Emel dan Tansi Sezen. 2017. Essential Oil Composition of *Ocimum basilicum* L. at Different Phenological Stages in Semi-Arid Environmental Conditions. *Fresenius Environmental Bulletin*. Volume 26-No. 8: 5441-5446.
- V.K Muhammad Ashraf, V.K Kalaichelvan, V.V Venkatachalam. 2021. Acute and Subacute Toxicity Assessment of Ethyl Acetate Extracts from Aerial Parts of *Clerodendrum thomsoniae* Balf.f in Rodents. *Biointerface Research in Applied Chemistry*. Vol.11, 13952-13961.
- Venkateshappa SM, Sreenath KP. 2013. Potential medicinal plants of Lamiaceae. *Ajrfans*. 3 (1): 82-87
- Verma Ram Swaroop, Padalia Rajendra Chandra, Chauhan Amit dan Singh Ved Ram. 2019. Cemical composition of leaves, inflorescence, whole aerial-parts and root essential oils of patchouli (*Pogostemon cablin* (Blanco) Benth.). *Journal of Essential Oil Research*. <https://doi.org/10.1080/10412905.2019.1566100>

- Vogel, E. F. de. 1987. Guidelines for the Preparation of Revisions. In Vogel EF de. Editor. Manual of Herbarium Taxonomy Theory and Practice. Jakarta:Unesco; 76.
- Wagstaff SJ, Olmstead RG, Cantino PD. 1995. Parsimony analysis of cpDNA restriction site variation in subfamily Nepetoideae (Labiatae). *Am J Bot*, 82:886–92.
- Wahba Haytham dan Shahat A.A. 2011. Chemical and biological investigation of some Clerodendrum cultivated in Egypt. *Particides Food Contaminants and Agricultural Wastes*.
- Williams and Norgate. 1891. The Linnean Society. Vol XXVIII. *Missouri Botanical Garden*.
- Wunderlich R. 1967. Ein Vorschlag zu einer natürlichen Gliederung der Labiaten auf Grund der Pollenkörner, der Samenentwicklung und des reifen Samens. *Oester Bot Zeit*, 114:383–483.
- Xu Dian-Hong, Hung Ya-Si, Jiang Dong-Qing dan Yuan Ke. 2013. The essential oils chemical composition and antimicrobial, antioxidant, activities and toxicity of three *Hyptis* species. *Pharmaceutical Biology*. S1(9): 1125-1130.
- Zhao Fei, Chen Ya-Ping, Salmaki Yasaman, Drew Bryan T., Wilson Trevor C., Scheen Anne-Cathrine, Celep Ferhat, Brauchler Christian, Bendiksby Mika, Wang Qiang, Min Dao-Zhang, Peng Hua, Olmstead Richard G., Li Bo dan Xiang Chun-Lei. 2021. An updated tribal classification of Lamiaceae based on plastome phylogenomics. *Journal BMC Biology* 19:2. DOI : <https://doi.org/10.1186/s12915-020-00931-z>