

DAFTAR PUSTAKA

- (DKK), D. K. K. P. (2018). *Profil Kesehatan Kota Padang 2017*. Padang.
- Abraham, C., & Sheeran, P. (2014). The health belief model. *Cambridge Handbook of Psychology, Health and Medicine, Second Edition*, (January), 97–102. <https://doi.org/10.1017/CBO9780511543579.022>
- Ademe, S., Aga, F., & Gela, D. (2019). Hypertension self-care practice and associated factors among patients in public health facilities of Dessie town, Ethiopia. *BMC Health Services Research*, 19(1), 1–9. <https://doi.org/10.1186/s12913-019-3880-0>
- Afrizal. (2014). *Metode Penelitian Kualitatif: Sebuah Upaya Mendukung Penggunaan Penelitian Kualitatif dalam Berbagai Disiplin Ilmu*. Jakarta: PT RajaGrafindo Persada.
- Alcántara, C., Edmondson, D., Moise, N., Oyola, D., Hiti, D., & Kronish, I. M. (2014). Anxiety sensitivity and medication nonadherence in patients with uncontrolled hypertension. *Journal of Psychosomatic Research*, 77(4), 283–286. <https://doi.org/10.1016/j.jpsychores.2014.07.009>
- Alvarez, C., Hines, A. L., Carson, K. A., Andrade, N., Ibe, C. A., Marsteller, J. A., ... Zeren, K. L. (2021). Association of perceived stress and discrimination on medication adherence among diverse patients with uncontrolled hypertension. *Ethnicity and Disease*, 31(1), 97–108. <https://doi.org/10.18865/ED.31.1.97>
- Alwi, M. K., Agustini, T., Kesehatan, F., Universitas, M., & Indonesia, M. (2021). *HAMIL DALAM MENCEGAH HIPERTENSI COMMUNICATION OF HEALTH OFFICERS AFFECTED PREGNANT WOMEN ' S*. 8(2), 196–203.
- American College of Cardiology., American Heart Association., & Task Force on Clinical practice Guidelines. (2017). *Detailed-Summary From The 2017 Guideline for the Prevention, Detection, Evaluation and Management of High Blood Pressure in Adults*.
- Andria, K. M. (2013). Hubungan antara Perilaku Olahraga, Stres dan Pola Makan dengan Tingkat Hipertensi pada Lanjut Usia di Posyandu Lansia Kelurahan Gebang Putih Kecamatan Sukokilo Kota Surabaya. *Jurnal Promkes*, 1(2).
- Anthony, H., Valinsky, L., Inbar, Z., Gabriel, C., & Varda, S. (2012). Perceptions of hypertension treatment among patients with and without diabetes. *BMC Family Practice*, 13(1), 24. <https://doi.org/10.1186/1471-2296-13-24>
- Averill, J. R. (1973). Personal control over aversive stimuli and its relationship to stress. *Psychological Bulletin*, 80(4), 286–303. <https://doi.org/10.1037/h0034845>
- Aynalem, G. A., Bekele, T. A., Berhe, T. T., & Endazew, G. (2021). Factors affecting adherence to lifestyle modification among patients with hypertension at Yekatit 12 Hospital Medical College, Addis Ababa, Ethiopia, 2019. *SAGE Open Medicine*, 9, 205031212110125. <https://doi.org/10.1177/20503121211012523>
- Azwar, A. (1996). *Menjaga Mutu Pelayanan Kesehatan*. Jakarta: Pustaka sinar harapan.
- Bandura, A., & Adams, N. E. (1977). Analysis of self-efficacy theory of behavioral change. *Cognitive Therapy and Research*, 1, 287–308.
- Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavioral change. *Psychological Review*, (84), 191-215.

- Beigi, M. A. B., Zibaenezhad, M. J., Aghasadeghi, K., Jokar, A., Shekarforoush, S., & Khazraei, H. (2014). The effect of educational programs on hypertension management. *International Cardiovascular Research Journal*, 8(3), 94–98.
- Benjamin, E. J., Muntner, P., Alonso, A., Bittencourt, M. S., Callaway, C. W., Carson, A. P., ... Virani, S. S. (2019). Heart Disease and Stroke Statistics-2019 Update: A Report From the American Heart Association. *Circulation*, 139(10), e56–e528. <https://doi.org/10.1161/CIR.0000000000000659>
- Blumenthal, J. A. (2010). Effects of the DASH Diet Alone and in Combination with Exercise and Weight Loss on Blood Pressure and Cardiovascular Biomarker in Men and Women With High Blood Pressure. *Original Investigation*, 170, 2.
- Bruce, J. (1991). *Fundamental elements of the quality of care: a simple framework*. *Studies in family planning*, 21(2), 61–91.
- Bungin, B. (2006). *Sosiologi Komunikasi*. Jakarta: PT Kencana Prenadamedia Group.
- Burnier, M. (2017). Drug adherence in hypertension. *Pharmacological Research*, 125(October), 142–149. <https://doi.org/10.1016/j.phrs.2017.08.015>
- Center for Disease Control and Prevention. (2012). *United States physical activity statistics*. Retrieved from <http://www.cdc.gov/physicalactivity/data/facts.htm>
- Chimberengwa, P. T., & Naidoo, M. (2018). Knowledge, attitudes and practices related to hypertension among residents of a disadvantaged rural community in southern Zimbabwe. *PLoS ONE*, 14(6), 1–16. <https://doi.org/10.1371/journal.pone.0215500>
- Choi, M., & De Gagne, J. C. (2016). Autonomy of nurse practitioners in primary care: An integrative review. *Journal of the American Association of Nurse Practitioners*, 28(3), 170–174. <https://doi.org/10.1002/2327-6924.12288>
- Cohen, S., & Williamson, G. (1988). *Perceived Stress in a Probability Sample of the United States*. In S. Spacapan, & S. Oskamp (Eds.).
- Cohen, S., Kamarck, T., & Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behavior*, 24, 385–396.
- Cohen et al. (1983). *The Perceived Stress Scale (14 items) - Cohen et al , 1983 Recommended by The NIH Centers for PopCohen et al. (1983). The Perceived Stress Scale (14 items) - Cohen et al , 1983 Recommended by The NIH Centers for Population Health and Health Disparitie. 1983.*
- Cohen, S., Kamarck, T., & Mermelstein, R. (1983). A global measure of perceived stress. *Journal of Health and Social Behavior*, 24(4), 385–396. <https://doi.org/10.2307/2136404>
- Dahlan, S. M. (2013). *Besar Sampel dan Cara Pengambilan Sampel*. Jakarta: 2013.
- Dalimartha, S. (2008). *Care Yourself Hipertensi*. Jakarta: Penebar Plus.
- Damayantie, N., Heryani, E., & Muazir. (2018). Faktor-faktor yang mempengaruhi perilaku penatalaksanaan Hipertensi oleh penderita di Wilayah Kerja Puskesmas Sekernan Ilir Kabupaten Muaro Jambi Tahun 2018. *Jurnal Ners Dan Kebidanan*, 224–232. <https://doi.org/10.26699/jnk.v5i3.ART.p224>
- Darmawan, D., & Zulfa, S. (2013). Pengaruh Promosi Kesehatan Terhadap Motivasi Pasien Hipertensi tentang PelaksanaanDiet Hipertensi di Poliklinik Penyakit Dalam RS Rajawali Bandung. *Jurnal Pendidikan Keperawatan Indonesia*, 1(1).

- Darnindro, N., & Johannes, S. (2017). Prevalence of Noncompliance of Control Visits in Hypertensive Patients Treated at Primary Referral Hospitals and Related Factors Prevalensi Ketidapatuhan Kunjungan Kontrol pada Pasien Hipertensi yang Berobat di Rumah Sakit Rujukan Primer dan Faktor-Fakto. *Jurnal Penyakit Dalam Indonesia*, 4(3), 123–127.
- Darnton, A. (2008). GSR Behaviour Change Knowledge Review - Reference Report: An Overvie of behaviour change models and their uses. *Government Social Research*, (July), pgs. 10-15. Retrieved from http://resources.civilservice.gov.uk/wp-content/uploads/2011/09/Behaviour-change_practical_guide_tcm6-9696.pdf
- Darussalam, M., & Warseno, A. W. (2017). Faktor Yang Berhubungan dengan Pasien Hipertensi Tidak Terkontrol Di Puskesmas Factors Associated with Uncontrolled Hypertension Patients at Puskesmas Departemen Keperawatan Medikal Bedah , Fakultas Kesehatan Universitas Jenderal Achmad Yani Yogyakarta De. *Jurnal Keperawatan Kllinis Dan Komunitas*, 1(0274), 72–80.
- DeAndrade, S., El Rayess, F., & Goldman, R. (2018). Perspectives on Hypertension in the New England Cape Verdean Community. *Journal of Racial and Ethnic Health Disparities*, 5(1), 162–169. <https://doi.org/10.1007/s40615-017-0353-1>
- Denson, T. F., Dewall, C. N., & Finkel, E. J. (2012). *Current Directions in Psychological Science*. <https://doi.org/10.1177/0963721411429451>
- Dermawan, R., & R. (2013). *Keperawatan Jiwa: Konsep dan Kerangka Kerja Asuhan Keperawatan Jiwa*. Yogyakarta: Gosyen.
- DKK Padang, D. K. K. P. (2020). *Profil Kesehatan Kota Padanga 2019*. Padang.
- Effendi. (2003). *Ilmu Teori dan Filsafat Komunikasi*. Bandung: PT. Citra Aditya Bakti.
- El-hay, S. A. A., & Mezayen, S. E. El. (2015). Knowledge and Perceptions Related to Hypertension , Lifestyle Behavior Modifications and Challenges That Facing Hypertensive Patients Abstract : *IOSR Journal of Nursing and Health Science (IOSR-JNHS)*, 4(6), 15–26. <https://doi.org/10.9790/1959-04611526>
- Erda, F. (2012). POLA KEBIASAAN MAKAN ORANG LANJUT USIA (Studi Kasus: Penderita Penyakit Hipertensi Sukubangsa Minangkabau di Jakarta). *Humanus*, 11(2), 134–144.
- Erkoc, S. B., Isikli, B., Metintas, S., & Kalyoncu, C. (2012). *Hypertension Knowledge-Level Scale (HK-LS) : A Study on Development , Validity and Reliability*. 1018–1029. <https://doi.org/10.3390/ijerph9031018>
- Ernawati, I., Fandinata, S. S., & Permatasari, S. N. (2020). Translation and validation of the indonesian version of the hypertension knowledge-level scale. *Open Access Macedonian Journal of Medical Sciences*, 8, 630–637. <https://doi.org/10.3889/OAMJMS.2020.5152>
- Evadewi, P. K. R., & Suarya, L. M. K. S. (2013). Kepatuhan Mengonsumsi Obat Pasien Hipertensi Di Denpasar Ditinjau Dari Kepribadian Tipe A Dan Tipe B. *Jurnal Psikologi Udayana*, 1(1), 32–42. <https://doi.org/10.24843/jpu.2013.v01.i01.p04>
- Fahmi, K., Haryono, A. T., Astuti, I. F., & Cahyadi, D. (2016). Berbasis Multitenant. *Jurnal Informatika Mulawarman*, 11(1).
- Fatmi, E., Tahlil, T., & Mulyadi. (2017). Faktor determinan kepatuhan diet pada pasien hipertensi dengan pendekatan Health Promotion Model (HPM). *Prosiding Seminar Nasional Pascasarjana*, 13(2013), 102–110.

- Ferguson, T., Tulloch-Reid, M., Y., N., McFarlane, S., Francis, D., & Wilks, R. (2011). Prehypertension in Jamaica: A Review of Data from Recent Studies. *West Indian Med*, 429–433.
- Fernalia, Busjra, & Jumaiyah, W. (2019). Efektivitas Metode edukasi Audiovisual Terhadap Self Management pada Pasien Hipertensi. *Jurnal Keperawatan Silampari*, 3, 221–233.
- Fitriani, N., & Nilamsari, N. (2017). Faktor-Faktor Yang Berhubungan Dengan Tekanan Gresik Universitas Airlangga Factors Associated With Blood Pressure On Shift Workers And Non-Shift Workers. *Journal of Industrial Hygiene and Occupational Health* [Http://Ejournal.Unida.Gontor.Ac.Id/Index.Php/JIHOH](http://Ejournal.Unida.Gontor.Ac.Id/Index.Php/JIHOH) DOI, 2(1), 57–75. Retrieved from <https://ejournal.unida.gontor.ac.id/index.php/JIHOH/article/view/604/618>
- Gebremichael, G. B., Berhe, K. K., Beyene, B. G., & Gebrekidan, K. B. (2019). Self-care practices and associated factors among adult hypertensive patients in Ayder Comprehensive Specialized Hospital, Tigray, Ethiopia, 2018. *BMC Research Notes*, 12(1), 1–6. <https://doi.org/10.1186/s13104-019-4502-y>
- Geovani. (2016). Pengaruh Konflik Dan Stres Kerja Karyawan Pada PT. Bank Negara Indonesia (PERSERO) TBK Cabang Manado. *Jurnal Manajemen*, 1(51).
- Ghufron, N. M. dan Risnawita, R. (2011). *Teori-teori Psikolog*. Yogyakarta: Ar-Ruzz Media.
- Goliszek, A. (2005). *60 Second Manajemen Stres*. Jakarta: PT Buana Ilmu Populer.
- Gong, K., Yan, Y. L., Li, Y., Du, J., Wang, J., Han, Y., ... She, Q. (2020). Mobile health applications for the management of primary hypertension: A multicenter, randomized, controlled trial. *Medicine*, 99(16), e19715. <https://doi.org/10.1097/MD.00000000000019715>
- Green, L. W. and Kreuter, M. W. (1991). *Health Promotion Planning: An Educational and Environmental Approach*. London: Mayfield Publishing Company.
- Gusty, R. P., & Merdawati, L. (2020). Perilaku Perawatan Diri Dan Faktor-Faktor Yang Berhubungan Dengan Pasien Hipertensi Di Padang. *Jurnal Keperawatan*, 11(1), 51–58.
- Hakim, H. (2002). *Mengatasi Rasa Tidak Percaya Diri*. Jakarta: Puspa Swara.
- Hamadi, I., Kandou, G. D., & Asrifuddin, A. (2017). Hubungan antara kebiasaan merokok, aktivitas fisik dan konsumsi alkohol pada laki-laki usia ≥ 18 tahun dengan kejadian hipertensi di Desa Pulisan. *Universitas Sam Ratulangi*.
- Hawari, D. (1997). *Al-Qur'an Ilmu Kedokteran Jiwa dan Kesehatan Jiwa*. Dhana Bhakti Prisma Yasa.
- He, L. I., Wei, W., & Can, Z. (2018). Effects of 12-week brisk walking training on exercise blood pressure in elderly patients with essential hypertension: a pilot study. 1963. <https://doi.org/10.1080/10641963.2018.1425416>
- Hegde, sheila M., & Solomon, S. (2015). Influence of Physical Activity on Hypertension and Cardiac Structure and Function. *Curr Hypertens Rep*, 17(10), 139–148. <https://doi.org/10.1007/s11906-015-0588-3>
- Herwati, W. S. (2014). Terkontrolnya Tekanan Darah Penderita Hipertensi Berdasarkan Pola Diet Dan Kebiasaan Olahraga Di Padang Tahun 2011. *Jurnal Kesehatan Masyarakat*, 8(1), 8–14.
- Hu, B., Liu, X., Yin, S., Fan, H., Feng, F., & Yuan, J. (2015a). Effects of psychological stress

- on hypertension in middle-aged Chinese: A cross-sectional study. *PLoS ONE*, *10*(6), 1–13. <https://doi.org/10.1371/journal.pone.0129163>
- Hu, B., Liu, X., Yin, S., Fan, H., Feng, F., & Yuan, J. (2015b). Effects of psychological stress on hypertension in middle-aged Chinese: A cross-sectional study. *PLoS ONE*, *10*(6), 1–13. <https://doi.org/10.1371/journal.pone.0129163>
- Hughes, J. R. (2003). Motivating and Helping Smokers to Stop Smoking. *Journal of General Internal Medicine*, *18*(12), 1053–1057. <https://doi.org/10.1111/j.1525-1497.2003.20640.x>
- Hwang, W. J., & Jo, H. H. (2019). Evaluation of the effectiveness of mobile app-based stress-management program: A randomized controlled trial. *International Journal of Environmental Research and Public Health*, *16*(21). <https://doi.org/10.3390/ijerph16214270>
- Idris, F. (2007). *Panduan Praktis Prolanis (Program Pengontrolan Penyakit Kronis)*. Retrieved from <https://bpjs-kesehatan.go.id/bpjs/dmdocuments/06-PROLANIS.pdf>
- Indonesia, M. of health. (2018). National Basic Health Research Report. *Ministry of Health Republic of Indonesia*, 171–176.
- Iuga, A. O., & McGuire, M. J. (2014). Adherence and health care costs. *Risk Management and Healthcare Policy*, *7*, 35–44. <https://doi.org/10.2147/RMHP.S19801>
- Jafar, T. H., Gandhi, M., Jehan, I., Naheed, A., Silva, H. A. De, Shahab, H., ... Lim, C. W. (2018). *Determinants of Uncontrolled Hypertension in Rural Communities in South Asia — Bangladesh, Pakistan, and Sri Lanka*. *31*(November), 1205–1214. <https://doi.org/10.1093/ajh/hpy071>
- James, P. A. (2014). Evidence-Based Guideline for the Management of High Blood Pressure in Adults Report from the Panel Members Appointed to the Eighth Joint National Committee (JNC 8). *Jama*, *311*, 507–520. <https://doi.org/10.1001/jama.2013.284427>
- JNC-VII. (2004). *Prevention, Detection, Evaluation, and Treatment of*. Retrieved from https://www.google.com/search?q=JNC-7.+%282003%29.+The+Seventh+Report+Of+The+Joint+National+Committee+Prevention%2C+Detection%2C++Evaluation%2C+And+Treatment+Of+High+Blood+Pressure.+JAMA+289+hal%3A2560-2571&biw=1228&bih=588&sxsrf=ALeKk01-87Gcfr_vifOv3CVAA
- Jones, C. ., Jensen, J. ., Scherr, C. ., Brown, N. ., Christy, K., & Weaver, J. (2016). The Health Belief Model as an Explanatory Framework in Communication Research: Exploring Parallel, Serial, and Moderated Mediation. *Health Commun.*, *6*(1), 566–576. <https://doi.org/10.1080/10410236.2013.873363>.The
- Kang, H., & Park, H. A. (2016). A mobile app for hypertension management based on clinical practice guidelines: Development and deployment. *JMIR MHealth and UHealth*, *4*(1), 1–15. <https://doi.org/10.2196/mhealth.4966>
- Kasali, R. (2007). *Manajemen Periklanan Konsep Konsep dan Aplikasinya di Indonesia*. Jakarta: Grafiti.
- Kemenkes.RI. (2014). Pusdatin Hipertensi. *Infodatin*. <https://doi.org/10.1177/109019817400200403>
- Kemenkes, R. (2017). Sebagian Besar Penderita Hipertensi Tidak Menyadari.

- Kemenkes RI. (2013). *Pedoman Teknis Penemuan dan Tatalaksana Hipertensi*.
- Khalesi, S., Irwin, C., & Sun, J. (2018). Lifestyle and self-management determinants of hypertension control in a sample of Australian adults. *Expert Review of Cardiovascular Therapy*, *16*(3), 229–236. <https://doi.org/10.1080/14779072.2018.1435272>
- Khayyat, S. M., Khayyat, S. M. S., Hyat Alhazmi, R. S., Mohamed, M. M. A., & Hadi, M. A. (2017). Predictors of medication adherence and blood pressure control among Saudi hypertensive patients attending primary care clinics: A cross-sectional study. *PLoS ONE*, *12*(1), 1–12. <https://doi.org/10.1371/journal.pone.0171255>
- Kholid, A. (2012). *Promosi kesehatan : dengan pendekatan teori perilaku, media, dan aplikasinya*. Jakarta: Rajawali Press.
- Kilic, M., Uzunçakmak, T., & Ede, H. (2016). The effect of knowledge about hypertension on the control of high blood pressure. *International Journal of the Cardiovascular Academy*, *2*(1), 27–32. <https://doi.org/10.1016/j.ijcac.2016.01.003>
- King, L. A. (2008). *The science of Psychology: an appreciative view*. McGraw-Hill, Kominfo.
- (2017). Survey Penggunaan TIK 2017 Serta Implikasinya terhadap Aspek Sosial Budaya Masyarakat.
- Kruk, P. J., & Nowicki, M. (2018). *Pengaruh program aktivitas fisik pada pengobatan hipertensi resisten di perawatan primer*.
- Kumar, V., Abbas, A. K., and N, F. (2015). *Pathologic Basis of Dis_ease* (10th editi). Elsevier Saunders.
- Lee, J., Choi, M., Lee, S., & Jiang, N. (2018). Effective behavioral intervention strategies using mobile health applications for chronic disease management: A systematic review. *BMC Medical Informatics and Decision Making*, *18*(1). <https://doi.org/10.1186/s12911-018-0591-0>
- Legesse, Y., Id, N., Ibrahim, S., Kassa, T. D., Asgedom, W., Atey, T. M., ... Kahsay, D. (2019). *Practice and predictors of self-care behaviors among ambulatory patients with hypertension in Ethiopia*. 1–16.
- Legido-Quigley, H., Naheed, A., Asita De Silva, H., Jehan, I., Haldane, V., Cobb, B., ... Turner, E. (2019). Patients' experiences on accessing health care services for management of hypertension in rural Bangladesh, Pakistan and Sri Lanka: A qualitative study. *PLoS ONE*, *14*(1), 1–23. <https://doi.org/10.1371/journal.pone.0211100>
- Leon, N., Surender, R., Bobrow, K., Muller, J., & Farmer, A. (2015). Improving treatment adherence for blood pressure lowering via mobile phone SMS-messages in South Africa: A qualitative evaluation of the SMS-text Adherence Support (StAR) trial Service organization, utilization, and delivery of care. *BMC Family Practice*, *16*(1), 1–10. <https://doi.org/10.1186/s12875-015-0289-7>
- Lewicki, R.J., & Wiethoff, C. (2000). *Trust, Trust Development, and Trust Repair*. In M. Deutsch & P.T. Coleman (Eds.) *Handbook of research conflict resolution: Theory and practice*. San Francisco, CA: Jossey-Bass.
- Li, T., Ding, W., Li, X., & Lin, A. (2019). Mobile health technology (WeChat) for the hierarchical management of community hypertension: Protocol for a cluster randomized controlled trial. *Patient Preference and Adherence*, *13*, 1339–1352. <https://doi.org/10.2147/PPA.S215719>

- Logan, A. G. (2013). Transforming hypertension management using mobile health technology for telemonitoring and self-care support. *Canadian Journal of Cardiology*, 29(5), 579–585. <https://doi.org/10.1016/j.cjca.2013.02.024>
- Louge, A. (1995). *Self-Control: Waiting Until Tomorrow For What You Want Today*.
- Lu, X., Juon, H. S., He, X., Dallal, C. M., Wang, M. Q., & Lee, S. (2019). The Association Between Perceived Stress and Hypertension Among Asian Americans: Does Social Support and Social Network Make a Difference? *Journal of Community Health*, 44(3), 451–462. <https://doi.org/10.1007/s10900-018-00612-7>
- Maharani, R., & Syafrandi, D. P. (2018). Faktor Yang Berhubungan Dengan Perilaku Pengontrolan Tekanan Darah Pada Penderita Hipertensi Di Puskesmas Harapan Raya Kota Pekanbaru Tahun 2016. *Jurnal Kesehatan Komunitas*, 3(5), 165–171. <https://doi.org/10.25311/keskom.vol3.iss5.122>
- Mathavan, J & Pinatih, G. N. I. (2017). Gambaran tingkat pengetahuan terhadap hipertensi dan kepatuhan minum obat pada penderita hipertensi di wilayah kerja Puskesmas Kintamani I, Bangli-Bali. *Intisari Sains Medis*, 8(3), 176–180.
- McMullen, J. C. (1999). *A Test of Self-Control Theory Using General Patterns of Deviance*. (Dissertation).
- Meiqari, L., Essink, D., Wright, P., & Scheele, F. (2019). Prevalence of Hypertension in Vietnam: A Systematic Review and Meta-Analysis. *Asia-Pacific Journal of Public Health*, 31(2), 101–112. <https://doi.org/10.1177/1010539518824810>
- Mitra, M., & Wulandari, W. (2019). Factors affecting uncontrolled blood pressure among elderly hypertensive patients in Pekanbaru City, Indonesia. *Open Access Macedonian Journal of Medical Sciences*, 7(7), 1209–1213. <https://doi.org/http://dx.doi.org/10.3889/oamjms.2019.255>
- Miyatake N, Wada J, Kawasaki Y, Nishii K, M. H. (2006). *Relationship Between Metabolic Syndrome and Cigarette Smoking in the Japanese Population*. Retrieved from https://www.jstage.jst.go.jp/article/internalmedicine/45/18/45_18_1039/_pdf
- MobileSmith. (2014). Mobile apps as tools of cost reduction in healthcare. *MobileSmith Inc*, 1–9. Retrieved from <https://www.mobilesmith.com/mobile-apps-cost-reduction-healthcare/%5Cnfiles/394/admin> - Mobile Apps as Tools of Cost Reduction in Healthca.html%5Cnfiles/470/admin - Mobile Apps as Tools of Cost Reduction in Healthca.html
- Morton, K., Dennison, L., May, C., Murray, E., Little, P., McManus, R. J., & Yardley, L. (2017). Using digital interventions for self-management of chronic physical health conditions: A meta-ethnography review of published studies. *Patient Education and Counseling*, 100(4), 616–635. <https://doi.org/10.1016/j.pec.2016.10.019>
- Movahedi, M., Khadavi, R., Rouzbahani, R., & Fard, N. tavakoli. (2019). Original Article Effect of Training through Short Message Service on Compliance and Mean Blood Pressure of Hypertensive Patients. *International Journal of Preventive Medicine*, 10, 1–5. <https://doi.org/10.4103/ijpvm.IJPVM>
- Mpande, N., Fungai Chinamasa, C., Manangazira, P., Mungati, M., Takundwa, L., Bangure, D., ... Tshimanga, M. (2016). Factors Associated With Uncontrolled High Blood Pressure Amongst Patients With Hypertension At Harare Central Hospital In Zimbabwe. *Journal of Hypertension and Cardiology*, 2(2), 1–10. <https://doi.org/10.14302/issn.2329-9487.jhc-16-1020>

- Muhlisini, A. & I. (2010). Dalam Praktek Keperawatan. *Teori Self Care Dari Orem Dan Pendekatan Dalam Parktek Keperawatan*, 2(2), 97–100.
- Mulyana, D. (2015). *Ilmu Komunikasi*. Bandung: PT Rosda Karya Offset.
- Mulyati, L., Yetti, K., Sukmarini, L., Tinggi, S., Kesehatan, I., Keperawatan, F. I., & Indonesia, U. (2013). Analisis Faktor yang Memengaruhi Self Management Behaviour pada Pasien Hipertensi Analysis of Factors Effecting Self-Management Behaviouramong Patients with Hypertension. *Jurnal Ilmu Kesehatan Bhakti Husada*, 1 nomor 2, 112–123.
- National Institutes of Health. (2015). In Brief: Your Guide to Lowering Your Blood Pressure with DASH. *NIH Public Access*, 1–6. Retrieved from <http://www.nhlbi.nih.gov>
- Nidhra, S. (2012). Black Box and White Box Testing Techniques - A Literature Review. *International Journal of Embedded Systems and Applications*, 2(2), 29–50. <https://doi.org/10.5121/ijesa.2012.2204>
- Notoatmodjo, S. (2003). *Ilmu Kesehatan Masyarakat Prinsip-Prinsip Dasar*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2010). *Ilmu perilaku kesehatan*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2012a). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2012b). *Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2014). *Ilmu Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nursalam. (2011). *Proses dan dokumentasi keperawatan, konsep dan praktek*. Jakarta: Salemba Medika.
- Omboni, S., Caserini, M., & Coronetti, C. (2016). Telemedicine and M-Health in Hypertension Management: Technologies, Applications and Clinical Evidence. *High Blood Pressure and Cardiovascular Prevention*, 23(3), 187–196. <https://doi.org/10.1007/s40292-016-0143-6>
- Padang, W. (2016). *Perawali KTR : Petunjuk Pelaksanaan Peraturan Daerah Kota Padang No 24 tahun 2012 tentang Kawasan Tanpa Rokok*. Padang.
- Patriani, I., & Ayuningtyas, D. (2013). Komunikasi Dokter dengan Sikap Konkordansi pada Pasien Tuberkulosis Paru, Hipertensi, dan Asma. *Kesmas: National Public Health Journal*, 8(2), 51. <https://doi.org/10.21109/kesmas.v8i2.342>
- PERKI. (2015). *Pedoman Tata Laksana Hipertesni pada Penyakit Kardiovaskuler. 1*. Pratiwi, N. P., Untari, E. K., & Robiyanto. (2019). HUBUNGAN PERSEPSI PASIEN TENTANG PENYAKIT HIPERTENSI DENGAN RELATIONSHIP OF PATIENT PERCEPTIONS ABOUT HYPERTENSION DISEASES WITH QUALITY OF LIFE ELDERLY PATIENTS , BLOOD PRESSURE , AND TYPES OF ANTI-HYPERTENSION Program Studi Farmasi , Fakultas Kedokteran. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 4(1), 1–11. Retrieved from <https://jurnal.untan.ac.id/index.php/jmfarmasi/article/view/37617/75676584035>
- Prihandana, S., Laksananno, G., & Mulyadi, A. (2020). Self-Care Behavior of Outpatients in Controlling Hypertension in Tegal City Pe. *Journal of Applied Health Managemen and Teknologi*, 2(3), 97–103.
- Priyoto. (2015). *Perubahan dalam perilaku kesehatan : konsep dan aplikasi*. yogyakarta:

Graha Ilmu.

- Purwati, R. D., Bidjuni, H., & Babakal, A. (2014). Perilaku Klien Hipertensi Di Puskesmas Bahu Manado. *Journal Keperawatan*, 2(2), 1–8.
- Putri, S. E., Rekawati, E., Nurviyandari, D., & Wati, K. (2021). Effectiveness of self-management on adherence to self-care and on health status among elderly people with hypertension. *Journal of Public Health Research*, 10, 75–81.
- Putriastuti, L. (2016). Analisis Hubungan Antara Kebiasaan Olahraga dengan Kejadian Hipertensi Pada Pasien Usia 45 Tahun keatas. *Jurnal Berkala Epidemiologi*, 4(2), 225–236. <https://doi.org/10.20473/jbe.v4i2.2016.225>
- Qiang, C. Z., Yamamichi, M., Hausman, V., & Altman, D. (2011). Mobile Applications for the Health Sector - World Bank ICT Sector Unit. *Health (San Francisco)*, (December). Retrieved from http://siteresources.worldbank.org/INFORMATIONANDCOMMUNICATIONANDTECHNOLOGIES/Resources/mHealth_report.pdf
- Ramadhani, E., & Sulistyorini, Y. (2018). Hubungan Kasus Obesitas dengan Hipertensi di Provinsi Jawa Timur 2015-2016. *The Influence of Patients' Characteristics with Intravena Catheter in Phlebitis Incidence*, 6, 35–42. <https://doi.org/10.20473/jbe.v6i12018>
- Riskesdas. (2013). Riset Kesehatan Dasar Kementerian RI. *Proceedings, Annual Meeting - Air Pollution Control Association*, 6. <https://doi.org/10.20473/jbe.v6i12018> 1 Desember 2013
- Riskesdas sumbar. (2018). *LAPORAN PROVINSI SUMATERA BARAT RISKESDAS 2018*.
- Rydlewska, A., Krzysztofik, Banasiak, Ponikowski, Jankowska, Rybak, & Libergal. (2013). Health locus of control and the sense of self-efficacy in patients with systolic heart failure: a pilot study. *Patient Preference and Adherence*, 337. <https://doi.org/10.2147/ppa.s41863>
- Sabar Surbakti. (2014). Pengaruh Latihan Jalan Kaki 30 Menit terhadap Tekanan Darah pada Pasien Hipertensi. *Pengabdian Kepada Masyarakat*, 20(September 2014), 1–15.
- Sarfo, F. S., Mobula, L. M., Burnham, G., Ansong, D., Plange-Rhule, J., Sarfo-Kantanka, O., & Ofori-Adjei, D. (2018). Factors associated with uncontrolled blood pressure among Ghanaians: Evidence from a multicenter hospital-based study. *PLoS ONE*, 13(3), 1–19. <https://doi.org/10.1371/journal.pone.0193494>
- Sarwono, S. W. (2010). *Pengantar Psikologi Umum*. Jakarta: Rajawali Pers.
- Seangpraw, K., & Ong-Arthorirak, P. (2020). Knowledge and behaviors toward health care for elderly patients with hypertension, and quality of life among informal caregivers in Northern Thailand. *Journal of Multidisciplinary Healthcare*, 13, 1771–1780. <https://doi.org/10.2147/JMDH.S284886>
- Sekeon, Sekplin A.S; Kalesaran, Angela F.C; Kandou, G. (2017). The association between hypertension and quality of life among elderly: A population based comparison study with general population in Tomohon, Indonesia. *Global Journal of Medicine and Public Health*, 6, No. 6. Retrieved from ISSN#- 2277-9604
- Setyanda Gita, D. (2015). Hubungan Merokok dengan Kejadian Hipertensi pada Laki-Laki Usia 35-65 Tahun di Kota Padang. *Jurnal FK Unand*.
- Shim, J.-S., Heo, J. E., & Kim, H. C. (2020). Factors associated with dietary adherence to the

guidelines for prevention and treatment of hypertension among Korean adults with and without hypertension. *Clinical Hypertension*, 26(1), 1–11. <https://doi.org/10.1186/s40885-020-00138-y>

Shorey, S., Ng, Y. P. M., Danbjørg, D. B., Dennis, C. L., & Morelius, E. (2017). Effectiveness of the 'Home-but not Alone' mobile health application educational programme on parental outcomes: a randomized controlled trial, study protocol. *Journal of Advanced Nursing*, 73(1), 253–264. <https://doi.org/10.1111/jan.13151>

Sicilia, G., Dewi, F. S. T., & Padmawati, R. S. (2018). Qualitative evaluation of a Posbindu-based non-communicable disease program in the Muara Bungo I Community Health Center. *Jurnal Kebijakan Kesehatan Indonesia JKKI*, 7(2), 88–92. Retrieved from <https://journal.ugm.ac.id/jkki/article/download/36117/22614>

Simbolon, D., Yorita, E., & Talib, R. A. (2019). The risk of hypertension in adulthood as a consequence of adolescent obesity. *Kesmas*, 14(1), 28–36. <https://doi.org/10.21109/kesmas.v14i1.2723>

Sitepoe. (2000). *Kekhususan Rokok Indonesia*. Jakarta: PT Gramedia Widiasarana Indonesia.

Sitompul, S., Suryawati, C., & Wigati, P. (2016). Analisis Pelaksanaan Program Pengelolaan Penyakit Kronis (Prolanis) Bpjs Kesehatan Pada Dokter Keluarga Di Kabupaten Pekalongan Tahun 2016. *Jurnal Kesehatan Masyarakat Universitas Diponegoro*, 4(4), 145–153.

Smeltzer, S.C. & Bare, B. G. (2013). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth*. Jakarta: EGC.

Spruill, T. M., Butler, M. J., Thomas, S. J., Tajeu, G. S., Kalinowski, J., Castañeda, S. F., ... Shimbo, D. (2019). Association Between High Perceived Stress Over Time and Incident Hypertension in Black Adults: Findings From the Jackson Heart Study. *Journal of the American Heart Association*, 8(21). <https://doi.org/10.1161/JAHA.119.012139>

Sugiyono. (2016). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Bandung: PT Alfabes.

Sumanto. (2014). *Psikologi Umum*. Yogyakarta: Center of Academic Publishing Service (CAP).

Suoth, M., Bidjuni, H., Malara, R. . (2014). Hubungan Gaya Hidup dengan Kejadian Hipertensi di Puskesmas Kolongan Kecamatan Kalawat Kabupaten Minahasa Utara. *Unsrat Ejournal Vol.2 No.1.*, 2.

Swasono, M. F. H. (1995). *Makanan Kelompok Lanjut Usia dalam Konteks Budaya*. Sylvanus,

D., & Raya, P. (2014). Pola Makan dan Hubungannya Dengan Kejadian Stroke. *Jurnal Gizi Dan Dietetik Indonesia*, 2(2), 51–61.

Tarigan, A. R., Lubis, Z., & Syarifah, S. (2018). Pengaruh Pengetahuan, Sikap Dan Dukungan Keluarga Terhadap Diet Hipertensi Di Desa Hulu Kecamatan Pancur Batu Tahun 2016. *Jurnal Kesehatan*, 11(1), 9–17. <https://doi.org/10.24252/kesehatan.v11i1.5107>

Taylor, S. E. (2006). *Health Psychology*. Singapore: Hill, Singapore: McGraw.

Taylor, S. E. (2012). *Health Psychology*. New York: Mc Graw Hill.

Tesfaye, B., Haile, D., Lake, B., Belachew, T., Tesfaye, T., & Abera, H. (2017). Uncontrolled hypertension and associated factors among adult hypertensive patients on follow-up at Jimma University Teaching and Specialized Hospital: cross-sectional study. *Research*

Reports in Clinical Cardiology, Volume 8, 21–29.
<https://doi.org/http://dx.doi.org/10.2147/rcc.s132126>

- Tombor, I., Shahab, L., Brown, J., Notley, C., & West, R. (2015). Does non-smoker identity following quitting predict long-term abstinence? Evidence from a population survey in England. *Addictive Behaviors*, 45, 99–103.
<https://doi.org/10.1016/j.addbeh.2015.01.026>
- Triyanto, E., Iskandar, A., & Saryono. (2012). Pengaruh Aplikasi Health Promotion Model Terhadap Peningkatan Kualitas Kelompok Peduli Hipertensi. *Jurnal Keperawatan Soedirman*, 5(2), 105–114.
- Trudel, X., Brisson, C., Gilbert-Ouimet, M., & Milot, A. (2018). Psychosocial Stressors at Work and Ambulatory Blood Pressure. *Current Cardiology Reports*, 20(12).
<https://doi.org/10.1007/s11886-018-1070-z>
- Tulloch, H. E., Pipe, A. L., Clyde, M. J., Reid, R. D., & Els, C. (2016). The Quit Experience and Concerns of Smokers with Psychiatric Illness. *American Journal of Preventive Medicine*, 50(6), 709–718. <https://doi.org/10.1016/j.amepre.2015.11.006>
- Ulya, Z., & Iskandar, A. (2017). Pengaruh Pendidikan Kesehatan Dengan Media Poster Terhadap Pengetahuan Manajemen Hipertensi Pada Penderita Hipertensi. *Jurnal Keperawatan Soedirman*. <https://doi.org/10.20884/1.jks.2017.12.1.715>
- Varghese, R. P., Norman, T. S. J., & Thavaraj, S. (2015). Perceived Stress and Self Efficacy Among College Students: A Global Review. *SSRN Electronic Journal*, 5(3), 15–24.
<https://doi.org/10.2139/ssrn.2703908>
- Venkatesh, V., & Davis, F. . (2000). Theoretical Extension of The Technology Acceptance Model: Four Longitudinal Field Studies. *Management Science*, 46(2), 186–204.
<https://doi.org/http://doi.org/10.1287/mnsc.46.2.186.11926>
- Wahyuni, S. (2016). Pengaruh edukasi hipertensi dengan media booklet terhadap perilaku self management pada pasien hipertensi di wilayah Puskesmas Balowerti Kediri. *Jurnal Ilmu Kesehatan*, 5(1), 133–138.
- Walgito, B. (2004). *Pengantar Psikologi Umum*. Yogyakarta: Andi Offset.
- Wang, Y., Liu, Z., Zhang, O., Chen, M., Huang, L., Wu, Y., ... Yang, J. (2016). Effect of acupuncture treatment on smoking cessation in smokers from Hong Kong. *Journal of Traditional Chinese Medicine = Chung i Tsa Chih Ying Wen Pan*, 36(5), 634–639.
[https://doi.org/10.1016/s0254-6272\(16\)30083-8](https://doi.org/10.1016/s0254-6272(16)30083-8)
- Warren-Findlow, J., Basalik, D. W., Dulin, M., Tapp, H., & Kuhn, L. (2013). Preliminary validation of the hypertension self-care activity level effects (H-SCALE) and clinical blood pressure among patients with hypertension. *Journal of Clinical Hypertension*, 15(9), 637–643. <https://doi.org/10.1111/jch.12157>
- Weinstein, R. S., Lopez, A. M., Joseph, B. A., Erps, K. A., Holcomb, M., Barker, G. P., & Krupinski, E. A. (2014). Telemedicine, telehealth, and mobile health applications that work: Opportunities and barriers. *American Journal of Medicine*, 127(3), 183–187.
<https://doi.org/10.1016/j.amjmed.2013.09.032>
- WHO. (2015). *Hypertension Fact Sheet Department of Sustainable Development and Healthy Environment*. Retrieved from <http://www.searo.who.int/linkfiles/non-communicable%0Adisease.hipertensi>.

- WHO. (2018). *Raised Blood Pressure*. Retrieved from https://www.who.int/gho/ncd/risk_factors/blood_pressure_prevalence_text/en/.
- Wolfe, S. E., & Higgins, G. E. (2008). Self-control and perceived behavioral control: an examination of college student drinking. *Psychology in Criminal Justice*, 4(1), 115–117.
- Wondmieneh, A., Gedefaw, G., Getie, A., & Demis, A. (2021). Self-Care Practice and Associated Factors among Hypertensive Patients in Ethiopia: A Systematic Review and Meta-Analysis. *International Journal of Hypertension*, 2021. <https://doi.org/10.1155/2021/5582547>
- Yang, M. H., Kang, S. Y., Lee, J. A., Kim, Y. S., Sung, E. J., Lee, K. Y., ... Lee, S. Y. (2017). The effect of lifestyle changes on blood pressure control among hypertensive patients. *Korean Journal of Family Medicine*, 38(4), 173–180. <https://doi.org/10.4082/kjfm.2017.38.4.173>
- Zeidan, F., Johnson, S. K., Gordon, N. S., & Goolkasian, P. (2010). Effects of brief and sham mindfulness meditation on mood and cardiovascular variables. *Journal of Alternative and Complementary Medicine*, 16(8), 867–873. <https://doi.org/10.1089/acm.2009.0321>

