

DAFTAR PUSTAKA

- [1] Adrian, P. P. & Gheorghe, B. M. 2010. Manufacturing Process and Applications of Composite Materials. *Ann. ORADEA Univ. Fasciale Manag. Technol. Eng.*
- [2] M.T. Albdiry, B.F. Yousif. Toughening of Brittle polyester with functionalized halloysite nanocomposite. Univ. Of Al-Qadsiyah, Iraq & Univ. Of Quensland, Australia
- [3] Callyster, W.D & Rethwisch, D.G. Material Science and Engineering An Introduction 3rd & 8th-Ed. John wiley & Sons, Inc.
- [4] Youtube. (2019, Oktober 16). Polimer-Bentuk, Jenis, dan Sintesis : 19 Juli 2017. Video File. Retrieved from : <https://www.youtube.com/watch?v=wnK8y30muJA&t=12s>
- [5] Bitar. (2019, April 28). Polimer – Pengertian, Struktur, Sifat, Penggolongan, Pembentukan, Kegunaan, Manfaat, Contoh. Dikutip tanggal 16 Oktober 2019 dari Guru Pendidikan : <https://www.gurupendidikan.co.id/polimer/>
- [6] Surdia, Tata, Prof., Ir., Met., E., dan Prof. Dr. Shinroku Saito. 1999. Pengetahuan Bahan Teknik. Jakarta: PT Pradnya Paramita
- [7] Mulyadi, A. S.,T. 2018. Pengaruh Penambahan Variasi Massa Pati Tapioka Terhadap Nilai Tahanan Termal Pada Komposit dengan Matriks Polyester. Tugas Akhir
- [8] Ardhyanta, H. 2017. Mechanical and Thermal Properties of Unsaturated Polyester/Vynil Ester Blends Cured at Room Temperature. IOP Conferences Series: Materials Science and Engineering. 202 012088

- [9] He, S., Qian,., dkk. 2018. Effects of Inorganis Fillers on Toughning of Vynil Ester Resins by Modified Graphene Oxide. *Ind. Eng. Chem. Res.* 57, 45924599.
- [10] Rousseaux, D.D., M. Sclavons, P. Godard and J.M. Brynaert, 2010. Carboxylate clays : A model study for polypropylene-clay nanocomposites. *Polym. Degrad. Stab.*, 95: 1194-1204
- [11] Setoodeh, A. R. & Sokhandani, N., 2017. Mechanical Properties Investigation of Glassfiber Reinforced Vynil Ester Clay Nanocomposites Fabricated by Vacuum Bag Molding. *J. Eng. Appl. Sci.* doi: 10.3923/jeasci.2017.3455.3460
- [12] Ferry Yunanto. 2014. Sifat Fisis dan Mekanis Akibat Perubahan Temperatur Pada Komposit Serat Batang Pisang yang Dicuci dengan K(OH) Menggunakan Matrik Vynilester. Skripsi.
- [13] Irwin G.R. "Analysis and stresses and strains near the end of a crack traversing a plate", *Journal of Applied Mechanics*, Trans. ASME, Vol. 24, 1957, pp. 361-364.
- [14] Suo, Z. 2012. *Fracture Mechanics*. <http://imechanica.org/node/7448>. Diakses pada tanggal 16 Oktober 2019
- [15] Fett, T .1998. "Stress Intensity Factors and Weight Function for Special Crack Problems". *Forschungszentrum Karlsruhe GmbH, Karlsruhe*.
- [16] Faisal, C. 2010. "Fracture Toughness". <https://call19me.wordpress.com>. Diakses pada 16 Oktober 2019
- [17] Watwood V.B. "The Finite Element Method for Prediction of Crack Behaviour". *Nuclear Engineering and Design*, vol.11, 1970, pp. 323332..
- [18] Rice, J. R. "A Path Independent Integral and the Approximate Analysis of Strain Concentration by Notches and Cracks". *Journal applied Mechanics*, Trans. ASME, Vol.33, 1986, pp. 379-386

- [19] Hayes, D.J. 1976. "Some applications of elastic-plastic analysis in fracture mechanics". PhD thesis, Imperial College, University of London.
- [20] Ralph, I. S., Ali F., Robert R. S., Henry O. F., "Metal Fatigue in Engineering", John Wiley & Sons, Inc., 2001, pp. 163.
- [21] S. Jaiswal, P. K. Dutta, S. Kumar, J. Koh, and S. Pandey, "SC," *Carbohydr. Polym.*, 2019.
- [22] U.Ali, K. J. B. A. Karim, and N. A. Buang, "A Review of the Properties and Applications of Poly (Methyl Methacrylate) (PMMA)," *Polym. Rev.*, vol. 55, no. 4, pp. 678–705, 2015.
- [23] S. Kalia and S. Vashistha, "Surface Modification of Sisal Fibers (Agave sisalana) Using Bacterial Cellulase and Methyl Methacrylate," *J. Polym. Environ.*, vol. 20, no. 1, pp. 142–151, 2012.
- [24] H. Abral, R. Fajrul, M. Mahardika, and D. Handayani, "Improving impact , tensile and thermal properties of thermoset unsaturated polyester via mixing with methyl methacrylate and thermoset vinyl ester."
- [25] P. Hari Sankar, Y. V. Mohana Reddy, and K.Hemachandra Reddy, "Polyester/vinylester polymer hybrid blended nanocomposites: Effect of nano on mechanical and thermal properties," *Fibers Polym.*, vol. 16, no. 2, pp. 443–448, 2015.

