

DAFTAR PUSTAKA

1. Noh S, Choi H, Whan Kim I, Young Mun J. Ultrastructural study of keratinocytes and melanocytes in seborrheic keratosis. *Biophysical Journal*. 2018;114(3):163a.
2. Greco MJ, Bhutta BS. Seborrheic Keratosis. *Dermatological cryosurgery and cryotherapy*. 2021;589–93.
3. Braun RP, Ludwig S, Marghoob AA. Differential diagnosis of seborrheic keratosis: clinical and dermoscopic features. *J Drugs Dermatol*. 2017;16(9):835–42.
4. Singh TR, Singh S. A clinicoepidemiological study of cutaneous manifestations in geriatric age group. *Journal of Evolution of Medical and Dental Sciences*. 2017;6(68):4831–42
5. Bianchi MG, Santos A, Cordioli E. Benefits of teledermatology for geriatric patients: population-based cross-sectional study. *J Med Internet Res*. 2020;22(4):e16700.
6. Gefilem GA, Suling PL, Kapantouw MG. Profil tumor jinak kulit di poliklinik kulit dan kelamin RSUD Prof. Dr. R. Kandou Manado periode 2009-2011. *J E-Clin*. 2013;1(1):1-9.
7. Roh NK, Hahn HJ, Lee YW, Choe YB, Ahn KJ. Clinical and histopathological investigation of seborrheic keratosis. *Ann Dermatol*. 2016;28(2):152–8.
8. Yeatman Jm, Kilkenny M, Marks R. The prevalence of seborrheic keratoses in an Australian population: does exposure to sunlight play a part in their frequency?. *Br J Dermatol*. 1997;137(3):411–4.
9. Memon AA, Tomenson JA, Bothwell J, Friedmann PS. Prevalence of solar damage and actinic keratosis in a merseyside population. *Br J Dermatol*. 2000;142(6):1154–9.
10. Kwon OS, Hwang EJ, Bae JH, Park HE, Lee JC, Youn JI, et al. Seborrheic keratosis in the Korean males: causative role of sunlight. *Photodermatology, photoimmunology & photomedicine*. 2003;19(2):73–80.
11. Kennedy C, Willemze R, Gruijl FR de, Bavinck JNB, Bajdik CD. The influence of painful sunburns and lifetime sun exposure on the risk of actinic keratoses, seborrheic warts, melanocytic nevi, atypical nevi, and skin cancer. *J Invest Dermatol*. 2003;120(6):1087–93.
12. Arrahman A. Gambaran faktor risiko pasien keratosis seboroik di rsup dr. M. Djamil padang pada periode desember 2016 – november 2019. *Scholar Unand*. 2020;1
13. Sun MD, Halpern AC. Advances in the etiology, detection, and clinical management of seborrheic keratoses. *Dermatology*. 2021;1–13.
14. Hafner C, Vogt T. Seborrheic keratosis. *J Dtsch Dermatol Ges*. 2008;6(8):664-677.

15. Kammeyer, A., Luiten, R.M., Oxidation events and skin aging, *Ageing Research Reviews* (2015)), <http://dx.doi.org/10.1016/j.arr.2015.01.001>.
16. Fawzy MM, Abdel Aal MAM, Mohamed El-Shahed AR. Epidemiological Study of Seborrheic Keratosis among Egyptians in Great Cairo. *Egypt J Hosp Med*. 2018;72(4):4378–81.
17. Del Rosso JQ. A Closer Look at Seborrheic Keratoses: Patient Perspectives, Clinical Relevance, Medical Necessity, and Implications for Management. *J Clin Aesthet Dermatol*. 2017; 10(3): 16–25.
18. Gurel MS, Aral BB. Effectiveness of erbium:YAG laser and cryosurgery in seborrheic keratoses: Randomized, prospective intraindividual comparison study. *J Dermatolog Treat*. 2015; 26(5):477-80.
19. Takekawa C, Fukumoto T, Haraoka G, Terashi H. Combination treatment algorithm for pigmentary disorders of the face: a prospective observational study in asian patients. *J Plast Reconstr Aesthet Surg*. 2021;74(2):370–6.
20. Losquadro WD. Anatomy of the skin and the pathogenesis of nonmelanoma skin cancer. *Facial Plastic Surgery Clinics of North America*. 2017;25(3):283–9.
21. Baumann L, Saghari S. Basic science of the epidermis. *Cosmetic dermatology* New York: McGraw-Hill; 2009;2:3–7.
22. Leithauser LA, Collar RM, Ingraffea A. Structure and function of the skin. *Facial plastic and reconstructive surgery* New York: Thieme; 2016;4:1–5.
23. Frohm ML, Durham AB, Bichakjian CK, et al. *Anatomy of the skin..* Elsevier; 2014;3:3–13.
24. Sri Linuhwih SW Menjadi, editor. Ilmu penyakit kulit dan kelamin edisi ketujuh. Vol. Keenam. Jakarta: Badan Penerbit FKUI; 2019. 262–268.
25. Wollina U. Recent advances in managing and understanding seborrheic keratosis. *F1000Res*. 2019;8.
26. Li Y, Wang Y, Zhang W, Jiang L, Zhou W, Liu Z, et al. Overexpression of amyloid precursor protein promotes the onset of seborrheic keratosis and is related to skin aging. *Acta Derm Venereol*. 2018;98(6):594–600.
27. Thomas VD, Snaveley NR, Lee KK, Swanson NA. Benign epithelial tumors, hemartomas, and hyperplasias. In: Goldsmith LA, Katz SI, Gilchrist BA, Paller AS, Leffel DJ, Wolff K, editors. *Fitzpatrick's Dermatology in General Medicine*. 8th ed. New York: McGraw-Hill Companies, 2012. p.1319-23.
28. Moscarella E, Brancaccio G, Briatico G, Ronchi A, Piana S, Argenziano G. Differential diagnosis and management on seborrheic keratosis in elderly patients. *Clin Cosmet Investig Dermatol*. 2021;14:395.
29. James WD, William D, Elston DM, Treat J, James R, Rosenbach MA, et al. *Andrews' diseases of the skin : clinical dermatology*. 2019; 933.
30. Heidenreich B, Denisova E, Rachakonda S, Sanmartin O, Dereani T, Hosen I, et al. Genetic alterations in seborrheic keratoses. *Oncotarget*. 2017;8(22):36639–49.

31. Takenaka Y, Hoshino Y, Nakajima H, Hayashi N, Kawashima M, Imokawa G. Paracrine cytokine mechanisms underlying the hyperpigmentation of seborrheic keratosis in covered skin areas. *J Dermatol*. 2013;40(7):533–42.
32. Alapatt GF, Sukumar D, Bhat MR. A clinicopathological and dermoscopic correlation of seborrheic keratosis. *Indian J Dermatol*. 2016; 61(6):622–7.
33. Jackson JM, Alexis A, Berman B, Berson DS, Taylor S, Weiss JS. Current understanding of seborrheic keratosis: prevalence, etiology, clinical presentation, diagnosis, and management. *J Drugs Dermatol*. 2015;14(10):1119–25.
34. Bedout V de, Williams NM, Muñoz AM, Londoño AM, Munera M, Naranjo N, et al. Skin cancer and dermoscopy training for primary care physicians: a pilot study. *Dermatol Pract Concept*. 2021;11(1):e2021145.
35. Takenouchi T. Key points in dermoscopic diagnosis of basal cell carcinoma and seborrheic keratosis in Japanese. *J Dermatol*. 2011 ;38(1):59–65.
36. Wollina U, Chokoeva A, Tchernev G, Heinig B, Schönlebe J. Anogenital giant seborrheic keratosis. *G Ital Dermatol Venereol*. 2017 ;152(4):383-386.
37. Ahlgrimm-Siess V, Cao T, Oliviero M, Laimer M, Hofmann-Wellenhof R, et al. Seborrheic keratosis: reflectance confocal microscopy features and correlation with dermoscopy. *J Am Acad Dermatol*. 2013;69(1):120–6.
38. Thiers BH, Sahn RE, Callen JP. Cutaneous manifestations of internal malignancy. *CA Cancer J Clin*.. 2009;59(2):73–98.
39. Shahriari N, Grant-Kels JM, Rabinovitz H, Oliviero M, Scope A. Reflectance confocal microscopy: Diagnostic criteria of common benign and malignant neoplasms, dermoscopic and histopathologic correlates of key confocal criteria, and diagnostic algorithms. *J Am Acad Dermatol*. 2021;84(1):17–31.
40. Bouhamed M, Bacha D, Abdelmoula F, Slama S ben, Lahmar A, Bouraoui S, et al. Clonal seborrheic keratosis: a rare skin tumor. *Pan Afr Med J*. 2019;34:54.
41. Jeong J, Kie JH. Seborrheic keratosis in the auricle. *BMJ Case Reports CP*. 2021;14(2):e241302.
42. Moscarella E, Brancaccio G, Briatico G, Ronchi A, Piana S, Argenziano G. Differential diagnosis and management on seborrheic keratosis in elderly patients. *Clin Cosmet Investig Dermatol*. 2021;14:395.
43. Kalegowda IY, Böer-Auer A. Clonal seborrheic keratosis versus pagetoid bowen disease: histopathology and role of adjunctive markers. *Am J Dermatopathol*. 2017;39(6):433–9.
44. Richey JD, Deng AC, Dresser K, O'Donnell P, Cornejo KM. Distinguishing between irritated seborrheic keratosis and squamous cell carcinoma in situ using BCL-2 and IMP3 immunohistochemistry. *J Cutan Pathol*. 2018;45(8):603–9.
45. Cameron MC, Lee E, Hibler BP, Barker CA, Mori S, Cordova M, et al. Basal cell carcinoma. *Journal of the American Academy of Dermatology*. 2019;80(2):303-17.

46. Fernandes KAP, Martinez DCS, Nobre AB, Campos-do-Carmo G. Collision tumor: pigmented Bowen's disease and seborrheic keratosis. *An Bras Dermatol*. 2018;93(5):737–9.
47. Bakke JR, McMurray SL, Peck ASH, Fisher KR, Tyring SK, Rady PL, et al. Seborrheic keratosis-like lesions localized to tattoo. *JAAD case reports*. 2019;5(3):274–6.
48. Izikson L, Sober AJ, Mihm MC, Zembowicz A. Prevalence of melanoma clinically resembling seborrheic keratosis: Analysis of 9204 cases. *Arch Dermatol*. 2002;138(12):1562–6.
49. Wollina U, Chokoeva A, Tchernev G, Heinig B, Schönlebe J. Anogenital giant seborrheic keratosis. *G Ital Dermatol Venereol*. 2017;152(4):383–6.
50. Kurihara Y, Furue M. Occult basal cell carcinoma arising in seborrheic keratosis. *Case Rep Dermatol*. 2019;11(1):48–51.
51. Yanagihara S, Yoshida Y, Tsuruta D, Yamamoto O. Basal cell carcinoma showing surface hyperkeratosis clinically mimicking seborrheic keratosis. *J Dermatol*. 2015;42(12):1195–6.
52. Gao YY, An XJ, Yang J, Huang CZ, Tao J. Seborrheic keratosis mimicking basal cell carcinoma under dermoscopy: a case report. *Chin Med J*. 2020;133(17):2139–40.
53. Lombardi M, Pampena R, Borsari S, Bombonato C, Benati E, Pellacani G, et al. Dermoscopic features of basal cell carcinoma on the lower limbs: a chameleon! *Dermatology*. 2017;233(6):482–8.
54. Papageorgiou C, Spyridis I, Manoli SM, Busila I, Nasturica IE, Lallas K, et al. Accuracy of dermoscopic criteria for the differential diagnosis between irritated seborrheic keratosis and squamous cell carcinoma. *J Am Acad Dermatol*. 2021;85(5):1143–50.
55. Carrera C, Segura S, Aguilera P, Takigami CM, Gomes A, Barreiro A et al. Dermoscopy Improves the Diagnostic Accuracy of Melanomas Clinically Resembling Seborrheic Keratosis: Cross-Sectional Study of the Ability to Detect Seborrheic Keratosis-Like Melanomas by a Group of Dermatologists with Varying Degrees of Experience. *Dermatology*. 2017;233(6):471-479
56. Ranasinghe GC, Friedman AJ. Managing seborrheic keratoses: evolving strategies for optimizing patient outcomes. *J Drugs Dermatol*. 2017;16(11):1064–8.
57. Wood LD, Stucki JK, Hollenbeak CS, Miller JJ. Effectiveness of cryosurgery vs curettage in the treatment of seborrheic keratoses. *JAMA Dermatol*. 2013; 149(1):108-9.
58. Bruscinò N, Conti R, Campolmi P, Bonan P, Cannarozzo G, Lazzeri L, et al. Dermatitis Papulosa Nigra and 10,600-nm CO₂ laser, a good choice. *J Cosmet Laser Ther*. 2014; 16(3):114-6.
59. Dubois JC, Jarratt M, Beger BB, Bradshaw M, Powala CV, Shanler SD. A-101, a proprietary topical formulation of high-concentration hydrogen peroxide solution: a randomized, double-blind, vehicle-controlled, parallel group study of

- the dose-response profile in subjects with seborrheic keratosis of the face. *Dermatol Surg.* 2018;44(3):330–40.
60. Kao S, Kiss A, Efimova T, Friedman AJ. Managing seborrheic keratosis: evolving strategies and optimal therapeutic outcomes. *J Drugs Dermatol.* 2018;17(9):933–40.
 61. Manaka I, Kadono S, Kawashima M, Kobayashi T, Imokawa G. The mechanism of hyperpigmentation in seborrhoeic keratosis involves the high expression of endothelin-converting enzyme-1 and TNF- α , which stimulate secretion of endothelin 1. *Brit J Dermatol.* 2001;145:895–903.
 62. Imokawa G, Miyagishi M, Yada Y. Endothelin 1 as new melanogen. *J Investigative Dermatol.* 1995;105(1):32–7.
 63. Rajesh G, Thappa DM, Jaisankar TJ, Chandrashekar L. Spectrum of seborrheic keratoses in south Indians : A clinical and dermoscopic study. *Indian J Dermatol.* 2011;77(4):483–8.
 64. Modenese A, Korpinen L. Solar Radiation Exposure and Outdoor Work : An Underestimated Occupational Risk. *Int J Environ Res Pub Health.* 2018;15(2063):1–24.
 65. Phulari RG, Buddhdev K, Rathore R, Patel S. Seborrheic keratosis. *J Oral Maxillofac Pathol.* 2014;18(2):327–330
 66. Parish LC, Witkowski JA. Barnacles, old age marks, or just plain seborrheic keratoses. *Skinmed.* 2005;4(6):333–335.
 67. Yamamoto T, Yokoyama A. Hereditary onset of multiple seborrheic keratoses: a variant of Leser Trélat sign? *J Dermatol.* 1996;23(3):191–5.
 68. Zhang RZ, Zhu WY. Seborrheic keratoses in five elderly patients: an appearance of raindrops and streams. *Indian J Dermatol.* 2011;56(4):432–434.
 69. Noiles K, Vender R. Are all seborrheic keratoses benign? Review of the typical lesion and its variants. *J Cutan Med Surg.* 2008;12(5):203–210.
 70. Duque MI, Jordan JR, Fleischer AB, Jr, et al. : Frequency of seborrheic keratosis biopsies in the United States: a benchmark of skin lesion care quality and cost effectiveness. *Dermatol Surg.* 2003;29(8):796–801
 71. Cevizci R, Bezgin SÜ, Altın G, et al. : Treatment of seborrheic keratosis in bilateral external auditory canal using fiber CO2 laser. *Kulak Burun Bogaz Ihtis Derg.* 2016;26(5):304–6.