

DAFTAR PUSTAKA

1. Brodell LA, Rosenthal KS. Skin structure and function: The body's primary defense against infection. *Infect Dis Clin Pract*. 2008;16(2):113–7.
2. Poljšak B, Dahmane R. Free radicals and extrinsic skin aging. *Dermatol Res Pract*. 2012;2012.
3. Simo A, Simo A, Kawal N, Paliyath G, Bakovic M. Botanical Antioxidants for Skin Health in the World of Cosmeceuticals. *Int J Adv Nutr Heal Sci* [Internet]. 2014 Aug 29 [cited 2021 Mar 8];2(1):67–88. Available from: <http://medical.cloud-journals.com/index.php/IJANHS/article/view/164>
4. Bogdan Allemann I, Baumann L. Antioxidants used in skin care formulations. Vol. 13, *Skin therapy letter*. 2008.
5. Brewer MS. Natural Antioxidants: Sources, Compounds, Mechanisms of Action, and Potential Applications. *Compr Rev Food Sci Food Saf*. 2011;10(4):221–47.
6. Ahmad MA, Javed R, Adeel M, Rizwan M, Yang Y. PEG 6000-stimulated drought stress improves the attributes of in vitro growth, steviol glycosides production, and antioxidant activities in *stevia rebaudiana bertonii*. *Plants*. 2020;9(11):1–10.
7. Desnera Y, Kartamihardjo H, Intanlisna. Yola et al 2019. 2019;6(1):32–6.
8. El-Nassag DE, Ghamry HI, Elhassaneen YA. Stevia (*Stevia rebaudiana*) leaves: chemical composition, bioactive compounds, antioxidant activities, antihyperglycemic and antiatherogenic effects *Journal of Studies and Searches of Specific Education*. *J Stud Searches Specif Educ*. 2019;(5):157.
9. Graf J. Antioxidants and skin care: The essentials. Vol. 125, *Plastic and Reconstructive Surgery*. 2010.
10. Sasidharan S, Joseph P, Junise. Formulation and Evaluation of Fairness Serum Using Polyherbal Extracts. *Int J Pharm* [Internet]. 2014;4(3):105–12. Available from: <http://www.pharmascholars.com>
11. Gawęł-Bęben K, Bujak T, Nizioł-Łukaszewska Z, Antosiewicz B,

- Jakubczyk A, Karaś M, et al. *Stevia rebaudiana* Bert. leaf extracts as a multifunctional source of natural antioxidants. *Molecules*. 2015;20(4):5468–86.
12. Yadav AK, Singh S, Dhyani D, Ahuja PS. A review on the improvement of stevia [*Stevia rebaudiana* (Bertoni)]. *Can J Plant Sci*. 2011;91(1):1–27.
 13. Khiraoui A, Hasib A, Al Faiz C, Amchra F, Bakha M, Boulli A. *Stevia Rebaudiana* Bertoni (Honey Leaf): A Magnificent Natural Bio-sweetener, Biochemical Composition, Nutritional and Therapeutic Values |. *J Nat Sci Res [Internet]*. 2017;7(14):75–85. Available from: www.iiste.org
 14. Madan S, Ahmad S, Singh GN, Kohli K, Kumar Y, Singh R, et al. *Stevia rebaudiana* (Bert.) Bertoni - A Review. *Indian J Nat Prod Resour*. 2010;1(3):267–86.
 15. Gantait S, Das A, Banerjee J. Geographical Distribution, Botanical Description and Self-Incompatibility Mechanism of Genus *Stevia*. *Sugar Tech*. 2018 Jan 12;20:1–10.
 16. Goyal SK, Samsher, Goyal RK. *Stevia* (*Stevia rebaudiana*) a bio-sweetener: A review. *Int J Food Sci Nutr*. 2010;61(1):1–10.
 17. Kim IS, Yang M, Lee OH, Kang SN. The antioxidant activity and the bioactive compound content of *Stevia rebaudiana* water extracts. *LWT - Food Sci Technol [Internet]*. 2011;44(5):1328–32. Available from: <http://dx.doi.org/10.1016/j.lwt.2010.12.003>
 18. Tavarini S, Angelini LG. *Stevia rebaudiana* Bertoni as a source of bioactive compounds: The effect of harvest time, experimental site and crop age on steviol glycoside content and antioxidant properties. *J Sci Food Agric*. 2013;93(9):2121–9.
 19. Kusumaningrum I, Suprayatmi M-. Pemanfaat Sereh (*Cymbopogon citratus*) Dan *Stevia* (*Stevia rebaudiana* Bertoni) Untuk Meningkatkan Kandungan Antioksidan Produk Coklat Yang Rendah Gula. *J Agroindustri Halal*. 2019;5(1):75–84.
 20. Escutia-López K, González-Montoya M, Cruz-Ortiz R, Cano-Sampedro E, Rodríguez- Rivero Y, Sánchez-Pardo M, et al. Effect of aqueous *Stevia*

- rebaudiana Bertoni extract in antioxidant and antiglycation capacity in vitro. *Rev bio ciencias*. 2020;7:1–16.
21. Jahan IA, Mostafa M, Hossain H. Antioxidant activity of *Stevia rebaudiana* Bert . Leaves from Bangladesh. *Bangladesh Pharm J* [Internet]. 2010;13(2):67–75. Available from: http://www.bps-bd.org/journal/volume13_2/14.pdf
 22. Molina-Calle M, Priego-Capote F, Luque de Castro MD. Characterization of *Stevia* leaves by LC–QTOF MS/MS analysis of polar and non-polar extracts. *Food Chem* [Internet]. 2017;219:329–38. Available from: <http://dx.doi.org/10.1016/j.foodchem.2016.09.148>
 23. Gupta E, Purwar S. Nutritional and therapeutic values of *Stevia rebaudiana*: A review. *J Med Plants Res*. 2013;7(46):3343–53.
 24. Kesuma Y. Antioksidan Alami dan Sintetik. 2015. 15–16 p.
 25. Ratz-Lyko A, Arct J, Pytkowska K. Methods for evaluation of cosmetic antioxidant capacity. *Ski Res Technol*. 2012;18(4):421–30.
 26. Parwata MOA. Bahan Ajar Antioksidan. *Kim Terap Progr Pascasarj Univ Udayana*. 2016;(April):1–54.
 27. Wahyuningtyas RS, Tursina, Pratiwi HS. Sistem Pakar Penentuan Jenis Kulit Wajah Wanita Menggunakan Metode Naive Bayes. *J Sist dan Teknol Inf*. 2015;1(1):1–6.
 28. Andarina R, Djauhari T. Antioksidan dalam dermatologi. *JKK*. 2017;4(1):39–48.
 29. Rorong JA. Uji Aktivitas Antioksidan Dari Daun Cengkeh (*Eugenia Carryophyllus*) Dengan Metode DPPH. *Chem Prog*. 2008;1(2).
 30. Kaligis AY, Yudistira A, Rotinsulu H. Uji Aktivitas Antioksidan Alga Halimeda opuntia dengan Metode DPPH [1,1-difenil-2-pikrilhidrazil]. *J Ilm Farm*. 2020;9(1):1–7.
 31. Szabo MR, Idițoiu C, Chambre D, Lupea AX. Improved DPPH determination for antioxidant activity spectrophotometric assay. *Chem Pap*. 2007;61(3):214–6.
 32. Kedare SB, Singh RP. Genesis and development of DPPH method of

- antioxidant assay. *J Food Sci Technol*. 2011;48(4):412–22.
33. Mardhiani YD, Yulianti H, Azhary DP, Rusdiana T. Formulasi Dan Stabilitas Sediaan Serum dari Ekstrak Kopi Hijau (*Coffea Canephora* Var. Robusta) Sebagai Antioksidan. *Indones Nat Res Pharm J Univ* 17 Agustus 1945 Jakarta. 2018;2(2):19–33.
 34. Khairunnisa. Formulasi Sediaan Masker Gel ekstrak Etanol Biji Jagung (*Zea mays L.*). 2018;
 35. Haryanti R. Krim Pemutih Wajah dan Keamanannya. *Farmasetika.com* (Online). 2017;2(3):5.
 36. Retno H, Auliya S, Abdassah M. Tinjauan bahan berbahaya dalam krim pencerah kulit. *Farmaka*. 2018;16(2):214–24.
 37. Kurniawati azizah yunita, Wijayanti ernanin dyah. karakteristik sediaan serum wajah dengan variasi konsentrasi sari rimpang temu giring (*Curcuma heyneana*) characteristics of facial serum preparation WITH various concentration of temu giring (*curcuma heyneana*) fermented with *Lactobacillus bulgaricus* A. *Akad Farm Putra Indones Malang*. 2018;1–11.
 38. Brandt FS, Cazzaniga A, Hann M. Cosmeceuticals: Current Trends and Market Analysis. *Semin Cutan Med Surg* [Internet]. 2011;30(3):141–3. Available from: <http://dx.doi.org/10.1016/j.sder.2011.05.006>
 39. Badan POM RI. Persyaratan Teknis Kosmetika. Nomor HK. 2015;3(23.08):3.
 40. Rahmawati A. Peran Perawatan Kulit (Skincare) Yang Dapat Merat Atau Merusak Skin Barrier. *Fak Farm Univ Padjajaran, Jatinangor*. 2020;7(1):1–7.
 41. Siregar IP. Studi Pemanfaatan Water Aromatic / Hidrosol Sereh Wangi. 2020;(1):8.
 42. Triyanto J, Janjua PZ, Samad G, Khan N, Ishaq M, Rumiati AT, et al. No J Determination of Content Nipagin (*Methyl Paraben*) Stocks on the face Moisturizing thin layer and chromatography UV spectrophotometry Sains dan Seni ITS [Internet]. 2017;6(1):51–66.
 43. essence-dan-serum-ketahui-perbedaan-dan-manfaatnya-untuk-kulit-anda.

44. Depkes RI. Farmakope Indonesia edisi IV. Departemen Kesehatan Republik Indonesia. 1995.
45. BPOM RI. Peraturan Badan Pengawas Obat dan Makanan Nomor 23 Tahun 2019 Tentang Persyaratan Teknis Bahan Kosmetik. Bpom Ri. 2019;2010:1–16.
46. Sexton RJ, Shogren JF, Cho S, Koo C, List J, Park C, et al. Optimization, Stability and Characterization of Face Serum Formulation. Universiti Teknologi Malaysia. 2018 (4)
47. Thakre AD. Formulation and Development of De Pigment Serum Incorporating Fruits Extract. *Int J Innov Sci Res Technol*. 2017;2(12):330–82.
48. Santi IH, Andari B. Sistem Pakar Untuk Mengidentifikasi Jenis Kulit Wajah dengan Metode Certainty Factor. *INTENSIF J Ilm Penelit dan Penerapan Teknol Sist Inf*. 2019;3(2):159.
49. Bragazzi NL, Sellami M, Salem I, Conic R, Kimak M, Pigatto PDM, et al. Fasting and its impact on skin anatomy, physiology, and physiopathology: A comprehensive review of the literature. *Nutrients*. 2019;11(2).
50. Perdanakusuma DS. Anatomi Fisiologi Kulit Dan Penyembuhan Luka. Plastic Surgery departement Airlangga University School of Medicine. 2007. p. 1–8.
51. Hanani E. Analisis fitokimia. In EGC; 2019.
52. Frushour M, Wilson K. Patent Application Publication (10) Pub . No .: US 2020/0337977 A1. 2020;2020(62).
53. Erkmen J. The use of hydroxyethyl cellulose as a transparent filling material in finishing polish. *Pigment Resin Technol*. 2018;47(4):323–9.
54. Formulating Elegant Liquid and Semisolid Drug Products.
55. Giannopoulou I, Saïs F, Thomopoulos R. Linked data annotation and fusion driven by data quality evaluation. *Rev des Nouv Technol l’Information*. 2015;E.28:257–62.
56. BPOM. Peraturan Kepala Badan Pengawas Obat dan Makanan. Badan Pengawas Obat dan Makanan. 2005;53:1689–99.

57. Sutjahjokartiko S. Pengaruh Konsentrasi Pengawet DMDM Hydantoin terhadap Karakteristik, Stabilitas Fisika dan pH pada Water Based Pomade yang Mengandung Ekstrak Aloe vera. *Calyptra J Ilm Mhs Univ Surabaya*. 2017;6(2):553–66.
58. Primasari A. Stabilitas Fisika dan pH gel Antijerawat Menggunakan hydroxyethyl cellulose dan polycrilamide-C13-14 Isoparaffin-laurenth-7-Seagi Basis Gel. *surabaya: jurnal ilmiah mahasiswa universitas surabay*; 2014. p. 28.
59. Sukmawati A, Laeha MN, Suprpto S. Efek Gliserin sebagai Humectan Terhadap Sifat Fisik dan Stabilitas Vitamin C dalam Sabun Padat. *Pharmacon J Farm Indones*. 2019;14(2):40–7.
60. Glycol B, Glycol H. 8 Final Report on the Safety Assessment of Butylene Glycol, Hexylene Glycol, Ethoxydiglycol, and Dipropylene Glycol. *Int J Toxicol*. 1985;4(5):223–48.
61. Shukla S, Mehta A, Mehta P, Bajpai VK. Antioxidant ability and total phenolic content of aqueous leaf extract of *Stevia rebaudiana* Bert. *Exp Toxicol Pathol* [Internet]. 2012;64(7–8):807–11. Available from: <http://dx.doi.org/10.1016/j.etp.2011.02.002>
62. Farmawati N, Anwar E, Farmasi F, Indonesia U, Depok KUI, Kunci K. Formulasi Serum Penghambat Kerja Tirosinase yang Mengandung Fitosom Ekstrak Biji Lengkeng (*Dimocarpus longan* Lour) Menggunakan Eksipien Koproces Kasein – Xanthan Gum Abstrak Formulation of Serum for Tyrosinase Inhibition Containing Phytosome of Longan S.
63. Widia W. Formulasi Sediaan GEL Ekstrak Etanol Daun Lidah Buaya (*Aloe vera(L.)webb*) Sebagai AntiJerawat Dengan Basis Dengan basis Sodium Alginate dan Aktivitas Antibakterinya Terhadap *Staphylococcus epidermidis*. skripsi. 2012;
64. Djamil R, Wijiastuti E. Penapisan Fitokimia, Uji Aktivitas Ekstrak Metanol Herba Seledri, Batang / Daun Ashitaba Dan Daun Petroseli (*Apiaceae*). *Prosiding Rakernas PIT IAI*. 2015.
65. RI D. Parameter Standar Umum Ekstrak Tumbuhan Obat. 2000;

66. Chandra A. Studi awal ekstraksi Batch daun Stevia rebaudiana dengan variabel jenis pelarut dan temperatur ekstraksi A preliminary study of Stevia rebaudiana leaves batch extraction using variable type of solvents and extraction temperature. Maret. 2015;1(1).
67. Linn R. Pharmacognostical and Phytochemical Studies on Leaves of Stevia. Int J Pharm Sci Drug Res. 2009;1(1):17–20.
68. Shukla S, Mehta A, Bajpai VK, Shukla S. In vitro antioxidant activity and total phenolic content of ethanolic leaf extract of Stevia rebaudiana Bert. Food Chem Toxicol [Internet]. 2009;47(9):2338–43. Available from: <http://dx.doi.org/10.1016/j.fct.2009.06.024>
69. Molyneux P. The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. Songklanakarin J Sci Technol. 2004;26(December 2003):211–9.

