

DAFTAR PUSTAKA

1. Schwartz DA. Gene-environment interactions and airway disease in children. *Pediatrics*. 2009;123:1-9.
2. Gloria-Bottini F, Bottini E. Is there a role of early neonatal events in susceptibility to allergy?. *Int J Biomed Sci*. 2010;6:8–12.
3. Binder H, Filburn B, Floch M. Bile acid inhibition of intestinal anaerobic organisms. *Am J Clin Nutr*. 2005;28:119–25.
4. Haga Y, Tempero MA, Kay D, Zetterman RK. Intracellular accumulation of unconjugated bilirubin inhibits phytohemagglutinin-induced proliferation and interleukin-2 production of human lymphocytes. *Dig Dis Sci*. 1996 ;41:1468–74.
5. Junttila IS. Tuning the cytokine responses: an update on interleukin (IL)-4 and IL-13 receptor complexes. *Front Immunol*. 2018;9:1-6.
6. Goedicke-Fritz S, Härtel C, Krasteva-Christ G, Kopp M V, Meyer S, Zemlin M. Preterm birth affects the risk of developing immune-mediated diseases. *Front Immunol*. 2017;8:1-7.
7. Andriani L. Hubungan kadar interleukin 4 dengan kadar bilirubin pada neonatus yang cukup bulan [thesis]. [Padang]: Universitas Andalas;2020.
8. Gomella TL, Cunningham MD, Eyal FG. Hiperbilirubinemia. Dalam: Gomella TL, Cunningham MD, Eyal FG, Zenk KE, editor. *Neonatology; Management procedures, On-call problems, diseases and drugs*. New York: Lange Medical Book/McGraw-Hill Co; 2004 : 247-50.
9. Assesment HT. Tatalaksana ikterus neonatorum. Jakarta: Unit pengkajian teknologi kesehatan direktorat jenderal pelayanan medik departemen kesehatan RI; 2004.
10. Sukadi. Hiperbilirubinemia. In: Kosim MS, Yunanto A, Dewi R, Sarosa GI, Usman A. *Buku ajar neonatologi*. 1st ed. Jakarta: Ikatan Dokter Anak Indonesia; 2008. p. 147–69.
11. Cloherty JP, Martin CR. Neonatal hyperbilirubinemia. In: Cloherty JP, Eichenwald EC, Stark AR, editor. *Manual of neonatal care*. 5th edition. Philadelphia: Lippincott Williams & Wilkins, 2004.p.185-221.
12. Murray RK. Porphyrin dan Bile Pigmen. In: Murray RK, Granner DK, Rodwell VW. *Biokimia Harper*. 27th ed. Jakarta: Buku Kedokteran EGC; 2009. p. 288-303.
13. Sacher RA. Tinjauan klinis hasil pemeriksaan laboratorium. 11th ed. Jakarta: Buku Kedokteran EGC; 2009.
14. Etika R, Agus H, Fatimah L, Sylyianti M. *Hyperbilirubinemia in neonatus*. Surabaya: Fakultas Kedokteran Universitas Airlangga; 2006.
15. Mansjoer. *Kapita Selektta kedokteran jilid 2*. Edisi 3. Jakarta: Media Aesculapius FK UI; 2007:504-5
16. Raimondi F. Bile acids modulate tight junction structure and barrier function of caco-2 monolayers via EGFR activation. *J Physiol Gastrointest. Liver Physiol*. 2008;294:906-13.
17. Heidarzadeh Arani M, Mosaiebi Z, Movahedian AH, Aabedi AR. The relation between neonatal phototherapy and childhood asthma. *Indian J Allergy Asthma Immunol*. 2011;25:97–101.
18. Das RR, Naik SS. Neonatal hyperbilirubinemia and childhood allergic diseases: a systematic review. *Pediatr allergy Immunol Off Publ Eur Soc Pediatr Allergy Immunol*. 2015;26:2–11.
19. Dw C. Developmental regulation of the immune system. *Semin Perinatol*. 2006;30:69–72.
20. Adkins B, Leclerc C, Marshall-Clarke S. Neonatal adaptive immunity comes of age.

- Nature reviews Immunology. 2004: 553–64.
21. Zasada M, Kwinta P, Durlak W, Bik-Multanowski M, Madetko-Talowska A, Pietrzyk JJ. Development and maturation of the immune system in preterm neonates: results from a whole genome expression study. *Biomed Res Int*. 2014;0:1-8.
 22. Garcia AM, Fadel SA, Cao S, Sarzotti M. T-Cell Immunity in neonates. *immunol Res*. 2000;22:177–90.
 23. Siegrist CA. Vaccination in the neonatal period and early infancy. *Int Rev Immunol*. 2000;19:195–219.
 24. Adkins B. Development of neonatal Th1/Th2 function. *Int Rev Immunol*. 2000;19:157–71.
 25. Shearer WT, Rosenblatt HM, Gelman RS, Oyomopito R, Plaeger S, Stiehm ER, et al. Lymphocyte subsets in healthy children from birth through 18 years of age. *J Allergy Clin Immunol*. 2003;112:973–80.
 26. Marchant A, Goldman M. T-cell-mediated immune responses in human newborns: ready to learn. *Clin Exp Immunol*. 2005;141:10–8.
 27. Adkins B, Bu Y, Guevara P. The generation of T-helper memory in neonates versus adults: prolonged primary th2 effector function and impaired development of th1 memory effector function in murine neonates. *J Immunol*. 2001;166:918–25.
 28. Walker JC, Smolders MAJC, Gemen EFA, Antonius TAJ, Leuvenink J, De Vries E. Development of lymphocyte subpopulations in preterm infants. *Scand J Immunol*. 2011;73:53–8.
 29. Berrington JE, Barge D, Fenton AC, Cant AJ, Spickett GP. Lymphocyte subsets in term and significantly preterm UK infants in the first year of life analysed by single platform flow cytometry. *Clin Exp Immunol*. 2005;140:289–92.
 30. Szekeres-Bartho J. Immunological relationship between the mother and the fetus. *Int Rev Immunol*. 2002;21:471–95.
 31. Yamamoto Y, Negoro T, Wakagi A, Hoshi A, Banham AH, Roncador G, et al. Participation of th17 and treg cells in pediatric bronchial asthma. *J Heal Sci*. 2010;56:589–97.
 32. Abbas A, Lichtman A, Pillai S. Effector mechanisms of t cell-mediated immunity functions of t-cells in host defense. *Basic Immunol*. 2014;0:117-29.
 33. Kidd P. Th1/th2 balance: the hypothesis, its limitations, and implications for health and disease. *Altern Med Rev*. 2003;8:223–46.
 34. Holdsworth SR, Kitching AR, Tipping PG. Th1 and th2 T helper cell subsets affect patterns of injury and outcomes in glomerulonephritis. *Kidney Int*. 1999;55:1198–216.
 35. Eagar TN, Miller SD. Helper T-cell subsets and control of the inflammatory response. In: Rich RR, Fleisher TA, Shearer WT, Schroeder H, Frew AJ, Weyand CM. *Clinical Immunology: Principles and Practice*. 4th Ed. Philadelphia: Elsevier; 2013. p. 203–14.
 36. Lucas A, Brooke OG, Morley R, Cole TJ, Bamford MF. Early diet of preterm infants and development of allergic or atopic disease: randomised prospective study. *BMJ*. 1990;300:837–40.
 37. Morita Y, Iwakura H, Ohtsuka H, Kohno Y, Shimojo N. Milk allergy in the neonatal intensive care unit: comparison between premature and full-term neonates. *Asia Pac Allergy*. 2013;3:35–41.
 38. Yu B, Dai L, Chen J, Sun W, Chen J, Du L, et al. Prenatal and neonatal factors involved in the development of childhood allergic diseases in Guangzhou primary and middle school students. *BMC Pediatr*. 2019;19:479.
 39. Siltanen M, Kajosaari M, Pohjavuori M, Savilahti E. Prematurity at birth reduces the long-term risk of atopy. *J Allergy Clin Immunol*. 2001;107:229–34.
 40. Wang X, Lupardus P, Laporte SL, Garcia KC. Structural biology of shared cytokine

- receptors. *Annu Rev Immunol.* 2009;27:29–60.
41. Calzada D, Baos S, Cremades-Jimeno L, Cárđaba B. B. Immunological mechanisms in allergic diseases and allergen tolerance: the role of treg cells. *J Immunol Res.* 2018;0:1-11.
 42. Arima K, Watanabe N, Hanabuchi S, Chang M, Sun S-C, Liu Y-J. Distinct signal codes generate dendritic cell functional plasticity. *Sci Signal.* 2010;3:1-15.
 43. Furue M, Ulzii D, Vu YH, Tsuji G, Kido-Nakahara M, Nakahara T. Pathogenesis of atopic dermatitis: current paradigm. *Iran J Immunol.* 2019;16:97–107.
 44. Matsunaga MC, Yamauchi PS. IL-4 and IL-13 inhibition in atopic dermatitis. *J Drugs Dermatol.* 2016;15:925–9.
 45. Coffman RL, Ohara J, Bond MW, Carty J, Zlotnik A, Paul WE. B cell stimulatory factor-1 enhances the IgE response of lipopolysaccharide-activated B cells. *J Immunol.* 1986;136:4538–41.
 46. Pawankar R, Okuda M, Yssel H, Okumura K, Ra C. Nasal mast cells in perennial allergic rhinitis exhibit increased expression of the Fc epsilonRI, CD40L, IL-4, and IL-13, and can induce IgE synthesis in B cells. *J Clin Invest.* 1997;99:1492–9.
 47. Hahn S, Bühler C, Schmalisch G, Metz B, Berns M. Rate of rise of total serum bilirubin in very low birth weight preterm infants. *Pediatr Res.* 2020;87:1039–44.
 48. Gupta A, Tripathi V, Singh R, Pandey K. Comparative study on prediction and course of significant hyperbilirubinemia in term and late preterm babies. *Astrocyte.* 2017;4:139-43.
 49. Stevenson DK, Fanaroff AA, Maisels MJ, Young BWY, Wong RJ, Vreman HJ, et al. Prediction of hyperbilirubinemia in near-term and term infants. *Pediatrics.* 2001;108:31–9.
 50. Nurani NB, Kadi FA, Tiene Rostin. Incidence of neonatal hyperbilirubinemia based on their characteristics at dr. hasan sadikin general hospital Bandung Indonesia. *Althea Med J.* 2017;4:431–4.
 51. Tioseco JA, Aly Hany, Milner J, Patel K, Mohandes AE. Does gender affect neonatal hyperbilirubinemia in low-birth-weight infants. *Pediatr Crit Care Med.* 2005;6:171-4.
 52. Aynalem S, Abayneh M, Metaferia G, Demissie AG, Gidi NW, Demtse AG, et al. Hyperbilirubinemia in preterm infants admitted to neonatal intensive care units in ethiopia. *Glob Pediatr Heal.* 2020;7:1–7.
 53. Arman D, Topcuođlu S, Gürsoy T, Ovalı F, Karatekin G. The accuracy of transcutaneous bilirubinometry in preterm infants. *J Perinatol.* 2020;40:212–8.
 54. Morioka I, Nakamura H, Koda T, Yokota T, Okada H, Katayama Y, et al. Current incidence of clinical kernicterus in preterm infants in Japan. *Pediatr Int.* 2015;57:494-97.
 55. Chawla G, Patil SV. Prediction of significant neonatal hyperbilirubinemia in healthy term newborn using cord bilirubin and 24th hour serum bilirubin, prospective study. *Med Coll Hospital & Research Center Bijapur.* 2006.
 56. Alpay F, Sarici SU, Tosuncuk HD, Serdar MA, Inanç N, Gökçay E. The value of first-day bilirubin measurement in predicting the development of significant hyperbilirubinemia in healthy term newborns. *Pediatrics.* 2000;106:1-16.
 57. American Academy of Pediatrics Subcommittee on Hyperbilirubinemia. Management of hyperbilirubinemia in the newborn infant 35 or more weeks of gestation. *Pediatrics.* 2004;114:297-316.
 58. Carbonell X, Botet F, Figueras J, Riu-Godó A. Prediction of hyperbilirubinaemia in the healthy term newborn. *Acta Paediatr.* 2001;90:166-70.
 59. Ebbesen F, Andersson C, Verder H, Grytter C, Pedersen-Bjergaard L, Petersen JR, et al. Extreme hyperbilirubinaemia in term and near-term infants in Denmark. *Acta Paediatr.*

- 2005;94:59-64.
60. Maisels MJ, Watchko JF, Bhutani VK, Stevenson DK. An approach to the management of hyperbilirubinemia in the preterm infant less than 35 weeks of gestation. *J Perinatol Off J Calif Perinat Assoc.* 2012;32:660–4.
 61. Rohsiswatmo R, Oswari H, Amandito R, Sjakti HA, Windiastuti E, Roeslani RD, et al. Agreement test of transcutaneous bilirubin and bilistick with serum bilirubin in preterm infants receiving phototherapy 11 medical and health sciences 1114 paediatrics and reproductive medicine. *BMC Pediatr.* 2018;18:1–7.
 62. Hegyi T, Kleinfeld A, Huber A, Winberger B. Unbound bilirubin measurements by a novel probe in preterm infants. *J Matern Fetal Neonatal Med.* 2019;32:2721–6.
 63. Pendse A, Jasani B, Nanavati R, Kabra N. Comparison of transcutaneous bilirubin measurement with total serum bilirubin levels in preterm neonates receiving phototherapy. *Indian Pediatr.* 2017;54:641–3.
 64. Anam C, Sulistijono E, Kusuma C. Kadar interleukin-4 dan interleukin-8 feses neonatus prematur yang mendapat ASI, predominant susu formula. dan susu formula dan susu formula. *Maj Kesehat.* 2019;6:1–10.
 65. Ohsima Y, Katamura K, Miura M, Mikawa H, Mayumi M. Serum level of Interleukin 4 and soluble CD23 in children with allergic disorders. *Eur J Pediatr.* 1995;54:723-28.
 66. Aurora RAL, Mayerling ZG, Del valle TJ, Estela PSA. Level of interleukin 4 and immunoglobulin E in umbilical cord blood from children born to allergic mothers. *MOJ Immunol.* 2017;5:1-8.
 67. Benkoe T, Baumann S, Weninger M, Pones M, Reck C, Rebhandl W, et al. Comprehensive evaluation of 11 cytokines in premature infants with surgical necrotizing enterocolitis. *Journal Pone.* 2013;8:2–7.
 68. Lusiyati S, Hulzebos CV, Zandvoort J, Sauer PJ. Levels of 25 cytokines in the first seven days of life in newborn infants. *BMC Res.* 2013;6:1-7

