

## DAFTAR PUSTAKA

1. Darby IA, Desmoulière A. Scar Formation: Cellular Mechanisms. In : Téot L, Mustoe TA, Middelkoop E, Gauglitz GG. Textbook on Scar Management. Springer. 2020:19-26
2. Tsai CH, Ogawa R. Keloid research: current status and future directions. *Scars, Burns & Healing*. 2019;5:1-8.
3. Ogawa R. Keloid and Hypertrophic Scars Are the Result of Chronic Inflammation in the Reticular Dermis. *International Journal of Molecular Sciences*. 2017;18(606):1-10.
4. Tan S, Khumalo N and Bayat A. Understanding Keloid Pathobiology From a Quasi-Neoplastic Perspective: Less of a Scar and More of a Chronic Inflammatory Disease With Cancer-Like Tendencies. *Frontiers in Immunology*. 2019;10:1-15
5. Huang C, Wu Z, Du Y, Ogawa R. The Epidemiology of Keloids. In : Téot L, Mustoe TA, Middelkoop E, Gauglitz GG. Textbook on Scar Management. Springer. 2020:29-34
6. Rachmantyo B, Listiawan Y, Murtiastutik D, Sandhika W. Perbandingan Terapi Kombinasi Laser CO<sub>2</sub>-Injeksi Triamsinolon dengan Injeksi Triamsinolon Monoterapi pada Keloid. *Berkala Ilmu Kesehatan Kulit dan Kelamin*. 2018;30:128-137.
7. Andisi R, Suling P, Kapantow M. Profil Keloid di Poliklinik Kulit dan Kelamin RSUP Prof. Dr. R. D. Kandou Manado Periode Januari 2011 – Desember 2015. *Jurnal e-Clinic (eCl)*. 2016;4(2).
8. Odilia C. Profil Keloid pada Pasien RSUP Dr. M. Djamil Padang tahun 2016-2020 [skripsi]. Padang: Fakultas Kedokteran Universitas Andalas; 2021.
9. Sinto L. Scar Hipertrofik dan Keloid: Patofisiologi dan Penatalaksanaan. *CDK*. 2018;45(1):29-32.
10. Betarbet U, Blalock TW. Keloids: a review of etiology, prevention and treatment. *Journal of Clinical and Aesthetic Dermatology*. 2020;13(2):33- 43.
11. Kassi K, Kouame K, Kouassi A, Allou A, Kouassi I, Kourouma S, et al. Quality of life in black African patients with keloid scars. *Dermatology Reports*. 2020;12(2):28–31.
12. Choirunanda AF, Praharsini I. Profil Gangguan Kualitas Hidup Akibat Keloid pada Mahasiswa Fakultas Kedokteran Udayana Angkatan 2012-2014. *Jurnal Medika Udayana*. 2019;8(8):1–5.
13. Shaheen A. Comprehensive review of keloid formation. *Clinical Research in Dermatology Open Access*. 2017;4(5):1-18.
14. Bijlard E. Wound healing and scarring. In: Hovios, editor. *Less Is More in Keloid Disease*. Woensdag: Erasmus University Rotterdam. 2017:14-16.
15. Saryono. Potensi Teh Hijau Dalam Penyembuhan Luka: Sistematis Review. *Prosiding Konferensi Nasional PPNI Jawa Tengah*. 2013:202-205
16. Mehta, Branford O, Rolfe K. The Evidence for Natural Therapeutics as Potential Anti-Scarring Agents in Burnrelated Scarring. In *Burns & Trauma*. Biomed Central. 2016;4(1):1-12.
17. Ud Din S, Wilgus TA, McGeorge D, Bayat A. Pre-Emptive Priming of Human Skin Improves Cutaneous Scarring and Is Superior to Immediate and Delayed Topical Anti-Scarring Treatment Post-Wounding: A Double-Blind Randomised Placebo-Controlled Clinical Trial. *Multidisciplinary Digital Publishing Institute*. 2021:1-37.
18. Kurniatri AA, Sulistyningrum N, Rustanti L. Purifikasi katekin dari ekstrak gambir (*Uncaria gambir* Roxb). *Media Litbangkes*. 2019;29(2):153-160.

19. Rahmawati N, Bakhtiar A, Putra DP. Isolasi katekin dari gambir (*Uncaria gambir* ( Hunter ) Roxb) untuk sediaan farmasi dan kosmetik. *Jurnal Penelitian Farmasi Indonesia*. 2012;1:6-10.
20. Sari I, Anum Q, Asri E. Pengaruh Katekin Gambir (*Uncaria gambir Roxburgh*) Terhadap Proliferasi dan Migrasi Sel Fibroblas Keloid [tesis]. Padang. Fakultas Kedokteran Universitas Andalas; 2021.
21. Ud-Din S, Bayat A. Non-animal models of wound healing in cutaneous repair: In silico, in vitro, ex vivo, and in vivo models of wounds and scars in human skin. *Wound Repair Regen*. 2017;25(2):164-176
22. Marcos G, Harvat M, Molina A, Ferrandez I, Ruiz S. Comparative measurement of collagen bundle orientation by Fourier analysis and semiquantitative evaluation: reliability and agreement in Masson's trichrome, Picrosirius red and confocal microscopy techniques. *Journal of Microscopy*. 2017;267(2):130-142
23. Lattouf R, Younes R, Lutomski D, Naaman N, Godeau G, Senni K, Changotade S. Picrosirius red staining: a useful tool to appraise collagen networks in normal and pathological tissues. *Journal of Histochemistry Cytochemistry*. 2014;62(10):751-8.
24. Ghazawi FM, Zargham R, Gilardino MS, Saasevile D, Jafarian F. Insights into the Pathophysiology of Hypertrophic Scars and Keloids: How Do They Differ?. *Advances in Skin & Wound Care*. 2018;31(1):582-595.
25. Ogawa R, Akaishi S. Endothelial dysfunction may play a key role in keloid and hypertrophic scar pathogenesis—Keloids and hypertrophic scars may be vascular disorders. *Medical Hypotheses*. 2016;96:51–60
26. Butzelaar L, Niessen FB, Talhout W. Different properties of skin different body sites: The root of keloid formation? *Wound Repair Regen* 2017; 25(5): 758–766
27. Wang PH, Huang BS, Horng HC. Wound healing. *Journal of Chinese Medical Association*. 2018;81(2):94–101.
28. Geoffrey CG, Victor W. Wound Healing : Normal and Abnormal. Dalam: Charles HT, editor. *Grabb and Smith's plastic surgery 7th ed*. Philadelphia: Lippincott Williams&Wilkins. 2014:14-9.
29. Bahat A, Krisanti RIA. Tata Laksana Laser pada Keloid. *Majalah Dermatologi Venereologi Indonesia*. 2019;4(46):215-220.
30. Khansa I, Harrison B, Janis JE. Evidence-Based Scar Management: How to Improve Results with Technique and Technology. *Plastic and Reconstructive Surgery Journal*. 2016;138(3S):165S-178S.
31. Limandjaja GC, van den Broek LJ, Waaijman T, van Veen HA, Everts V, Monstrey S, et al. Increased epidermal thickness and abnormal epidermal differentiation in keloid scars. *British Journal of Dermatology*. 2016;176:116-126.
32. Limandjaja GC, Niessen FB, Scheper RJ, Gibbs S. Hypertrophic scars and keloids: Overview of the evidence and practical guide for differentiating between these abnormal scars. *John Wiley & Sons*. 2021;30:146–161.
33. Kim SW. Management of keloid scars: noninvasive and invasive treatments. *Archives of Plastic Surgery*. 2021;48(2):149-157.
34. Menezes MCS, Vasconcellos LS , Nunes CB, Alberti LR. Evaluation of the use of tacrolimus ointment for the prevention of hypertrophic scars in experimental model. *Anais Brasileiros Dermatologia*. 2019;94(2):164-71
35. El Mcherqui I. Management of keloids and hypertrophic scars [thesis]. Zagreb: University of Zagreb, School of Medicine; 2019.
36. Aditya M, Ariyanti PR. Manfaat gambir (*Uncaria gambir roxb*) sebagai antioksidan. *Jurnal Majority*. 2016;5(3):129-133.

37. Saad M, Goh H, Rajikan R, Roslina T, Baharum S, Bunawan H. Uncaria gambir (W. Hunter) Roxb: From phytochemical composition to pharmacological importance. *Tropical Journal of Pharmaceutical Research*. 2020;19(8):1767-1773.
38. Sebayang L, Hardyani MA. The Morphology characteristics of plant gambir (Uncaria gambire Roxb.) in Pakpak Barat district. *Jurnal Pertanian Tropik*. 2020;7(28):213-218.
39. Aswardi, Iswari K, Harnel. Kajian mutu gambir di kabupaten Pesisir Selatan. *Prosiding Seminar Nasional Teknologi Inovalif Pascapanen untuk Pengembangan Industri Berbasis Pertanian*. 2005:1192- 1200.
40. Desdiani D, Rengganis I , Djauzi S, Setiyono A, Sadikin M, Widia S, et al. In Vitro assay and study interaction of Uncaria gambir (Hunter) Roxb. as anti-fibrotic activity against A549 cell line. *Pharmacognosy Journal*. 2020;12(6):1232-1240.
41. Anggraini T, Neswati, Asben A. Mangampo: A Traditional method from west sumatra to extract gambir from uncaria gambir. *Pakistan Journal of Nutrition*. 2019; 18: 146-152.
42. Nandika D, Syamsu K, Arinana, Kusumawardhani DT, Fitriana Y. Bioactivities of catechin from gambir (Uncaria gambir roxb) against wood-decaying fungi. *Bioresources*. 2019; 14(3): 5646-5656.
43. Musdja MY, Elvita L, Rahayu N. Effects of gambir (Uncaria gambir Roxb) catechins on burn wound healing in male rats. *Proceedings of BROMO Conference*. 2018:1-11.
44. Wilgus TA. Inflammation as an orchestrator of cutaneous scar formation: a review of the literature. *Plastic and Aesthetic Research*. 2020;7(54):1-18.
45. Wang J, Hu K, Cai X, Yang B, He Q, Jiajia W. Targeting PI3K/AKT signaling for treatment of idiopathic pulmonary fibrosis. *Acta Pharmaceutica Sinica B*. 2022;12(1):18-32.
46. Papaioannou I, Xu S, Denton CP, Abraham DJ, Ponticos M. STAT3 controls COL1A2 enhancer activation cooperatively with JunB, regulates type I collagen synthesis posttranscriptionally, and is essential for lung myofibroblast differentiation. *Molecular Biology of the Cell*. 2018;29(2):84-95.
47. Jiao H, Zhang T, Fan J, Xiao R. The Superficial Dermis May Initiate Keloid Formation: Histological Analysis of the Keloid Dermis at Different Depths. *Frontiers in Physiology*. 2017;8:885.
48. da Silva IR, Tiveron LCRDC, da Silva MV, Peixoto AB, Carneiro CAX, Dos Reis MA, Furtado PC, Rodrigues BR, Rodrigues V Jr, Rodrigues DBR. In Situ Cytokine Expression and Morphometric Evaluation of Total Collagen and Collagens Type I and Type III in Keloid Scars. *Mediators of Inflammation*. 2017.
49. Li T, Zhao N, Lu J, Zhu Q, Liu X, Hao F, Jiao X. Epigallocatechin gallate (EGCG) suppresses epithelial-Mesenchymal transition (EMT) and invasion in anaplastic thyroid carcinoma cells through blocking of TGF- $\beta$ 1/Smad signaling pathways. *Bioengineered*. 2019;10(1):282-291.
50. Xu FW, Lv YL, Zhong YF, et al. Beneficial Effects of Green Tea EGCG on Skin Wound Healing: A Comprehensive Review. *Molecules*. 2021;26(20):6123.
51. Cione E, La Torre C, Cannataro R, Caroleo MC, Plastina P, Gallelli L. Quercetin, Epigallocatechin Gallate, Curcumin, and Resveratrol: From Dietary Sources to Human MicroRNA Modulation. *Molecules*. 2019;25(1):63.
52. Wahyuningsih SH, Yuliani FS, Rahmawati DY, Pratiwi AN. Antifibrotic Effect of Ethanolic Extract of Nerium indicum Mill. Standardized 5 $\alpha$ -Oleandrin on Keloid Fibroblasts Cells. *Traditional Medicine Journal*. 2018;23(1):70-78.
53. Lee S, Yu JS, Phung HM, Lee JG, Kim KH, Kang KS. Potential Anti-Skin Aging Effect of (-)-Catechin Isolated from the Root Bark of *Ulmus davidiana var. japonica* in Tumor

Necrosis Factor- $\alpha$ -Stimulated Normal Human Dermal Fibroblasts. Multidisciplinary Digital Publishing Institute . 2020; 9(10):981.

