

DAFTAR PUSTAKA

1. Peytavi YB. Androgenetic Alopecia. In: Fitzpatrick's Dermatology in General Medicine. 9th Ed. McGraw-Hill Company; 2019: 766-769.
2. Ellis JA, Sinclair R, Harrap SB. Androgenetic alopecia: pathogenesis and potential for therapy. Expert reviews in molecular medicine. 2002 : 1-11.
3. Wang TL, Zhou C, Shen YW, Wang XY, Ding XL, Tian S, *dkk*. Prevalence of androgenetic alopecia in China: A community-based study in six cities. British Journal Dermatology. 2010; 162: 843-7.
4. Tang PH, Chia HP, Cheong LL, Koh D. A community study of male androgenetic alopecia in Bishan, Singapore. Singapore Medical Journal. 2000; 41: 202–205.
5. Legiawati L. Jenis kerontokan rambut dan kebotakan pasien poliklinik kulit dan kelamin RSUPN Dr. Cipto Mangunkusumo tahun 2009-2011. Media Dermato Venereologi Indonesia. 2013; 40(4): 159-163.
6. Harrison S, Bergfeld W. Diffuse hair loss : Its triggers and management. Cleveland Clinic Journal of Medicine. 2009; 76 : 361-367
7. Nestor MS, Ablon G, Gade A, Han H, Fischer DL. Treatment options for androgenetic alopecia: Efficacy, side effect, compliance, financial consideration, and ethics. Journal Cosmetic Dermatology. 2021; 20: 3759-3781.
8. Manabe M, Tsuboi R, Itami S, Osada S, Amoh Y, Ito T, Inui S, *et al*. Guidelines for the diagnosis and treatment of male and female pattern hair loss,2017 version. Japanase Dermatological Association. 2018: 1-13
9. Tahir K, Aman S, Nadeem M, Kaznii AH. Quality of life in patients with androgenetic alopecia. Annals of medicine. 2018; 19(2): 150-154.
10. Huang CH, Fu Y, Chi CC. Health-elated quality of life, depression, and self-esteem in patients with androgenetic alopecia: a systemic review and meta analysis. Jama dermatology. 2021; 157(8): 963-970
11. Bouillon R, Carmeliet G, Verlinden L, Van EE, Verstuy A, Luderrer HF, *et al*. Vitamin D and human health: lessons from vitamin D receptor null mice. Endocrine Rev. 2008; 29: 726-776.
12. Fiannisa R. Vitamin D sebagai pencegahan penyakit degenerative hingga keganasan. Medical profession journal of Lampung. 2019;9(3): 385-392.
13. Zhao J, Sheng Y, Dai C. Serum 25 hydroxyvitamin D level in alopecia areata, female pattern hair loss, and male androgenetic alopecia in a China- population. Journal of cosmetic dermatology. 2020: 1-7
14. Lyansa AA. Serum vitamin level in different categories of androgenetic alopecia subjects. Open access scientific reports. 2012; 1(1): 1-5.
15. Daroach M, Narang T, Saikia UN, Sachdeva N, Kumaran MS. Correlation of vitamin D and vitamin D receptor expression in patients with alopecia areata : a clinical paradigm. International journal of dermatology. 2017;1-6
16. Fawzi MM, Mahmoud SB, Ahmed AF, Saker OG. Assessment of vitamin D receptors in alopecia areata and androgenetic alopecia. Journal of cosmetic dermatology. 2016: 1-6.
17. Shaikh S, Saleem. S. Prevalence of Hair Loss and Stress As the Cause; a Cross-Sectional Study. International journal of advanced research and review. 2016; 4(7): 327-333.
18. Alfredo R. Telogen effluvium: a comprehensive review. Clinical cosmetic and investigational Dermatology. 2019; 12: 583–590.
19. Bilgen E. Anatomy and Physiology of Hair. Intech Open Science. 2017: 13-27.

20. Djuanda A, Hamzah M, Aisah S. Ilmu Penyakit Kulit dan Kelamin, edisi VII. Jakarta: Fakultas Kedokteran, Universitas Indonesia. 2021.
21. Kemenkes RI. Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/187/2017 tentang Formularium Ramuan Obat Tradisional Indonesia. 2017.
22. Kaliyadan F, Nambiar A, Vijayaraghavan S. Androgetic alopecia : an update. India journal od dermatology, venereology and leprology. 2013; 79(5): 1-13
23. Pramitha RJ, Wiryawan IGNS, Linawati NM, Rusyati LM. Farmakoterapi alopecia androgenetik pada laki-laki. Medicinus. 2015;28(1): 40-45
24. Legiawati L. Alopecia androgenetik. MDVI. 2013; 40(2): 96-101.
25. Esen Salman K, Kucukunal NA, Kivanc Altunay I, Aksu Cerman A. Frequency, severity and related factors of androgenetic alopecia in dermatology outpatient clinic: Hospital-based cross-sectional study in Turkey. Anais Brasileiros Dermatologia. 2017; 92(1): 35-40.
26. Stephanie A. Tatalaksana alopecia androgenetik. Cermin Dunia Kedokteran. 2018;45(8):582-7.
27. Wasitaatmadja SM, editor (penyunting). Indonesian Management Guidelines of Hair Loss and Alopecia. Jakarta : 2019
28. Abbasi J, Abbasi M, Lee KC, Tan KC, Tan SE. Cap wearing and quality of life in patients with androgenetic alopecia amongst Indian population. J Comm Pub Health Nursing. 2017; 3 (2): 1-10
29. Colgecen E, Ede H, Erkoc FM, Akyuz Y, Erbay A. The relation of androgenetic alopecia severity with epicardial fat thickness. Annals of Dermatology. 2016; 28(2): 205-10.
30. Inui S. Trichoscopy for common hair loss diseases: Algorithmic method for diagnosis. JAMA Dermatol 2011;38:71-5.
31. Blume-peytavi U, Blumeyer A, Tosti A, Finner A, Marvol V, Trakatelli M, et al. S1 guideline for diagnostic evaluation in androgenetic alopecia in men, women and adolescents. Br J Dermatol. 2011; 164: 5-15.
32. Perera E, Sinclair R. Androgenetic alopecia. In: Sacchidan, Somiah S, editors. Scalp and its disorders. Melbourne: Jaypee Publ.; 2015.p.1-13
33. Trilisnawati D, Diba S, Kurniawati Y, Nugroho SA, Rusmawardiana R, Pamudji R. Update Treatment of Male Androgenetic Alopecia. Berk Ilmu Kesehat Kulit dan Kelamin. 2021;33(1):63.
34. Inui S, Nakajima T, Itami S. Scalp dermoscopy of androgenetic alopecia in Asian people. Journal of dermatology. 2009;36:82-85.
35. Umar M, Sastry KS, Al Ali F, Al-Khulaifi M, Wang E, Chouchane AI. Vitamin D and the Pathophysiology of Inflammatory Skin Diseases. Skin Pharmacol Physiol. 2018;31(2):74–86.
36. Runger TM. Cutaneus Photobiology. In: Kang S, Masayuki A, Bruckner A, Enk A, Margolis D, McMichael A, et al., editors. Fitzpatrick'S Dermatology 9th Edition. McGraw Hill; 2019. p. 265–88.
37. Sarac G, Koca TT. The importance of vitamin D in androgetic alopecia and telogen effluvium. Journal of clinical medicine of kazakhstan. 2018; 4(50): 26-29.
38. Conic RZ, Piliang M, Natasha AM. Vitamin D status in scarring and non scarring alopecia. Journal of the America academy of Dermatology. 2019: 1-5.
39. Mady LJ, Ajibade DV, Hsaio C, Teichert A, Fong C, Wang Y, et al. The Transient Role for Calcium and Vitamin D during the Developmental Hair Follicle Cycle. Journal of investigative Dermatology. 2016; 136: 1337–45.

40. Sanke S, Samudrala S, Yadav A, Chander R, Goyal R. Study of serum vitamin D levels in men with premature androgenetic alopecia. International journal of dermatology. 2020; 1-4.
41. Khammisa R, Motswaledi MH, Ballyram R, Lemmer J, Feller L. The Biological Activities of Vitamin D and Its Receptor in Relation to Calcium and Bone Homeostasis, Cancer, Immune and Cardiovascular System, Skin Biology and Oral Health. Biomed Res Int. 2018; 1-7
42. Sirajudeen S, Shah I, Menhal A. A narrative role of vitamin D and its receptor: with current evidence on the gastric tissues. International journal of molecular sciences. 2019; 20(15): 1-6.
43. Zhao H, Rieger S, Abe K, Hewison M, Lisse TS. DNA damage-inducible transcript 4 is an innate surveillant of hair follicular stress in vitamin D receptor knockout mice and a regulator of wound re-epithelialization. International journal of molecular sciences. 2016; 17(12): 1-5.
44. Rahmawati W, Sinha S, Biernaskie J. Immune modulation of hair follicle regeneration. Npj regenerative medicine. 2020; 5(1):1-13.
45. Seleit I, Bakry OA, Badr E, Hassan EH. Vitamin D receptor gene polymorphism in chronic telogen effluvium: a case-control study. Clinical cosmetic and investigational Dermatology. 2019; 12: 745-50.
46. Faiyaz UH, Aldhalaan W, Alshwal A. Heredity 1, 25-dihydroxyvitamin D-resistant rickets (HVDRR): Clinical heterogeneity and long-term efficacious management of eight patients from four unrelated Arab families with a loss of function VDR mutation. Journal pediatric endocrinology and metabolism. 2018; 31(8): 861-8.
47. Palo S, Biligi DS. Utility of horizontal and vertical section of scalp biopsies in various form in primary alopecia. Journal of laboratory Physicians. 2018; 10(1): 95-100.
48. Trueb RM. Understanding Pattern Hair Loss-Hair Biology Impacted by Genes, Androgens, Prostaglandins and Epigenetic Factors. Indian journal plastic surgery. 2021; 54(4): 385–92.
49. Zanglei M, Yanjun G, Kun L, Hualong L, Jianzhou Z. Androgenetic alopecia among hospital staff : a study of prevalence, type and a comparison with general population in secondary hospital in China. Clinical, cosmetic and investigational dermatology. 2021; 14: 1378-1392
50. Putri I, Soedibyo S. Tingkat depresi peserta program pendidikan dokter spesialis Ilmu Kesehatan Anak FKUI-RSCM dan faktor-faktor terkait. Sari Pediatri. 2011; 13(1): 1-9.
51. Chen W, Yang C, Chen G, Wu M, Sheu H, Tzai T. Patients with a large prostate show a higher prevalence of Androgenic Alopecia. Arch Dermatol. 2004; 296: 245-249
52. Min Z, Nan Z. Quality of life assessment in patient with alopecia areata and androgenetic alopecia in people Republic of China. Patient preference and adherence. 2017; 11: 1-5
53. Ding Q, Xu YX, Sun WL, Liu JJ, Deng YY, Wu QF, et al. Early-onset androgenetic alopecia in China: a descriptive study of a large outpatient cohort. Journal of international medical research. 2020; 48(3): 1-5
54. Lohia K, Doshi B, Manjunathswamy B. Hair loss severity and its impact on quality of life in patients suffering from androgenic alopecia: A one-year cross-sectional study. Clinical Dermatology Review. 2021; 5(1): 5-9.
55. Danane A, Mundhada G, Agrawal S. Study of vitamin D levels in men with premature androgenetic alopecia. India Journal of Research. 2021; 10(7): 41-42

56. Cannarella R, La Vignera S, Condorelli RA, Calogero AE. Glycolipid and Hormonal Profiles in Young Men with Early-Onset Androgenetic Alopecia: A meta-analysis. *Scientific report journal*. 2017; 7(1): 1–8.
57. Nyholt DR, Gillespie NA, Heath AC, Martin NG. Genetic basis of male pattern baldness. *The Journal of investigative dermatology*. 2003; 121: 1561-1564
58. Hosking AM, Juhasz M, Mesinkovska N. Complementary and Alternative Treatments for Alopecia: A Comprehensive Review. *Ski Appendage Disord*. 2019;5(2):72–89.
59. Malloy PJ, Feldman D. The role of vitamin D receptor mutations in the development of alopecia. *Molecular and cellular endocrinol*. 2011; 347(1): 90–6.

Esen Salman K, Kucukunal NA, KivancAltunay I, Aksu Cerman A. Frequency, severity and related factors of androgenetic alopecia in dermatology outpatient clinic: Hospital-based cross-sectional study in Turkey. *Anais Brasileiros Dermatologia*. 2017; 92(1): 35–40.

