

DAFTAR PUSTAKA

- ATCC (American Type Culture Collection). (2021). Our History. <https://www.atcc.org/about-us/who-we-are/our-history>. Diakses tanggal 30 Mei 2021.
- Aditya, T., Bitu, G. and G, M. E. (2016). The Role of Algae in Pharmaceutical Development. *Special Issue: Reviews on Pharmaceutics and Nanotechnology Research & Reviews: Journal of Pharmaceutics and Nanotechnology*, 4, pp. 82–89.
- Ananda, Nita. (2017). Isolasi Dan Uji Aktivitas Antimikroba Jamur Endofit Dari Ganggang Laut *Padina* sp. Skripsi. Universitas Andalas: Padang.
- Andrew, Harned. (1985). Nonnitrogenous Organocatalysis. CRC Press. Taylor & Francis Group.
- Anggara, U.J., Leonardus, B.S.K., Muhammad, H., Rymond, J.R., dan Ahmad, D. (2014). Teknik Modern Spektroskopi NMR Teori dan Aplikasi dalam Elusidasi Struktur Molekul Organik. LIPI Press: Jakarta.
- Annisa S dan Irma L.N. (2020). Pengantar Hidrologi. Penerbit: Gedongmeneng Bandar Lampung.
- Ariffin, S. A. (2013). The Antitumour Properties of Endophytic Fungi from Marine Plants in Malaysia. *Thesis*. University of Otago.
- Aristyawan, A.D., Noor, E.S., Suciati. (2017). Potensi Antibakteri dari Ekstrak Etanol Spons *Agelas cavernosa*. *Tesis*. Surabaya: Universitas Airlangga.
- Arora, D.S. dan Bhardwarj. (1997). Antibacterial Activity of Some Medicinal Plants. *Geo. Bios.* (24): 127-131.
- Asmawati, A., Rafkah, H., Andi, I.a.L., and Dwi, F.A. (2016). The difference of anti-inflammatory effect of brown algae extract *Padina* sp. and *Sargassum* sp. that is derived from Punaga beach, south Sulawesi', *Journal of Dentomaxillofacial Science*, 1(2), p. 266. doi: 10.15562/jdmfs.v1i2.8.
- Ayudila, Ledy. (2018). Biotransformasi Asam Usnat Oleh Jamur Endofit *Rhizopus* sp. Dan Uji Aktivitas Antibakteri. Skripsi. Universitas Andalas: Padang.
- Balouri, M., Moulay, S., and Saad, K.I. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*. 6: 71–79. doi: 10.1016/j.jpha.2015.11.005.

- Beelik, Andrew. (1956). Kojic Acid. *Advances Carbohydrate Chemistry*. 48(11):145-83.
- Bentley, R. (2006). From miso, saké and shoyu to cosmetics: A century of science for kojic acid. *Natural Product Reports*, 23(6), pp. 1046–1062. doi: 10.1039/b603758p.
- Bhargav, S., Panda, B.P., Ali, M., and Javed, S. (2008). Solid-state Fermentation: An Overview. *Chem. Biochem. Eng. Q.* 22 (1) 49–70 New Delhi, India.
- Bissett, J., Walter, G., Walter, J., and Gary, J.S. (2015). Accepted *Trichoderma* names in the year 2015. *International Mycological Association Fungus*. 6(2): 263-295. doi: 10.5598/ima fungus.2015.06.02.02.
- Brock, T. D. (1961). Chloramphenicol. *Bacteriol. Rev.* 25: 32-48. PMID: 16350168.
- Brooks, G.F., Carroll, K.C., Butel, J.S., Morse, S.A, dan Mietzner, T.A. (2013). Mikrobiologi Kedokteran Jawetz, Melnick, & Adelberg. Ed. 25. Penerbit Buku Kedokteran EGC: Jakarta.
- Cappucino, J.G and Sherman, N. (2005). *Microbiology A Laboratory Manual 7th Ed.* San Fransisco: Perason Education. Inc., Publishing.
- Cappuccino, J.G dan Sherman, N. (2014). *Manual Laboratorium Mikrobiologi Edisi Kedelapan.* Alih Bahasa: Nur Miftahurrahman. Jakarta: EGC.
- Chaverri, P., Lisa A.C., Gary J.S., and David, M.G. (2003). Multilocus phylogenetic structure within the *Trichoderma harzianum* / *Hypocrea lixii* complex. *Molecular Phylogenetics and Evolution*. 27: 302–313. doi: 10.1016/s1055-7903(02)00400-1.
- Choi, B.K., Phan, T.HT., Hwa-Sun, L., Byeong-Woo, C., Jong, S.K., Ngo, T.D.N., Tran, T.T.V., and Hee, J.S. (2019). New Ophiobolin Derivatives from the Marine Fungus *Aspergillus flocculosus* and Their Cytotoxicities against Cancer Cells. *Marine Drugs*. Volume 17, issue 6: pp 346. doi: 10.3390/md17060346.
- Controulis, J., Rebstock, M.C., Crooks., Harry, M. (1949). Chloramphenicol (Chloromycetin). V. Synthesis. *Journal of the American Chemical Society*. 71 (7): 2463–2468. doi:10.1021/ja01175a066.
- Corley, D.G., Margaret, M.W., and Richard, C.D. (1994). Isolation And Structure of Harzianum A: A New Trichothecene from *Trichoderma harzianum*. *Journal of Natural Products*. Vol. 57, No. 3: 422-425. doi.org/10.1021/np50105a019.

- Coskun, O. (2016). Separation Technique: Chromatography. Northern Clinics of Istanbul. 3(2): 56–60. doi: 10.14744/nci.2016.32757.
- Crueger, W., and Crueger, A. (1984). Biotechnology A textbook of Industrial Microbiology Brock, T. D. (trans), 54 – 55, Science Tech, Inc, Madison.
- Dachriyanus. (2004). Analisis Struktur Senyawa Organik Secara Spektroskopi. Padang: Andalas University Press.
- Darmawati, S. (2009). Keanekaragaman Genetik *Salmonella typhi*. Jurnal Kesehatan. Vol.2, No. 1.
- Deng, L.L., Alice, A.A., Sijin, L., and John, S.A. (2010). The Cell Wall Teichuronic Acid Synthetase (TUAS) Is an Enzyme Complex Located in the Cytoplasmic Membrane of *Micrococcus luteus*. *Biochemistry Research International*. pp 8. doi:10.1155/2010/395758.
- Devi, K., Payala, V., Vadlamani, S., and Bapatla, V. (2015). Optimization of Cultural Parameters for Cost Effective Production of Kojic Acid by Fungal species Isolated from Soil. *British Microbiology Research Journal*, 7(5), pp. 255–268. doi: 10.9734/bmrj/2015/15325.
- Dulger, G. and Dulger, B. (2014). Antibacterial activity of two brown algae (*Cystoseira compressa* and *Padina pavonica*) Against Methicilin Resistant *Staphylococcus aureus*. *Journal British Microbiology Research*. 4(8): 918-923.
- Dwidjoseputro, D. (1994). Dasar-Dasar Mikrobiologi. Jakarta: Djambatan.
- Fetsch, A., and Sophia, J. (2018). *Staphylococcus aureus* as a Foodborne Pathogen. *Current Clinical Microbiology Reports*. DOI: 10.1007/s40588-018-0094-x.
- Fisher, K., and Carol, P. (2009). The ecology, epidemiology and virulence of Enterococcus. *Microbiology* 155: 1749–1757. doi: 10.1099/mic.0.026385-0.
- Flewelling, A. J., Currie, J., Gray, C.A., dan Johnson, J. A. (2015). Endophytes from marine macroalgae: Promising sources of novel natural products. *Current Science*, 109(1), pp. 88–111. doi: 10.18520/cs/v109/i1/88-111.
- Fuentes, J.L., Ines, G., María, C., Zaida, Mo., Manuel, G.V., and Carlos, V. (2016). Impact of Microalgae Bacteria Interactions on the Production of Algal Biomass and Associated Compounds. *Marine Drugs*. 14(5): 100. doi: 10.3390/md14050100.
- Gandjar, I.G dan Rohman, A. (2013). Analisis Obat Secara Spektrofotometri dan Kromatografi. Yogyakarta: Pustaka Pelajar. 510 hal.

- George, P.D., Constantinos, M.A., Dionissia, A.M., Panagiota, C.G., Ioannis, A. V., Georgios, E.P., Dionissios, P and Dimitrios L.K. (2016). Chloramphenicol Derivatives as Antibacterial and Anticancer Agents: Historic Problems and Current Solutions. *Antibiotics* 16, 5, 20; doi:10.3390/antibiotics5020020.
- Gnavi, G., Laura, G., Anna, P., Valeria, P., Gaetan, B, Giovanna, C.V. (2017). The Culturable Mycobiota of *Flabellia Petiolata*: First Survey of Marine Fungi Associated to a Mediterranean Green Alga. *PLoS ONE* 12(4): e0175941. doi: 10.1371/journal.pone.0175941.
- Grebe SK, and Singh, R.J. (2011). LC-MS/MS in the Clinical Laboratory – Where to From Here? *The Clinical Biochemist Reviews*. 2011;32(1):5-31. PMID: 21451775.
- Grosso, C., Valentao, P., Ferreres, F., and Andrade, P. B. (2015). Alternative and Efficient Extraction Methods for Marine Derived Compounds-Review. *Marine Drugs* 13: 3182-3230.
- Guiry, M. D. (2012). How many species of algae are there?. *Journal of Phycology*, 48(5), pp. 1057–1063. doi: 10.1111/j.1529-8817.2012.01222.x.
- Gusnawaty HS, M. Taufik, L. Triana, dan Asniah. 2014. Karakterisasi Morfologis *Trichoderma* spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos* Vol. 4 No. 2. Hal 88-94 ISSN: 2087-7706.
- Handayani, D., Nita, A., Muh. A.A., Rustini, R., Okmes, F., Triana, E.T. (2019). Antimicrobial Activity Screening of Endophytic Fungi Extracts Isolated From Brown Algae *Padina* sp. *Journal of Applied Pharmaceutical Science* Vol. 9(03): 009-013.
- Handayani, D., Putra, R. and Ismed, F. (2017). Isolasi dan Karakterisasi Senyawa Antibakteri dari Fraksi Etil Asetat Bakteri *Bacillus* sp.3 (A1) yang Bersimbiosis dengan Spon Laut *Haliclona fascigera*. *Jurnal Sains Farmasi & Klinis*, 4(1), p. 24. doi: 10.29208/jsfk.2017.4.1.146.
- Harbone, J.B. 1987. Metode Fitokimia. Bandung: Penerbit ITB.
- Harmita, K., Yahdiana, H., Supandi. (2019). Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS). Isfi Penerbitan: Jakarta Barat. 124 hal.
- Harris, L.G., S.J. Foster., and R.G. Richards. (2002). An Introduction To *Staphylococcus Aureus*, and Techniques For Identifying and Quantifying *S. Aureus* Adhesins In Relation To Adhesion To Biomaterials: Review. L.G. Harris. *European Cells and Materials*. Vol. 4: 39-60. doi: 10.22203/ecm.v004a04.

- Hassuna, N.A., Amany, H.I.M., Sahar, M.A-E., Hazem, A-W.A. (2019). Rizk. High Prevalence of Multidrug Resistant *Pseudomonas aeruginosa* Recovered from Infected Burn Wounds in Children Microbiology and Immunology Department,. *Archives of Clinical Microbiology*. ISSN 1989-8436 2015 Vol. 6 No. 4:1
- Hernawan, E dan Vita, M. (2016). Analisis Karakteristik Fisikokimia Beras Putih, Beras Merah, Dan Beras Hitam (*Oryza Sativa* L., *Oryza Nivara* dan *Oryza Sativa* L. Indica). *Jurnal Kesehatan Bakti Tunas Husada* Volume 15 Nomor 1. doi: <http://dx.doi.org/10.36465/jkbth.v15i1.154>.
- Hoek, V.D., Mann, C., D.G. and Jahns, H.M. (1995) *Algae: An Introduction to Phycology*. Cambridge University Press, Cambridge.
- ICMSF (1996) *Staphylococcus aureus*. Ch.17 In: *Microorganisms in food 5: Microbiological specifications of food pathogens*. Blackie Academic and Professional, London: 299–333.
- Ifnawati, K. (2013). Pengaruh Enzim Kitinase Kasar dari Bakteri *Pseudomonas pseudomallei* dan *Klebsiella ozaenae* Terhadap Pertumbuhan, morfologi, dan Kadar N-asetilglukosamin *Fusarium oxysporum*. Skripsi. Universitas Negeri Maulana Malik Ibrahim: Malang.
- Jang, J., H.G, Hur., M.J, Sadowsky., M.N, Byappanahalli., T. Yan., and S, Ishii. (2017). Environmental *Escherichia coli*: Ecology and Public Health Implications – a Review. *Journal of Applied Microbiology* 123 (3): 570-581. doi: 10.1111/jam.13468.
- Jardetzky, Oleg (1963). Studies on the Mechanism of Action of Chloramphenicol I. The Conformation of Chloramphenicol In Solution. *The Journal Of Biological Chemistry*. Vol. 238, No. 7.
- Jeerapong, C., Phupong, W., Bangrak, P., Intana, W., Tuchinda, P. (2015). Trichoharzianol, a New Antifungal from *Trichoderma harzianum* F031. *Journal Agricultural and Food Chemistry*. 63(14): 3704-3708. doi:10.1021/acs.jafc.5b01258.
- Jenny, M., and Kingsbury, J. (2018). Properties and Prevention: A Review of *Pseudomonas aeruginosa*. *Journal of Biology and Medical Research*. Vol.2 No.3:18.
- John, C.O, and Young, J. (2013). True Melting Point Determination. *Chemistry Educator*. 18, 203-208. doi: 10.1333/s00897132500a.

- Kamala, Th., S. Indira Devi, K. Chandradev Sharma, and K. Kennedy. (2014). Phylogeny and Taxonomical Investigation of *Trichoderma spp.* from Indian Region of Indo-Burma Biodiversity Hot Spot Region with Special Reference to Manipur. *Biomed Research International*: pp 21. doi: 10.1155/2015/285261.
- Kanagavalli, U, and Sadiq, A.M. (2018). Isolation and characterization of bioactive compound anthraquinone from methanolic extract of *Boerhavia diffusa* linn. *Journal of Drug Delivery & Therapeutics*.8(5-s):332-337. 10.22270/jddt.v8i5-s.1987.
- Kemalaputri, D.W., S.N, Jannah., A, Budiharjo. (2017). Deteksi MRSA (*Methicillin Resistant Staphylococcus Aureus*) Pada Pasien Rumah Sakit Dengan Metode Maldi-Tof Ms Dan Multiplex PCR. *Jurnal Biologi*, Volume 6 No 4. Hal. 51-61.
- Kemenkes. (1995). Farmakope Indonesia, Edisi IV, Departemen Kesehatan Republik Indonesia, Jakarta. Halaman 767-768.
- Kepel, R. C., Mantiri, D. M. H. and Manu, G. D. (2015). Pertumbuhan Alga Cokelat *Padina Australis* Hauch Di Perairan Pesisir, Desa Kampung Ambon, Kecamatan Likupang Timur, Kabupaten Minahasa Utara. *Jurnal Lppm Bidang Sains Dan Teknologi*, 2(2), pp. 78–85.
- Kharkwal, H., Dd Joshi., Preeti, P., Manish, K.P., and Amit C. (2012). Algae As Future Drugs. *Asian Journal of Pharmaceetical and Clinical Research*. Vol 5, suppl4. 3–6
- Kim and Venkatesan. (2015). Chapter I: Introduction to Marine Biotechnology. In Kim., editor. *Springer Handbook of Marine Biotechnology*. Korea. Springer. pp 1-10.
- Kjer, J., Debbab, A., Aly, A.H., and Proksch, P. (2010). Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. *Nature Protocols*, 5(3), pp. 479–490. doi: 10.1038/nprot.2009.233.
- Kodoatie, Robert J. (2012). *Tata Ruang Air Tanah*. Penerbit Andi: Yogyakarta.
- Kolanus, J. P. M. and Dompeipen, E. J. (2017). Inhibitory Test Antimicrobial Of Seaweed Extract From *Padina* sp. Against The Growth Of *Vibrio parahaemolyticus*, *Staphylococcus aureus*, *Escherichia coli* and *Salmonella thypimirium*. *Pattimura Proceeding: Proceedings of the 3rd International Seminar of Basic Sciences.*, pp. 35–44.
- Kotani, T., Itsuo, I., Chuji, T., and Toshio, F. (1975). Structure-activity Study of Bacteriostatic Kojic Acid Analogs. *Agricultural and Biological Chemistry.*, 39 (6), 1311-1317. doi:10.1080/00021369.1975.10861774

- Kumar, P and Usha, M. (2018). Life Sciences Fundamentals and Practice I Sixth edition. New Delhi, India: Pathfinder Publication.
- Li, Y., Zi, T., Kirk, L.P., Qin, W., Qingli, Z., Wei, L., Deyun, M., and Mouming, Z. (2014). Identification of bioactive metabolites dihydrocanadensolide, kojic acid, and vanillic acid in soy sauce using GC-MS, NMR spectroscopy, and single-crystal X-ray diffraction. *Journal of Agricultural and Food Chemistry*, 62(33), pp. 8392–8401. doi: 10.1021/jf502159m.
- Liu X, Xia W, Jiang Q, Xu Y and Yu P. (2014). Synthesis, characterization, and antimicrobial activity of kojic acid grafted chitosan oligosaccharide. *Journal of Agricultural & Food Chemistry* 62(1): 297–303. doi: 10.1021/jf404026f.
- Lu, Z., Weina, G., and Chang, L. (2018). Isolation, identification and characterization of novel *Bacillus subtilis*. *Journal Veterinary Medical Science*. 80(3): 427–433. doi: 10.1292/jvms.16-0572.
- Lucci, P., Javier, S., Oscar, N. (2016). Trends in LC-MS and LC-HRMS analysis and characterization of polyphenols in food. *TrAC Trends in Analytical Chemistry* 88:1-24. doi: 10.1016/j.trac.2016.12.006.
- Maheshwari, M., Krishnaiah, N., Bindu, K. (2011). *Vibrio cholerae* - A Review. *Veterinary world*. 4(9): 423-428. doi: 10.5455/vetworld.2011.423-428.
- Malik, V.S. (1972). Chloramphenicol. Department of Nutrition and Food Science, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- Mazzuttia, S., Rozangela, C.P., and Sandra, R.S.F. (2020). Green processes in Foodomics. Supercritical Fluid Extraction of Bioactives. Reference Module in Food Science. doi:10.1016/B978-0-08-100596-5.22816-3.
- Mesquita, M.M., Mirian, A.C., Crapez., Valeria L. T., and Diana N. C. (2018). Potential Interactions Bacteria-Brown Algae. *Journal of Applied Phycology*. Volume 31, issue 2: 867-883.
- Munifah, Ifah. 2008. Prospek Pemanfaatan Alga Laut untuk Industri. *Squalen*. Vol. 3 (2). doi: 10.15578/squalen.v3i2.159.
- Murti, D. B., Susanto, A.B., Radjasa, O.K., and Rondonuwu, F.S. (2016). Pigments Characterization and Molecular Identification of Bacterial Symbionts of Brown Algae *Padina* sp. Collected from Karimun Jawa Island. *Ilmu Kelautan: Indonesian Journal of Marine Sciences*, 21(2), p. 58. doi: 10.14710/ik.ijms.21.2.58-64.
- Mutlu, D.A and Karakaya, G. (2012). Kojic Acid Derivatives. *Medicinal Chemistry and Drug Design*.

- NCTC (*The National Collection of Type Cultures*). (2021). Culture Collection About us. <https://www.phe-culturecollections.org.uk/aboutus/index.aspx>. Diakses tanggal 30 Mei 2021.
- Ning Y, Yan A, Yang K, Wang Z, Li X and Jia Y. (2017). Antibacterial activity of phenyllactic acid against *Listeria monocytogenes*, and *Escherichia coli*, by dual mechanisms. *Food Chemistry*. 228: 533–540. doi: 10.1016/j.foodchem. 2017.01.112
- Nurunnabi, T.R., Shaymaa, A., Ismini, N., Lutfun, N., Mahbubur, R., Md, H.S., Md, M.B., Fyaz, M.D.I., George, P.S., and Satyajit, D.S. (2018). Antimicrobial activity of kojic acid from endophytic fungus *Colletotrichum gloeosporioides* isolated from *Sonneratia apetala*, a mangrove plant of the Sundarbans. *Asian Pacific Journal of Tropical Medicine*, 11(5), pp. 350–354. doi: 10.4103/1995-7645.233183.
- O'Neill, J. (2016). *Tackling Drug-Resistant Infections Globally: Final Report and Recommendations*. The Review on Antimicrobial Resistance Report commissioned by the UK Prime Minister. pp 76.
- Ola, A. R. B., Christina, P.S., Yoseph, S., Theo, D.C., Henderiana, L.L.B., and herianus, J.D.L. (2020). Antimicrobial metabolite from the endophytic fungi *Aspergillus flavus* isolated from *Sonneratia alba*, a mangrove plant of Timor-Indonesia. *Rasayan Journal of Chemistry*, 13(1), pp. 377–381. doi: 10.31788/RJC.2020.1315585.
- Ola, A. R. B., Gema, M., Caterina, S.L., Yoseph, S., Philipi, D.R., Dodi, D., and Euis, H.H. (2019). Single production of Kojic acid by *Aspergillus flavus* and the revision of flufuran. *Molecules*, 24(22), pp. 1–6. doi: 10.3390/molecules24224200.
- Pandithurai, M., Murugesan, S., and sivamurugan, V. (2015). Antibacterial activity of various solvent extracts of arine brown alga *Spatoglossum asperum*. *International Journal of Pharmacological Research*. ISSN: 2277-3312. doi: 10.7439/ijpr.
- Parathon, H., Kuntaman, K., Widiastoety, T. H., Muliawan, B. T., Karuniawati, A., Qibtiyah, M., Djanun, Z., Tawilah, J. F., Aditama, T., Thamlikitkul, V., & Vong, S. (2017). Progress towards antimicrobial resistance containment and control in Indonesia. *BMJ (Online)*, 358, 31–35. <https://doi.org/10.1136/bmj.j3808>.
- Pelczar, M.J dan Chan, E.C.S. (2007). *Dasar-Dasar Mikrobiologi*. UI Press: Jakarta:

- Piantavini, M. S., Alan, G.G., Angela, C.L.B.T., Miguel, D.N., Ana, L.R.M., Antonio, E.H.M., Roberto, P. (2017). Elucidation of the electronic spectrum changes of ka-Al³⁺ complex by potentiometric titration, ftir, ¹³C rmn and quantum mechanics. *Quimica Nova*, 40(7), pp. 774–780. doi: 10.21577/0100-4042.20170059.
- Pitt, J.J. (2009). Principles and Applications of Liquid Chromatography-Mass Spectrometry in Clinical Biochemistry. *The Clinical Biochemist Reviews*. 2009;30(1):19-34. PIMD: 19224008.
- Pratiwi, Sylvia. (2008). Mikrobiologi Farmasi. Yogyakarta: Erlangga.
- Prayoga, Eko. (2013). Perbandingan Efek Ekstrak Daun Sirih Hijau (*Piper betle* L.) dengan Metode Difusi Disk dan Sumuran Terhadap Pertumbuhan Bakteri *Staphylococcus aureus*. Skripsi. Universitas Negeri Syarif Hidayatullah. Jakarta.
- Pridawati, E., Ahyar, A., and Usman, H. (2014). Isolation And Identification of Secondary Metabolites of Chloroform Fraction of Macroalgae *Padina australis* as Anti Tuberculosis. *Indonesia Chimica Acta*. Volume 7. No. 1: pp 8.
- Prihatiningtias, W. (2005). Senyawa Bioaktif Fungi Simbion Akar Kuning (*Fibraurea chloroleuca* Miers) Sebagai Senyawa Antimikroba. Tesis. Yogyakarta: UGM.
- Purwanti, Dewi. (2017). Studi Antifungi *Trichoderma harzianum* Terhadap Fungi *Colletotrichum capsici* dan *Fusarium oxysporum* Secara In-Vitro. Skripsi. Universitas Muhammadiyah Purwokerto. Purwokerto.
- Putra, Yustiantara, Paramita. (2014). Perbandingan Aktivitas Antibakteri *Propionibacterium acne* Dari Ekstrak Etanol Daun Sirih (*Piper betle* L.) Dataran Rendah Dan Dataran Tinggi. *Jurnal Farmasi Udayana*, Vol.3, No.1.
- Putri, MH, Sukini, dan Yodong. (2017). Bahan Ajar Keperawatan Gigi (MIKROBIOLOGI). Kementerian Kesehatan Republik Indonesia.
- Rau, C. H., Yudistira, A. and Simbala, H. E. I. (2018). Isolasi, Identifikasi Secara Molekuler Menggunakan Gen 16S rRNA, dan Uji Aktivitas Antibakteri Bakteri Simbion Endofit yang Diisolasi dari Alga *Halimeda opuntia*. *Pharmakon*, 7(2), pp. 53–61. doi: 10.35799/pha.7.2018.19509.
- Rebstock, M.C., Crooks, H.M., Controulis, J., and Bartz, Q.R. (1949). Chloramphenicol (Chloromycetin). IV. Chemical Studies. *J. Am. Chem. Soc.* 71: 2458-2462. doi: 10.1021/ja01175a065.

- Alik Rohmawati. (2015). Pengaruh kombinasi ekstrak tembelekan (*Lantana camara*) dan babadotan (*Agreatum conyzoides*) sebagai pestisida nabati terhadap mortalitas kutu beras (*Sitophilus oryzae*). Tesis. Fakultas Sains dan teknologi, Universitas Islam Negri Maulana Malik Ibrahim.
- Seedahmed, H.S.A. (2013). Biosynthesis And Cytotoxicity Of Kojic Acid From *Aspergillus niger*. Thesis. Ultra College of Pharmacy, Madurai.
- Saeedi, M., Eslamifar, M. and Khezri, K. (2019). Kojic acid applications in cosmetic and pharmaceutical preparations. *Biomedicine and Pharmacotherapy*. Elsevier, 110(November 2018), pp. 582–593. doi: 10.1016/j.biopha.2018.12.006.
- Saifudin, A. (2014). Senyawa Alam Metabolit Sekunder: Teori, Konsep, dan Teknik Pemurnian. Ed 1. Yogyakarta: Deepublish. 113 hal.
- Saleh, R.M., Saleh, A.K., Saleh, M.A and Saleh, A.M. (2011). Screening and production of antibacterial compound from *Trichoderma* spp. against human-pathogenic bacteria. *African Journal of Microbiology Research*. Vol. 5(13), pp. 1619-1628. doi: 10.5897/AJMR11.197.
- Sancho, J.V and Maria, I. (2015). Fast Liquid Chromatography–Mass Spectrometry Methods in Food and Environmental Analysis, Chapter 10: Multiresidue Analysis of Pesticides: LC–MS/MS versus LC–HRMS. pp. 381-419. doi:10.1142/9781783264940_0010.
- Santoso, J., Fitriany, P., and Heru, P. (2013). Chemical Composition And Antioxidant Activity of Tropical Brown Algae *Padina Australis* from Pramuka Island, District ff Seribu Island, Indonesia. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, Vol. 5, No. 2, Hal. 287-297.
- Schifano, J.M, Edifor, R., Sharp, J.D., Ouyang, M., Konkimalla, A., Husson, R., Woychik, N. (2013). Mycobacterial toxin MazF-mt6 inhibits translation through cleavage of 23S rRNA at the ribosomal A site. *Proceedings of the National Academy of Sciences of the United States of America*. doi: 10.1073/pnas.1222031110.
- Schulz, B. dan Boyle, C. (2006). What are Endophytes? *Soil Biology*. 9(1), 1-13.
- Schwarz, S., Kehrenberg, C., Doublet, B., Cleekaert A. (2004). Molecular Basis of Bacterial Resistance to Chloramphenicol and Florfenicol. *FEMS Microbiol Rev*. 28: 519. doi: 10.1016/j.femsre.2004.04.001. PMID: 15539072.
- Seedahmed, H.S.A. (2013). Biosynthesis And Cytotoxicity Of Kojic Acid From *Aspergillus niger*. Thesis. Ultra College of Pharmacy, Madurai.

- Setha, B., Febe, F., Gaspersz., Andi, P.S.I., Samsul, R., Meigy, N.M. (2013). Potential Of Seaweed *Padina* sp. As A Source Of Antioxidant. *International Journal of Scientific & Technology Research*, 2(6), pp. 221–224.
- Silverstein, R. M., Webster, F. X., & Kiemle, D. J. (2005). *Spectrometric Identification of Organic Compounds* (Seventh Ed). New York: John Wiley & Sons, INC.
- Stanbury P.F., Whitaker and S.J. Hall. (1994). *Principles of Fermentation Technology*, 2nd ed. Elvisier Science Ltd, Oxford
- Stewart, C.M. (2003). *Staphylococcus aureus* and staphylococcal enterotoxins. Ch 12 In: Hocking AD (ed) *Foodborne microorganisms of public health significance*. 6th ed, Australian Institute of Food Science and Technology (NSW Branch), Sydney: 359–380.
- Suci, L.S. (2008). Optimasi Fermentasi Asam Kojat oleh Galur Mutan *Aspergillus flavus* NTGA7A4UVE10. Skripsi. Universitas Indonesia: Depok.
- Suhartati, Tati. (2017). *Dasar-Dasar Spektrofotometri Uv-Vis dan Spektrometri Massa untuk Penentuan Struktur Senyawa Organik*. Anugrah Utama Raharja: Bandar Lampung.
- Sukamto. (2017). Pengelolaan Potensi Laut Indonesia dalam Spirit Ekonomi Islam (Studi Terhadap Eksplorasi Potensi Hasil Laut Indonesia). *Jurnal Ekonomi Islam*. Volume 9, Nomor 1. doi: 10.35891/ml.v9i1.881.
- Sulyok, M., Krska, R. and Schuhmacher, R. (2010). Application of an LC-MS/MS based multi-mycotoxin method for the semi-quantitative determination of mycotoxins occurring in different types of food infected by moulds. *Food Chemistry*. Elsevier Ltd, 119(1), pp. 408–416. doi: 10.1016/j.foodchem.2009.07.042.
- Sun, Qing., Xiliang, J., Li, P., Lirong., and W., Mei, L. (2016). Functions of thgal Gene in *Trichoderma harzianum* Based on Transcriptome Analysis. *Biomed Research International*. pp 9. doi: 10.1155/2016/8329513.
- Suprihatin. 2010. *Teknologi Fermentasi*. Surabaya: UNESA Pres.
- Taherpour, A., Bitar, A., Sadraddin, G., Hossein, Z., and Kamal, G. (2016). Screening of Marine Algae (*Padina* sp.) From the Lengeh Port, Persian Gulf for Antibacterial and Antifungal Activities. *Journal of Coastal Life Medicine*. Volume 4, Number 9, pp. 698-702(5). doi:10.12980/jclm.4.2016J6-176.

- Tarus, P.K., C.C. Lang'at-Thoruwa., A.W. Wanyonyi., and S.C. Chhabra. (2003). Bioactive Metabolites from *Trichoderma harzianum* and *Trichoderma longibrachiatum*. *Bulletin of Chemical Society of Ethiopia*. 17(2): 185-190. doi: 10.4314/bcse.v17i2.61675.
- Taylor, T.A, and Chandrashekhar, G.U. (2019). *Staphylococcus aureus*. StatPearls Publishing: pp 8. PIMD: 28722898.
- Tyne, D.V, Melissa, J.M., and Michael, S.G. (2013). Structure, Function, and Biology of the *Enterococcus faecalis* Cytolysin. *Toxins* 5: 895-911. doi: 10.3390/toxins5050895.
- Ugboko, H., and De, N. (2014) Mechanisms of Antibiotic resistance in *Salmonella typhi*. *International Journal of Current Microbiology and Applied Sciences*. Volume 3 Number 12. 461-476.
- Underwood, A.L., Day, R.A. (1996). Analisis kimia kuantitatif. Edisi Kelima. Erlangga: Jakarta.
- Uthayasooriyan, M., Sevvel, P., Nirmala, R., and Sutharshiny, S. (2016). Formulation of Alternative Culture Media for Bacterial and Fungal Growth. *Scholars Research Library*. Der Pharmacia Lettre 8 (1):431-436 ISSN 0975-507 1.
- Valgas, C., Simone, M., Elza, F., Artur, S. (2007). Screening methods to determine antibacterial activity of natural products. *Brazilian Journal of Microbiology*, 38(2), pp. 369–380. doi: 10.1590/S1517-83822007000200034.
- VanderMolen, K.M., Huzefa, A.R., Tamam, E., and Nicholas, H.O. (2013). Evaluation of Culture Media for The Production of Secondary Metabolites In a Natural Products Screening Program. *AMB Express* 3:71.
- W A Clark, D H Geary. (1974). The story of the American Type Culture Collection its history and development (1899-1973). *Advances in Applied Microbiology*. 17(0):295-309. PMID: 4609142.
- Waluyo, Lud. (2011). Mikrobiologi Umum. UMM Press: Malang.
- Whika., F.D., Leni, R, and Ismi, R. (2017). Rendemen dan Skrining Fitokimia pada Ekstrak Daun *Sansevieria* sp. *Jurnal Penelitian Pertanian Terapan*. 17 (3). Pp 197-2-2. ISSN 1410-5020.
- WHO. (2015). WHO Issues Best Practices For Naming New Human Infectious Diseases. WHO Document Production Services, Geneva, Switzerland.

- Wu, Y., Yu, S., Lu, Z., Ying, P., Xin, H., Li, B., Yun, Z., Run, Z., and Juan, Z. (2019). Evaluation of antibacterial and anti-biofilm properties of kojic acid against five food-related bacteria and related subcellular mechanisms of bacterial inactivation. *Food Science and Technology International*, 25(1), pp. 3–15. doi: 10.1177/1082013218793075.
- Wulandari, Lestyo. (2011). Kromatografi Lapis Tipis. Taman Kampus Presindo, Jember.
- Yuniarty, T dan Anita, R. (2018). Pemanfaatan Sari Pati Buah Sukun (*Artocarpus Altilis*) Sebagai Alternatif Media Pertumbuhan *Aspergillus Niger*. Vol 5, No. 2, Hal 117-121. *Biogenesis*. doi: 10.24252/Bio.V5i2.3884.
- Zhang, Q.W., Li, G.L., and Wen, C.Y. (2018). Techniques for Extraction and Isolation of Natural Products: a Comprehensive Review. *Pharmacology and Applications of Chinese Medicine* 13:20: pp 26. doi: 10.1186/s13020-018-0177-x.

