

## DAFTAR PUSTAKA

1. Peytavi YB. Androgenetic Alopecia. In: Fitzpatrick's Dermatology in General Medicine. 9th Ed. McGraw-Hill Company; 2019:766-769.
2. Djuanda A, Hamzah M, Aisah S. Ilmu Penyakit Kulit dan Kelamin, edisi VII. Jakarta: Fakultas Kedokteran, Universitas Indonesia. 2021
3. Trüeb RM. Androgenetic alopecia. Eur Handb Dermatological Treat Third Ed. Published online 2015:55-65.
4. Alves R GR. Androgenetic Alopecia in Adolescents. In: Oranje AP, Al-Mutairi N ST, ed. Practical Pediatric Dermatology. Controversies in Diagnosis and Treatment. Springer; 2016:187-196.
5. Tsuboi R, Itami S, Inui S, Ueki R, Katsuoka K, Kurata S. Guidelines for the androgenic alopecia. J Dermatol. 2012;39:113–20 [SEP]
6. Stephanie A. Legiawati, Lili. Cermin dunia kedokteran. 2018;45(8):582–7.
7. Perera E, Sinclair R. Androgenetic alopecia. In: Sacchidanand S, Somiah S, editors. Scalp and its disorders. Melbourne: Jaypee Publ.; 2015.Ch.11.p.1-13 [SEP]
8. Wasitaatmadja SM, editor (penyunting). Indonesian Management Guidelines of Hair Loss and Alopecia. Jakarta :2019
9. Shaikh S, Shaikh S, Shaikh S, Shaikh A, Saleem. S. Prevalence of Hair Loss and Stress As the Cause; a Cross-Sectional Study. Int J Adv Res. 2016;4(7):327-333.
10. Putri I, Soedibyo S. Tingkat depresi peserta program pendidikan dokter spesialis Ilmu Kesehatan Anak FKUI-RSCM dan faktor-faktor terkait. Sari Pediatri. 2011;13(1):1-9.
11. Kaliyadan F, Nambiar A, Vijayaraghavan S. Androgenetic alopecia: An update. Indian J Dermatol Venerol Leprol. 2013;79(5):613-25 [SEP]
12. Dhariwala MY, Ravikumar P. An overview of herbal alternatives in androgenetic alopecia. J Cosmet Dermatol. 2019;18(4):966–75.
13. Lolli F, Pallotti F, Rossi A, Fortuna MC, Caro G, Lenzi A, et al. Androgenetic alopecia: a review. Endocrine. 2017;57(1):9–17.
14. Trilisnawati D, Diba S, Kurniawati Y, Nugroho SA, Rusmawardiana R, Pamudji R. Update Treatment of Male Androgenetic Alopecia. Berk Ilmu Kesehat Kulit dan Kelamin. 2021;33(1):63.
15. Kelly Y, Aline B, Antonella T. Androgenetic alopecia: an update of treatment options. Drugs 2016;76(14):1349–64. [SEP]
16. Pada A, Rsud LDI, Surakarta M, Zulaichah N, Trisnowati N, Kusumawardani A.

Hubungan antara resistensi insulin dengan alopecia. :74–8.

17. Messenger, A.G., Sinclair, R.D., Farrant, P. & R. de Berker DA. Acquired Disorders of Hair. In: Rook's Textbook of Dermatology. ; 2016:2265-2342.
18. Sinclair R, Torkamani N, Jones L. Androgenetic alopecia: new insights into the pathogenesis and mechanism of hair loss. *F1000 Res* 2015;4(585):1–9. [SEP]
19. Habif T. Hair diseases. In: *Clinical Dermatology*. Elsevier Inc.; 2016:923-959.
20. Hirsso P, Rajala U, Hiltunen L, Jokelainen J, Keinänen-Kiukaanniemi S NS. Obesity and low-grade inflammation among young Finnish men with early-onset alopecia. *Dermatology*. 2007;214(125):9.
21. Ahouansou, S., Le Toumelin, P., Crickx, B. & Descamps V. Association of androgenetic alopecia and hypertension. *Eur J Dermatology*. 2007;17(3):220-222.
22. Agamia NF, Abou Youssif T, El-Hadidy A, El-Abd A. Benign prostatic hyperplasia, metabolic syndrome and androgenic alopecia: Is there a possible relationship? *Arab J Urol*. 2016;14(2):157-162.
23. Chen W, Kim S, Moon J, Kim H, Kwon D, Won Y. Association of benign prostatic hyperplasia with male pattern baldness. *Urology*. 1998;51:744-748.
24. Chen W, Yang C, Chen G, Wu M, Sheu H, Tzai T. Patients with a large prostate show a higher prevalence of Androgenic Alopecia. *Arch Dermatol*. 2004;296:245-249.
25. Dastgheib L, Shirazi M, Moezzi I, Dehghan S, Sadati MS. Is there a relationship between androgenic alopecia and benign prostatic Hyperplasia ? *Acta Med Iran*. 2015;53(1):30-32.
26. Hadshiew IM, Foitzik K, Arck PC, Paus R. Burden of hair loss: Stress and the underestimated psychosocial impact of telogen effluvium and androgenetic alopecia. *J Invest Dermatol*. 2004;123(3):455-457.
27. Esen Salman K, Kucukunal NA, Kivanc Altunay I, Aksu Cerman A. Frequency, severity and related factors of androgenetic alopecia in dermatology outpatient clinic: Hospital-based cross-sectional study in Turkey. *An Bras Dermatol*. 2017;92(1):35-40.
28. Kaliyadan F, Nambiar A, Vijayaraghavan S. Androgenetic alopecia: An update. *Indian J Dermatol Venereol Leprol*. 2013;79(5):613-625.
29. Blume-peytavi U, Blumeyer A, Tosti A, Finner A, Marvol V, Trakatelli M, et al. S1 guideline for diagnostic evaluation in androgenetic alopecia in men, women and adolescents. *Br J Dermatol*. 2011;164:5-15.
30. Desmond Chia Chin Gan RS. Androgenetic alopecia. In: *Men's Health*. 3rd ed. ; 2008:353

31. Paramita K, Listiawan MY, Rahmadewi. Gambaran dermoskopik pasien alopecia (Dermoscopic features of alopecia patient). Berk Ilmu Kesehat Kulit dan Kelamin. 2015;27(3):163–9.
32. Ankad, Mukherjee S, Smitha S. Trichoscopy in hair disorders in darker skin: An approach to diagnosis. Clin Dermatology Rev.2020;4(2):102.
33. Trilisnawati D, Diba S, Kurniawati Y, Nugroho SA, Rusmawardiana R, Pamudji R. Update Treatment of Male Androgenetic Alopecia. Berk Ilmu Kesehat Kulit dan Kelamin. 2021;33(1):63.
34. Sulling PL. Hair fall. Makalah dalam cosmetic dermatology update symposium. Jakarta: RSPAD; 2016. [SEP]
35. Wang K, Fan DD, Jin S, Xing NZ, Niu YN. Differential expression of 5-alpha reductase isozymes in the prostate and its clinical implications. Asian J Androl. 2014;16(2):274–9.
36. Yim E, Kath L, Nole B, Tosti A. 5 $\alpha$ -reductase inhibitors in androgenetic alopecia [Internet]. Curr Opin Endocrinol. USA: Lippincott Williams & Wilkins; 2014;21: 493-8. [SEP]
37. Prie BE, Iosif L, Tivig L, Stoian I, Giurcaneau C. Oxidative stress in androgenetic alopecia. Journal of Medicine and Life. 2016
38. Sawaya ME, Price VH. Different levels of 5 $\alpha$ -reductase type I and II, aromatase, and androgen receptor in hair follicles of women and men with androgenetic alopecia. Journal of Investigative Dermatology. [Internet]. 1997; 109(3): 296-300.
39. Choi MH, Yoo YS, Chung BC. Biochemical roles of testosterone and epitestosterone to 5 $\alpha$ -reductase as indicators of male-pattern baldness. Journal of Investigative Dermatology. 2001.
40. Komang N, Dewi T, Fakultas M, Universitas K. Alopecia Pada Pria. :1–12.
41. Toruan EWL, Pendidikan P, Spesialis D, Dermatologi D, Venereologi dan, Kedokteran F, et al. Perbedaan kadar serum steroid 5 $\alpha$  – reduktase tipe 2. 2020;2.
42. Ellis JA, Stebbing M, Harrap SB. Genetic analysis of male pattern baldness and the 5alpha-reductase genes. The Journal of investigative dermatology 1998; 110:849-853.
43. Paramitha IA. Tinjauan Pustaka Testosteron. Conv Cent Di Kota Tegal. 2017;(1):6–37.
44. Nyholt DR, Gillespie NA, Heath AC, Martin NG. Genetic basis of male pattern baldness. The Journal of investigative dermatology 2003; 121:1561-1564
45. Urysiak-Czubatka I, Kmiec ML, Broniarczyk-Dyla G. Assessment of the usefulness of dihydrotestosterone in the diagnostics of patients with androgenetic alopecia. Postep

Dermatologii i Alergol. 2014;31(4):207.

46. Zhang M, Zhang N. Quality of life assessment in patients with alopecia areata and androgenetic alopecia in the People's Republic of China. *Patient Prefer Adherence*. 2017;11:151–5.
47. Cannarella R, La Vignera S, Condorelli RA, Calogero AR. Glycolipid and hormonal profiles in young men with early-onset androgenetic alopecia: A Meta-analysis. *Sci Rep*. 2017;7(1):1-8.
48. Sreekumar G, Pardinias J, Wong CQ, et al. Serum androgens and genetic linkage analysis in early onset androgenetic alopecia. *J Invest Dermatol* 1999; 113: 277-9.
49. Schmidt JB, Lindmaier A, Trenz A, et al. Hormone studies in females with androgenic hair loss. *Gynecol Obstet Invest* 1991; 31: 235-9.
50. Hillmer AM, Hanneken S, Ritzmann S, Becker T, Freudenberg J, et al. Genetic variation in the human androgen receptor gene is the major determinant of common early-onset androgenetic alopecia. *Am J Hum Genet*. 2005; 77: 140–8.
51. Lohia K, Doshi B, Manjunathswamy B. Hair loss severity and its impact on quality of life in patients suffering from androgenic alopecia: A one-year cross-sectional study. *Clin Dermatology Rev*. 2021;5(1):59.
52. Ding Q, Xu YX, Sun WL, Liu JJ, Deng YY, Wu QF, et al. Early-onset androgenetic alopecia in China: a descriptive study of a large outpatient cohort. *J Int Med Res*. 2020;48(3).
53. Justin A, Stebbing M, Harrap SB. Genetic analysis of male pattern baldness and 5 $\alpha$ -reductase genes. *Society for Investigative Dermatology Inc*. 1998; 1: 849-52.
54. Prie BE, Iosif L, Tivig L, Stoian I, Giurcaneau C. Oxidative stress in androgenetic alopecia. *Journal of Medicine and Life*. 2016; 9(1): 79-83.
55. Hillmer AM, Hanneken S, Ritzmann S, Becker T, Freudenberg J, et al. Genetic variation in the human androgen receptor gene is the major determinant of common early-onset androgenetic alopecia. *Am J Hum Genet*. 2005;77: 140–8.
56. Pramitha RJ, Linawati NM, Made L, Rusyati M. Farmakoterapi alopesia androgenetik pada laki-laki 1. *E-Jurnal Med Udayana*. 2013;2:515–34.
57. Lyons AB, Moy L, Moy R, Tung R. Circadian rhythm and the skin: A review of the literature. *J Clin Aesthet Dermatol*. 2019;12(9):42–5.
58. Kashaninasab F, Ghaleh Bandi MF, Ghazvini A, Goodarzi A, Moudi S, Sadeghzadeh-Bazargan A. The Quality of Sleep and Quality of Life in Patients with Alopecia. *J Sleep Sci*. 2021;5(2):50–5.