

## DAFTAR PUSTAKA

- Arif I.A, M. A. Bakir, H. A. Khan, A. H. A. Farhan, A. A. A. Homaidan, A. H. Bahkali, M. A. Sadoon and M. Shobrak. 2010. A Brief Review of Molecular Techniques to Assess Plant Diversity. *Int. J. Mol. Sci*, 11, pp. 2079-2096.
- Armenise L, M. C. Simeone, R. Piredda, B. Schirone. 2012. Validation of DNA barcoding as an efficient tool for taxon identification and detection of species diversity in Italian conifers. *Eur J Forest Res*, 131, pp. 1337–1353.
- Aseny. N. 2021. Karakterisasi Molekuler Tumbuhan Dioceous Pohon Andalas (*Morus marroura miq.*) Menggunakan Sequence Related Amplified Polymorphism (SRAP). Tesis. Jurusan Biologi. Fakultas Ilmu Pengetahuan Alam dan Matematika. Universitas Andalas. Padang.
- Basith A. 2015. Peluang Gen *rbcL* sebagai DNA Barcode Berbasis DNA Kloroplas untuk Mengungkap Keanekaragaman Genetik Padi Beras Hitam (*Oryza sativa L.*) Lokal Indonesia. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*, SP-20-1, pp. 938-941.
- Bharali S, Deka J, Saikia P, Khan M.L, Paul A, Tripathi O.P, Singha LB and Shanker U., 2012. *Pinus merkusii* Jungh et de Vries - a vulnerable gymnosperm needs conservation. *NeBio*, 3 (1),pp. 94-95.
- Brunnell ,M. S. & R. Whitkus. 1999 . Assesment of morphological variation in *Eriastrum densifolium* (Polemoniaceae): Implications for subspecific delimitation and conservation. *Syst .Bot*, 23, pp. 351 -368.

- Burland, T.G. 2000. DNASTAR's Lasergence Sequence Analysis Software. *Methods Mol Biol.* 132, pp. 71-91.
- Buys, C. B, Japing C and Fernandes D. 1928. Bijdrage tot de kennis van *P. merkusii* Jungh. et de Vr., meer met bijzonder in de Gajo-landen. Meded. Proefstn. Boschw. No. 19, Batavia.
- CBOL. 2009. A DNA barcode for land plants. *PNAS*, 106(31), pp.12795.
- Changtragoon S & Finkeldey R . 1995. Patterns Of Genetic Variation And Characterization Of The Mating System Of *Pinus merkusii* In Thailand. *Forest Genetics*, 2 (2), pp. 87-97.
- Chase, M. W., Soltis, D. E., Olmstead, R. G., Morgan, D., Les, D. H., Mishler, B. D., & Albert, V. A. 1993. Phylogenetics of seed plants: an analysis of nucleotide sequences from the plastid gene *rbcL*. *Annals of the Missouri Botanical Garden*, pp. 528-580.
- Cooling. E. N. G. 1968. *Fast Growing Timber Trees of the Lowland Tropics No. 4 Pinus merkusii*. Commonwealth Forestry Institute, Department of Forestry, University of Oxford, Inggris.
- Coppen J.W, Gay. C, James. D.J, Robinson J.M Dan Supriana. N. 1993. Variability In Xylem Resin Composition Amongst Natural Populations Of Indonesian *Pinus merkusii*. *Phytochemistry*, 33(1) , pp. 129-136.
- Critchfield W. B. And Little, El.Jr. 1966. *Geographic Distribution Of The Pines Of The World*. Miscellaneous Publication 991, Washington D.C.

- Diputra IMMM. 2013. *Keragaman Genetik Pinus Merkusii jungh. et De Vriese Strain Tapanuli Berdasarkan Primer Mikrosatelit*. Tesis Departemen Silvikultur, Fakultas Kehutanan. Institut Pertanian Bogor. Bogor.
- Dong J and D. B. Wagner. 1994. Paternally Inherited Chloroplast Polymorphism in Pinus: Estimation of Diversity and Population Subdivision, and Tests of Disequilibrium With a Maternally Inherited Mitochondrial Polymorphism. *Genetics*, 136, pp.1187-1194
- Doyle, J.J. & J.L. Doyle .1987. A Rapid DNA Isolation Procedure from Small Quantities Of Fresh Leaf Tissue. *Phytochemistry Bulletin*, 19, pp. 11–15.
- Dutta .S, A. Deb, P. Biswas, S. Chakraborty, S. Guha, D. Mitra, B. Geist, A. R. Schöffne, M. Das. 2021. Identification and functional characterization of two bamboo *FD* gene homologs having contrasting effects on shoot growth and flowering. *Scientific Reports*, 11, pp. 7849.
- Edy.D, Saputra M.H, Suhada D.A. 2012. *Sebaran Alami dan Potensi Pinus merkusii strain Kerinci di Taman Nasional Kerinci Seblat dan Sekitarnya*. Seminar hasil-hasil penelitian BPK Aek Nauli, Medan.
- Fadillah. J. 2021. *Diversitas Genetik Tanaman Rukam (Flacourtia Rukam, Zoll. & Mor.) Menggunakan Penanda Molekuler Random Amplified Polymorphic Dna (Rapid)*. Skripsi Sarjana Biologi. Jurusan Biologi FMIPA UNAND. Padang.
- Farjon A. 2010. *A Handbook of the World's Conifers (2 Vols.)*. Brill Leiden, Boston.

- Feng, F, M. Chen, D. Zhang, X. Sui and S. Han. 2009. Application of SRAP in the genetic diversity of *Pinus koraiensis* of different provenances. *African Journal of Biotechnology*, 8 (6), pp. 1000-1008.
- GBIF. 2020. *Pinus merkusii*. <https://www.gbif.org>. (diakses agustus 2020).
- Gernandt. D.S, G.G. Lopez, S.O. Garcia, & A. Liston. 2005. Phylogeny and classification of Pinus. *TAXON*, 54 (1), pp. 29-42.
- Gusmiaty, Restu. M, Asrianny, dan Larekeng S.H. 2016. Polimorfisme Primer RAPD untuk Analisis Keragaman Genetik Pinusmerkusii di Hutan PendidikanUnhas. *Jurnal Natur Indonesia*, 16(2) , pp. 47.
- Hall, T. A. 1990. BioEdit: A User-Friendly Biological Sequence Alingment Aditor an Analysis Program for Windows 95/98/NT. *Nucleic Acid Symposium Series*, 41, pp. 95-98.
- Hao Q, Z. A. Liu, Q. Y. Shu, R. Zhang, J. D. Rick And L. S. Wang. 2008. Studies on Paeonia cultivars and hybrids identification based on SRAP analysis. *Hereditas*, 145, pp. 38-47.
- Harahap R.M.S. 1999. *Keragaman Sifat dan Data Ekologi Populasi Alam Pinus merkusii di Aceh, Tapanuli, dan Kerinci*. Prosiding Status Silvikultur 1999 Wanagama I, Yogyakarta.
- Hartati, D., Rimbawanto, A., Taryono., Sulistyaningsih, E. dan A.Y.P.B.C. Widyatmoko. 2007. Pendugaan keragaman genetik di dalam dan antar provenan Pulau ( *Alstonia scholaris* (L.) R. Br.) menggunakan Penanda RAPD. *Jurnal Pemuliaan Tanaman Hutan*, 1(2), pp. 89-98.

- Hong, Y. P., Hipkins, V. D., & Strauss, S. H. 1993. Chloroplast DNA diversity among trees, populations and species in the California closed-cone pines (*Pinus radiata*, *Pinus muricata* and *Pinus attenuata*). *Genetics*, 135(4), pp.1187-1196.
- Hollingsworth. P.M, S. W. Graham, D. P. Little. 2011. Choosing and Using a Plant DNA Barcode. *PLoS ONE*, 6, Issue 5, pp. 19254.
- IAPT. 2018. International Code Of Nomenclature For Algae, Fungi, And Plants. <https://www.iapt-taxon.org/nomen/pages/main/preamble.html> (diakses November 2021).
- Imanuddin R., A. Hidayat, H. H. Rachmat, M. Turjaman, Pratiwi, F. Nurfatriani, Y. Indrajaya and A. Susilowati. Reforestation and Sustainable Management of *Pinus merkusii* Forest Plantation in Indonesia: A Review. *Forests*, 11, pp.1235.
- Indrajaya Y dan Handayani W. 2008. Potensi Hutan *Pinus merkusii* Jungh. Et De Vriese Sebagai Pengendali Tanah Longsor Di Jawa. *Info Hutan*, 5(3), pp. 231-240.
- Ismail, M., Ahmad, A., Nadeem, M., Javed, M. A., Khan, S. H., Khawaish, I., ... & Qamer, S. (2020). Development of DNA barcodes for selected *Acacia* species by using *rbcL* and *matK* DNA markers. *Saudi Journal of Biological Sciences*, 27(12), pp. 3735-3742.
- Isotomo, Kusmana C, Roswandi S. 2000. Kajian Faktor Lingkungan Fisik *Pinus Merkusii* jungh et de Vries Ras Kerinci Di Resort Ksda Bukit Tapan,

- Kawasan Taman Nasional Kerinci Seblat, Jambi. *Media Konservasi*, VII (1), pp.9 – 15.
- Keyfi, F., & AH. Beiki. 2012. Exploitation of random amplified polymorphic DNA (RAPD) and sequence-related amplified polymorphism (SRAP) markers for genetic diversity of saffron collection. *J. Med. Plants Res*, 6(14), pp. 2761-2768
- Kress, W. J., Prince, L. M., & Williams, K. J. 2002. The phylogeny and a new classification of the gingers (Zingiberaceae): evidence from molecular data. *American Journal of Botany*, 89(10), pp.1682-1696.
- Kumar J., M. Heikrujam, K. Sharma, V. Agrawal, 2019. SRAP and SSR marker-assisted genetic diversity, population structure analysis and sex identification in Jojoba (*Simmondsia chinensis*). *Industrial Crops & Products*, 133, pp.118–132.
- Lamb A.F.A dan Cooling E.N.G. 1967. *Exploration, Utilization, and Conservation of Low Altitude Tropical Pine Gene Resources*. Department of Forestry. University of Oxford, Commonwealth Forestry Institute, England.
- Larkin, M. A., G. Blackshields, N. P. Brown, R. Chenna, P. A. McGettigan, H. McWilliam, F. Valentin, I. M Wallace, A. Wilm, R. Lopez, J. D. Thompson, T. J. Gibson, and D. G. Higgins. 2007. Clustal W and Clustal X version 2.0. *Bioinformatics*, 23, pp. 2947-2948.
- Li, G., & Quiros, C. F. 2001. Sequence-related amplified polymorphism (SRAP), a new marker system based on a simple PCR reaction: its application to

mapping and gene tagging in Brassica. *Theoretical and applied genetics*, 103(2), pp. 455-461.

Mangundikoro A. 1983. *Pola dan Strategi Pengembangan Hutan Tanaman Pinus merkusii*. Pusat Litbang Hasil Hutan dan Perum Perhutani 27-28 Juli 1983. Simpo Pinus'83 Proceeding, Jakarta.

Maulidah R., M. Octavioni, E. N. Gozalia, R. Hidayati, B. Nova, D. Subositi, A. N. Sari, Y. Widiyastuti, J. Jamsari. 2019. Genetic Diversity and Relationship of *Alpinia galanga* (L.) Willd. in Indonesia Using SRAP Markers for Genetic Conservation Strategy. *Asian Journal of Conservation Biology*, 8 (1), pp. 72-78.

Menlove K. J, M. Clement, and K. A. Crandall. Similarity Searching Using BLAST. in Pasoda, D. 2009. *Bioinformatics for DNA Sequence Analysis*. Humana Press. New York.

Mirov, N. T. 1967. The genus *Pinus*. *The genus Pinus*.

Mishra, M.K, S. Nishani and Jayarama. 2011. Molecular Identification And Genetic Relationships Among Coffee Species (*Coffea* L) Inferred From Issr And Srap Marker Analyses. *Arch. Biol. Sci.*, Belgrade, 63 (3), pp. 667-679.

Mondini L, A. Noorani and M. A. Pagnotta. 2009. Assessing Plant Genetic Diversity by Molecular Tools. *Diversity*, 1, pp.19-35.

Newmaster, S. G., Fazekas, A. J., & Ragupathy, S. 2006. DNA barcoding in land plants: evaluation of *rbcL* in a multigene tiered approach. *Botany*, 84(3), pp. 335-341.

- Nurtjahjaningsih I.L.G, Widyatmoko AYPBC dan Rimbawanto. A. 2011. Variasi Genetik *Pinus Merkusii* Menggunakan Primer Mikrosatelit Kloroplas. *Pemuliaan Tanaman Hutan*, 5 (3), pp.119-128.
- Ogihara, Y., Terachi, T., & Sasakuma, T. 1992. Structural analysis of length mutations in a hot-spot region of wheat chloroplast DNAs. *Current genetics*, 22(3), pp. 251-258.
- Pearson W.R. 2013. Selecting the Right Similarity-Scoring Matrix. . *Curr. Protoc. Bioinform*, 43, pp. 351-359
- Pierce, K. E., Rice, J. E., Sanchez, J. A., & Wangh, L. J. 2002. QuantiLyse™: reliable DNA amplification from single cells. *Biotechniques*, 32(5), pp.1106-1111.
- Plant list, 2020. <http://www.theplantlist.org> (diakses agustus 2019)
- Pousujja, R., Granhof, J., & Willan, R. L. 1986. *Pinus merkusii* Jungh. & De Vriese. *Seedleaflets*, (7).
- Rahayu D.A dan Jannah M. 2019. Dna Barcode Hewan Dan Tumbuhan Indonesia. Yayasan Inspirasi Ide Berdaya, Jakarta.
- Robarts D.W.H And Wolfe A.D. 2014. Sequence-Related Amplified Polymorphism (Srap) Markers: A Potential Resource For Studies In Plant Molecular Biology. *Applications in Plant Sciences*, 2 ( 7 ), pp. 1400017.
- Sandri Y. Maideliza T, Mansyurdin, Febriamansyah R. 2016. Kajian Anatomi Kayu Pada Tiga Ekotipe *Pinus merkusii* Sumatera Dan Potensinya Sebagai Indikator Perubahan Iklim. *METAMORFOSA*, III (2),pp.103-111.



- Santoso, P. J., Saleh, G. B., Saleh, N. M., & Napis, S. 2005. Phylogenetic relationships amongst 10 *Durio* species based on PCR-RFLP analysis of two chloroplast genes.
- Saputra M.H, Suhada D.A dan Edy. D. 2014. *Potensi Pinus merkusii Strain Kerinci Sebagai Penghasil Getah Hasil Hutan Bukan Kayu*. Prosiding Ekspose Hasil Penelitian Tahun 2014 Balai Penelitian Kehutanan Aek Nauli, Medan.
- Siregar. I.Z. dan Hattemer H.H. 1999. *Genetic Variation of Pinus merkusii jungh et de Vriese in Indonesia*. Biodiversity and Development of Plant Genetic Resources. Deutscher Tropentag, Berlin.
- Suhendi, H. 2005. Kajian konservasi *Pinus Merkusii* strain Tapanuli di Sumatera. *J. Anal. Kebijakan. Kehutan*, 2, pp. 45–57.
- Sukarno A., Hardiyanto E., Marsoem S. Na'iem. M. 2015. Oleoresin production, turpentine yield and components of “*Pinus merkusii*” from various indonesian provenances. *J. Trop. For. Sci*, 27, pp. 136–141.
- Suseno, O.H. 2001. Current Status of Tree Improvement in Indonesia. *Gadjah Mada University & International Tropical Timber Organization*, p. 231.
- Syamsuardi, S., Chairul, C., & Murni, P. 2018. Analysis of Genetic Impurity of An Original Cultivar Duku (*Lansium parasiticum* (Osbeck.) KC Sahni Bennet.), from Jambi, Indonesia Using ITS and MatK Gene. *International Journal of Environment, Agriculture and Biotechnology*, 3(2), pp. 239084.
- Syamsuardi, H. Okada, And Makotoogawa. 2002. New Variety of *Ranunculus japonicus* (Ranunculaceae) Its Genetic Relationships to the

- Related Species of Sect. *Acris* in Japan. *Acta Phytotax .Geobot*, 53 (2), pp. 121-132.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A., and Kumar, S. 2013. MEGA Molecular Evolutionary Genetics Analysis Version 6.0. *Molecular Biology an Evolution*, 30, pp. 2725-2729.
- Theilade, Ida, Graudal, Visti L.O, Kjær, Dahl E. 2000. *Conservation of genetic resources of Pinus merkusii in Thailand*. Danida Forest Seed Centre Technical Note no. 58. Humlebaek, Denmark.
- Tuong H-M, Giang N-T, Ha C-H and Son L-V. 2016. Genetic variation within and between three Vietnamese pine populations (*Pinus merkusii*) using random amplified polymorphic DNA (RAPD) markers. *African Journal of Biotechnology*, 15(30), pp. 1641-1647.
- Wang, D., Shen, B., & Gong, H. 2019. Genetic diversity of Simao pine in China revealed by SRAP markers. *PeerJ*, 7, e6529.
- Wang X-Y, Tsumura Y, Yoshimaru H, Nagasaka K, And Szmidt A.E. 1999. Phylogenetic relationships of eurasian pines (*pinus*, pinaceae) based on chloroplast *rbcl*, *matk*, *rpl20-rps18* spacer, and *trnv* intron sequences. *American Journal of Botany*, 86(12), pp.1742–1753.
- Xie Q, Liu Z-H, Wang S-H, Li Z-Q. 2015. Genetic diversity and phylogenetic relationships among five endemic *Pinus* taxa (Pinaceae) of China as revealed by SRAP markers. *Biochemical Systematics and Ecology*, 62, pp.115-120.

Yeh, F.C., Yang, R.C and T. Boyle. 1997. *POPGENE, the user-friendly shareware for population genetik analysis*. Molecular Biology and Biotechnology Centre University of Alberta, Canada.

Zachos, F.E., 2016. *Species Concepts in Biology. Historical Development, Theoretical Foundations and Practical Relevance*. Springer International Publishing, Switzerland.

