

DAFTAR PUSTAKA

1. Statista. Forecast number of mobile users worldwide from 2020 to 2025 [Internet]. Statista. 2021 [cited 2022 Jan 20]. Available from: <https://www.statista.com/statistics/218984/number-of-global-mobile-users-since-2010/>.
2. Kominfo. Survei Penggunaan TIK 2017. Jakarta: Pusat Penelitian dan Pengembangan Aplikasi Informatika dan Informasi dan Komunikasi Publik Badan Penelitian dan Pengembangan Sumber Daya Manusia; 2017.
3. Simon Kemp. Digital 2021: Indonesia [Internet]. datareportal. 2021 [cited 2022 Jan 19]. Available from: <https://datareportal-com.translate.google/reports/digital-2021-indonesia?>
4. Indonesia Digital 2019: Tinjauan Umum [Internet]. [cited 2022 Jan 19]. Available from: [di: https://websindo.com/indonesia-digital-2019-tinjauan-umum/](https://websindo.com/indonesia-digital-2019-tinjauan-umum/)
5. Depari RDS. Hubungan Posisi Menunduk Saat Menggunakan Telepon Seluler Dengan Nyeri tengkuk Tengkuk pada Mahasiswa Fakultas Kedokteran Universitas Sumatera Utara Angkatan 2018. 2021.
6. Diva AS, Chairunnisa AA, Mufidah TH. Pembelajaran Daring di Masa Pandemi Covid-19. *J Pendidik Indones*. 2021;2(8):1332–52.
7. Eide TA, Aarestad SH, Andreassen CS, Bilder RM, Pallesen S. Smartphone restriction and its effect on subjective withdrawal related scores. *Front Psychol*. 2018;9(AUG):1–11.
8. Szeto GPY, SrakerLM OP. Neck-shoulder muscle activity in general and task-specific resting postures of symptomatic computer users with chronic neck pain. *Man Ther* [Internet]. 2009;14(3):338–45. Available from: <http://dx.doi.org/10.1016/j.math.2008.05.001>
9. Samara D. Nyeri muskuloskeletal pada leher pekerja dengan posisi pekerjaan yang statis. *universa Med*. 2007;26(3):137–42.
10. Cote P, Cassidy JD, Carroll L. The epidemiology of neck pain: what we have learned from our population-based studies. *J Can Chiropr Assoc*. 2003;47(4):284–90.

11. Safiri S, Kolahi AA, Hoy D, Buchbinder R, Mansournia MA, Bettampadi D, et al. Global, regional, and national burden of neck pain in the general population, 1990-2017: Systematic analysis of the Global Burden of Disease Study 2017. *BMJ*. 2020;368.
12. Lee S, Choi YH, Kim J. Effects of the cervical flexion angle during smartphone use on muscle fatigue and pain in the cervical erector spinae and upper trapezius in normal adults in their 20s. *J Phys Ther Sci*. 2017;29(5):921–3.
13. Eijkelhof BHW, Huysmans MA, Bruno Garza JL, Blatter BM, Van Dieën JH, Dennerlein JT, et al. The effects of workplace stressors on muscle activity in the neck-shoulder and forearm muscles during computer work: A systematic review and meta-analysis. *Eur J Appl Physiol*. 2013;113(12):2897–912.
14. Prayoga RC. Penatalaksanaan fisioterapi pada Cervical Syndrome E.C Spondylosis C3-6 Di RSUD DR. Moewardi. Universitas Muhammadiyah Surakarta; 2014.
15. Kim HJ, Kim JS. The relationship between smartphone use and subjective musculoskeletal symptoms and university students. *J Phys Ther Sci*. 2015;27(3):575–9.
16. Vasavada AN, Nevins DD, Monda SM, Hughes E, Lin DC. Gravitational demand on the neck musculature during tablet computer use. *Ergonomics*. 2015;58(6):990–1004.
17. Al-Hadidi F, Bsisu I, AlRyalat SA, Al-Zu'bi B, Bsisu R, Hamdan M, et al. Association between mobile phone use and neck pain in university students: A cross-sectional study using numeric rating scale for evaluation of neck pain. *PLoS One*. 2019;14(5):1–10.
18. Id SA, Alamer A, Dabi SD, Bogale KG, Abebe B, Chala MB. Burden of neck pain and associated factors among smart phone user students in University of Gondar , Ethiopia. 2021;1–15. Available from: <http://dx.doi.org/10.1371/journal.pone.0256794>
19. Bertozzi L, Negrini S, Agosto D, Costi S, Anthony A, Lucarelli P, et al. Posture and time spent using a smartphone are not correlated with neck pain and disability in young adults : A cross-sectional study. 2021;26.
20. Yustianti YT, Pusparini P. Hubungan intensitas pemakaian gawai dengan neck pain pada usia 15-20 tahun. *J Biomedika dan Kesehatan*. 2019;2(2):71–6.
21. Rahmawati F. Hubungan Durasi Dan Posisi Penggunaan Smartphone Dengan

- Nyeri Leher Pada Mahasiswa Fisioterapi Universitas Muhammadiyah Surakarta. 2020;1–8. Available from: <http://eprints.ums.ac.id/id/eprint/85374>
22. Fleming dan Emeritus. Neck and Arm Pain and Related Symptoms : Cervical Disc Disease. 2012;8–12.
 23. Genebra, C. V. D. S., Maciel N. M., Bento T. P. F. et al. Prevalence and factors associated with neck pain: a population-based study. *Brazilian J Phys Ther.* 2017;21:274–80.
 24. Siivola, S. M., Levoska, S., Tervonen, O. et al. MRI changes of cervical spine in asymptomatic and symptomatic young adults. *Eur Spine J.* 2002;11(4):358–363.
 25. Ariëns, G. A. M., Bongers, P.M., Douwes, M., Miedema. et al. Are neck flexion, neck rotation, and sitting at work risk factors for neck pain? Results of a prospective cohort study. *Occup Environ Med.* 2001;58(3):200–7.
 26. Douglass A. B. dan Bope E. T. Evaluation and treatment of posterior neck pain in family practice. *J Am Board Fam Pract.* 2004;17:13–22.
 27. Huldani. Neck Pain (Nyeri Leher). Banjarmasin; 2013.
 28. Haldeman S., Carroll L., Cassidy J. D. et al. The Bone and Joint Decade 2000–2010 Task Force on Neck Pain and Its Associated Disorders. *Eur Spine J.* 2008;S1(17).
 29. Childs, J. D., Cleland J. A., Elliott J. M. et al. Neck pain: Clinical practice guidelines linked to the international classification of functioning, disability, and health from the orthopaedic section of the american physical therapy association. *J Orthop Sports Phys Ther.* 2008;38(9).
 30. Putra I. K. S. M. Peregangan Leher Isometrik Lebih Baik Dibanding Isotonik Untuk Menurunkan Nyeri Dan Kreatin Kinase Pada Nyeri Leher Non Spesifik Siswa SMP Swadhaya Seni Ukir Kabupaten Badung. Universitas Udayana; 2017.
 31. Hidalgo, B., Hall T., Dugency A. et al. The efficacy of manual therapy and exercise for treating non-specific neck pain: A systematic review. *J Back Musculoskelet Rehabil.* 2017;33(6):1149–1169.
 32. Motimath B. dan Ahammed N. Comparative study on effectiveness of trigger point release versus cervical mobilization in chess players with mechanical neck pain. *Int J Phys Educ Sport Heal.* 2017;4(3):207–211.
 33. Ahmed T. Efficacy on Myofascial Release Technique Among The Neck Pain

- Patient. :2005–2006.
34. Rao R. Neck pain, cervical radiculopathy, and cervical myelopathy: Pathophysiology, natural history, and clinical evaluation. *J Bone Jt Surg.* 2002;84(10):1872–1881.
 35. Samara D. Nyeri muskuloskeletal pada leher pekerja dengan posisi pekerjaan yang statis. *Neck musculoskeletal among Work with static position.* 2007;26(3):137–142.
 36. Collins JD OL. Musculoskeletal disorder prevalence and psychosocial risk exposures by age and gender in a cohort of office based employees in two academic institutions. *Int J Ind Ergon.* 2015;85–97.
 37. Nadhifah N, Udijono A, Wurjanto MA, Saraswati LD. Gambaran Kejadian Nyeri Leher Pada Pengguna Smartphone (Studi Di Pulau Jawa 2020). *J Kesehat Masy* [Internet]. 2021;9(4):548–54. Available from: <https://ejournal3.undip.ac.id/index.php/jkm/article/download/30516/25729>
 38. Giriwijoyo HYSS, Komaryah L KN. Ilmu Kesehatan Olahraga [Internet]. Jawa Barat: Fakultas Pendidikan Olahraga dan Kesehatan UPI; 2007. Available from: http://lib.upmk.ac.id/index.php?p=show_detail&id=29
 39. Derakhshanrad N, Yekaninejad MS, Mehrdad R, Saberi H. Neck pain associated with smartphone overuse: cross-sectional report of a cohort study among office workers. *Eur Spine J* [Internet]. 2021;30(2):461–7. Available from: <https://doi.org/10.1007/s00586-020-06640-z>
 40. Yuniar, G.S. & Nurwidawati D. Hubungan Antara Intensitas Penggunaan situs Jejaring Sosial Facebook Dengan pengungkapan diri (Self Disclosure) Pada Siswa-Siswi kelas VIII SMP negeri 26 Surabaya. 2013;2(1).
 41. Marhaeni DP. Intensitas Peran Komunikasi Interpersonal Dalam Keluarga Untuk Mencegah Kenakalan Remaja. Vol. 3. 2012.
 42. Nasional DP. Kamus Besar Bahasa Indonesia (edisi keempat). In Jakarta: PT. Gramedia Pustaka Utama.; 2011.
 43. App Annie. Consumers in Three Countries Now Spend More than 5 Hours a Day in Apps [Internet]. 2021 [cited 2022 Feb 15]. Available from: <https://www.appannie.com/fr/insights/market-data/consumers-in-five-countries-now-spend-more-than-5-hours-a-day-in-apps/>
 44. Przybylski AK, Weinstein N. A Large-Scale Test of the Goldilocks Hypothesis: Quantifying the Relations Between Digital-Screen Use and the Mental Well-

- Being of Adolescents. *Psychol Sci.* 2017;28(2):204–15.
45. RS B. *Introduction to Ergonomics, International Edition.* 3rd edition. 3rd ed. USA: CRC Press; 2009.
 46. Nadhifah N, Irianto AA. Analysis Risk Factors For Neck PAin Complaints In Production Workers At PT Maruki International Indonesia. *Nusant Med Sci J.* 2017;7–13.
 47. Team CC. Text Neck: is smartphone use causing your neck pain? *Healthessentials.* 2015;
 48. Kenwa KWM, Putra IGNP P TE. Hubungan Antara Penggunaan Telepon Pintar Dengan Kejadian Nyeri Leher Pada Individu Dewasa Muda. *Callosum Neurol J.* 2018;1:78–82.
 49. Dampati PS, Kadek N, Dwi S, Veronica E, Home WF. Pengaruh Penggunaan Smartphone Dan Laptop Terhadap. *J gema Kesehat.* 2020;12:57–67.
 50. Tarwaka. *Ergonomi Industri Dasar- Dasar Pengetahuan Ergonomi dan Aplikasi di Tempat Kerja.* 1st ed. 1st ed. 2010;568.
 51. Berkowitz B dan PC. The Health Hazard of Sitting [Internet]. 2014 [cited 2022 Jan 29]. Available from: <https://www.washingtonpost.com/apps/g/page/national/the-health-hazards-of-sitting/750/>
 52. Mirawati KS. Kombinasi Infrared Dan Contract Relax Stretching Sama Baik Dengan Infrared Dan Deep Transverse Friction Terhadap Penurunan Disabilitas Leher Kondisi Tension-Type Headache pada Aparatur Sipil Negara Perempuan di Kantor Gubernur Bal. Universitas Udayana; 2017.
 53. Tarwaka BSHA dan SL. *Ergonomi untuk Keselamatan, Kesehatan Kerja dan Produktivitas.* UNIBA PRESS. 2004;
 54. Kemenkes. Ketahui Ergonomi Kerja Bagi Kesehatan Pekerja [Internet]. 2018 [cited 2022 Jan 23]. Available from: <http://yankes.kemkes.go.id/read--ketahui-ergonomi-kerja-bagi-kesehatan-pekerja-4887.html>
 55. Neupane S. AUTI dan AM. Text Neck Syndrome - Systematic Review. *Imp J Interdiscip Res.* 2017;3(7):141– 148.
 56. D D. Text Neck Treatment and Prevention [Internet]. *SPINE-Health.* 2018 [cited 2022 Feb 2]. Available from: <https://www.spine-health.com/conditions/neck-pain/text-neck-treatment-and-prevention>
 57. Monding FF, Kawatu PAT, Kalesaran AFC, Kesehatan F, Universitas M,

- Ratulangi S, et al. Hubungan Kecanduan Game Online Dengan Keluhan Neck Pain Pada Mahasiswa Fakultas Kesehatan Masyarakat Universitas Sam Ratulangi. *Kesmas*. 2020;9(6):122–30.
58. Fathimahhayati LD, Pawitra TA, Tambunan W. Analisis ergonomi pada perkuliahan daring menggunakan smartphone selama masa pandemi covid-19: studi kasus mahasiswa Prodi Teknik Industri Universitas Mulawarman. *Oper Excell J Appl Ind Eng*. 2020;12(3):309.
59. Situmorang CK, Widjasena B, Wahyuni I, Masyarakat FK, Diponegoro U, Masyarakat FK, et al. Hubungan Antara Durasi, Postur Tubuh, dan Penggunaan Komputer Terhadap Keluhan Neck Pain Pada Tenaga Kependidikan. *J Kesehat Masy*. 2020;8(5):672–8.
60. Depari RDS, Rambe AS. Hubungan Posisi Menunduk saat Menggunakan Telepon Seluler dengan Nyeri Tengok. *Scr SCORE Sci Med J*. 2021;3(1):17–22.
61. Agus Indra Yudhistira Diva Putra, I Nyoman Gede Wardana , Yuliana M. Prevalensi dan Derajat Nyeri Leher Akibat Penggunaan Telepon Genggam Pada Mahasiswa PSSKPD FK Unud Berumur 18-23 Tahun. *J Med Udayana*. 2021;10(10).
62. Daher A, Halperin O. Association between Psychological Stress and Neck Pain among College Students during the Coronavirus Disease of 2019 Pandemic: A Questionnaire-Based Cross-Sectional Study. *Healthc*. 2021;9(11).
63. Lemeshow S, Jr DWM. Besar Sampel dalam Penelitian Kesehatan (terjemahan). Yogyakarta: Gajah Mada University Press;
64. Alzarea, B. K. dan Patil SR. Mobile Phone Head and Neck Pain Syndrome: Proposal of a New Entity. *Ohdm*. 2015;14(5):313–317.
65. ELKEBLAWY MM, AMIN DI, MOHAMED MS. Effect of smartphone duration use on scapular muscles strength in normal subjects. *J Life Sci Biomed*. 2020;10(4):44–50.