

DAFTAR PUSTAKA

1. Astuti T, Parenta T, Paddu H. the Role of Manufacturing Industrial Activity. *Ekonomi Pembangunan dan Perencanaan*. 2014;3(1):49-56.
2. Nindita V, Purwanto, Sutrisnanto D. Evaluasi Implementasi di Salah Satu Usaha Kecil Menengah Batik di Kabupaten Pekalongan. *Jurnal Risiko Teknologi Pencegahan Pencemaran Industri*. 2012;2(2):82-91.
3. Sarjono A. Analisis Kandungan Logam Berat Cd, Pb, dan Hg Pada Air dan Sedimen di Perairan Kamal Muara, Jakarta Utara. Published online 2009. <http://repository.ipb.ac.id/handle/123456789/11409>
4. Lei XF, *et al.* Synthesis and characterization of Fe, N and C tri-doped polymorphic TiO₂ and the visible light photocatalytic reduction of Cr(VI). *Sep Purif Technol*. 2017;174:66-74. doi:10.1016/j.seppur.2016.09.039
5. Mani AD, Reddy PMK, Srinivaas M, Ghosal P, Xanthopoulos N, Subrahmanyam C. Facile synthesis of efficient visible active C-doped TiO₂ nanomaterials with high surface area for the simultaneous removal of phenol and Cr(VI). *Mater Res Bull*. 2015;61:391-399. doi:10.1016/j.materresbull.2014.10.051
6. Slamet, Syakur R, Danumulyo W. Pengolahan limbah logam berat. 2003;7(1):27-32.
7. Mohamed A, Osman TA, Toprak MS, Muhammed M, Yilmaz E, Uheida A. Visible light photocatalytic reduction of Cr(VI) by surface modified CNT/Titanium dioxide composites nanofibers. *Journal Mol Catal A, Chem*. 2016;424(Vi):45-53. doi:10.1016/j.molcata.2016.08.010
8. Li G, Zou B, Feng S, *et al.* Synthesis of N-Doped TiO₂ with good photocatalytic property. *Phys B Condens Matter*. 2020;588(March):412184. doi:10.1016/j.physb.2020.412184
9. Wellia DV, Nofebriani D, Pratiwi N, Safni S. Synthesis of Porous N-doped TiO₂ by Using Peroxo Sol-Gel Method for Photocatalytic Reduction of Cd(II). *Bull Chem React Eng Catal*. 2022;17(1):103-112. doi:10.9767/bcrec.17.1.12347.103-112
10. Li H, Liu H, Fu A, *et al.* Synthesis and characterization of N-doped porous TiO₂ hollow spheres and their photocatalytic and optical properties. *Materials (Basel)*. 2016;9(10). doi:10.3390/ma9100849
11. Aravind M, Amalanathan M, Mary MSM. Synthesis of TiO₂ nanoparticles by chemical and green synthesis methods and their multifaceted properties. *SN Appl Sci*. 2021;3(4):1-10. doi:10.1007/s42452-021-04281-5
12. Maurya IC, Singh S, Senapati S, Srivastava P, Bahadur L. Green synthesis of TiO₂ nanoparticles using Bixa orellana seed extract and its application for solar cells. *Sol Energy*. 2019;194(October):952-958. doi:10.1016/j.solener.2019.10.090
13. Fajaroh F. Sintesis Nanopartikel dengan Prinsip Kimia Hijau. *Semin Nasional Kimia dan Pembelajarannya 2018*. 2018;03:24-32.
14. Bere ML, Sibarani J, Manurung M. Sintesis Nanopartikel Perak (NPAg) menggunakan Ekstrak Air Daun Kemangi (*Ocimum Sanctum* Linn.) dan Aplikasinya dalam Fotodegradasi Zat Warna Metilen Biru. *Cakra Kim (Indonesian E-Journal Appl)*

- Chem.* 2019;7:155-164.
15. Setyani A, Wibowo EAP. Fabrikasi Nanotubes Titanium Dioksida (TiO₂) Menggunakan Metode Hidrotermal. *J Kim Val J Penelit dan Pengemb Ilmu Kim.* 2017;3(1):20-26. doi:10.15408/jkv.v3i1.5036
 16. Shandilya M, Rai R, Singh J. Review: Hydrothermal technology for smart materials. *Adv Appl Ceram.* 2016;115(6):354-376. doi:10.1080/17436753.2016.1157131
 17. Toe ED, Kurniawan W, Mariquit EG, Hinode H. Synthesis of N-doped mesoporous TiO₂ by facile one-step solvothermal process for visible light photocatalytic degradation of organic pollutant. *J Environ Chem Eng.* 2018;6(4):5125-5134. doi:10.1016/j.jece.2018.08.005
 18. Pertiwi P. Sintesis N-Doped TiO₂ Berpori dengan Penambahan H₃PO₄ untuk Aplikasi Fotoreduksi Logam Berat Ion Cr(VI). 2019;9(1). <http://scholar.unand.ac.id/id/eprint/50436>
 19. Natarajan TS, Mozhiarasi V, Tayade RJ. Nitrogen Doped Titanium Dioxide (N-TiO₂): Synopsis of Synthesis Methodologies, Doping Mechanisms, Property Evaluation and Visible Light Photocatalytic Applications. *Photochem.* 2021;1(3):371-410. doi:10.3390/photochem1030024
 20. Santhi K, Navaneethan M, Harish S, Ponnusamy S, Muthamizhchelvan C. Synthesis and characterization of TiO₂ nanorods by hydrothermal method with different pH conditions and their photocatalytic activity. *Appl Surf Sci.* 2020;500(August 2019):144058. doi:10.1016/j.apsusc.2019.144058
 21. Wu A, Ren W. TiO₂ Nanoparticles: Applications in Nanobiotechnology and Nanomedicine. In: Wiley-VCH; 2008.
 22. Zhang J, Zhou P, Liu J, Yu J. New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO₂. *Phys Chem Chem Phys.* 2014;16(38):20382-20386. doi:10.1039/c4cp02201g
 23. Bourikas K, Kordulis C, Lycourghiotis A. Titanium dioxide (Anatase and Rutile): Surface chemistry, liquid-solid interface chemistry, and scientific synthesis of supported catalysts. *Chem Rev.* 2014;114(19):9754-9823. doi:10.1021/cr300230q
 24. Martinez AS, Sanchez OC, Santa CK, Mena ERL, Guareño EO. N-doped TiO₂ nanoparticles obtained by a facile coprecipitation method at low temperature. *Ceram Int.* Published online 2017. doi:10.1016/j.ceramint.2017.12.140
 25. Widiyandari H, Budiman M. Pengaruh Laju Aliran Gas N₂ Terhadap Sifat Optik Film Tipis GaN yang Ditumbuhkan Dengan Teknik Pulsed Laser Deposition (PLD). *Berk Fis.* 2004;7(1):28-34.
 26. Qiu X, Burda C. Chemically synthesized nitrogen-doped metal oxide nanoparticles. *Chem Phys.* 2007;339(1-3):1-10. doi:10.1016/j.chemphys.2007.06.039
 27. Yang G, Jiang Z, Shi H, Xiao T, Yan Z. Preparation of highly visible-light active N-doped TiO₂ photocatalyst. *J Mater Chem.* 2010;20(25):5301-5309. doi:10.1039/c0jm00376j
 28. Asahi R, Morikawa T, Ohwaki T, Aoki K, Taga Y. Visible-light photocatalysis in nitrogen-doped titanium oxides. *Science (80-).* 2001;293(5528):269-271. doi:10.1126/science.1061051

29. Ansari SA, Khan MM, Ansari MO, Cho MH. Nitrogen-doped titanium dioxide (N-doped TiO₂) for visible light photocatalysis. *New J Chem*. 2016;40(4):3000-3009. doi:10.1039/c5nj03478g
30. Khan TT, Rafiqul Bari GAKM, Kang HJ, et al. Synthesis of N-doped TiO₂ for efficient photocatalytic degradation of atmospheric NO_x. *Catalysts*. 2021;11(1):1-13. doi:10.3390/catal11010109
31. Luo W, Taleb A. Large-scale synthesis route of TiO₂ nanomaterials with controlled morphologies using hydrothermal method and TiO₂ aggregates as precursor. *Nanomaterials*. 2021;11(2):1-18. doi:10.3390/nano11020365
32. Thahir R, Rosalin, Khaerunnisa, Laurentz S, Puspitasari. Preparasi dan karakterisasi titanium dioksida (TiO₂) mesopori sebagai adsorben logam Cu(II) dan methylene blue. *Pros Semin Has Penelit*. Published online 2018:53-57.
33. Putri YE, Najela R, Andriani N, Wellia D. SrTiO₃ Nanokubus: Sintesis, Kontrol Morfologi dan Sifat Termoelektrik (Tinjauan). *Akta Kim Indones*. 2021;6(1):83. doi:10.12962/j25493736.v6i1.9167
34. Fahyuan HD, Dahlan D,-A. Pengaruh Konsentrasi Ctab Dalam Sintesis Nanopartikel Tio₂ Untuk Aplikasi Sel Surya Menggunakan Metode Sol Gel. *J Ilmu Fis | Univ Andalas*. 2013;5(1):16-23. doi:10.25077/jif.5.1.16-23.2013
35. Rangel-Yagui C de O, Pessoa A, Tavares LC. Micellar solubilization of drugs. *J Pharm Pharm Sci*. 2005;8(2):147-163.
36. Ceotto G, De Souza EF, Teschke O. Ionic surfactant films imaged by atomic force microscopy. *J Mol Catal A Chem*. 2001;167(1-2):225-233. doi:10.1016/S1381-1169(00)00510-0
37. Mursal LLP, Dahlan D. Pengaruh Penambahan Ctab Terhadap Nilai Absorbansi Dan Morfologi Lapisan Tipis TiO₂. *JoP*. 2016;1(2):5-9.
38. Xu W, Liu Z, Fang J, et al. CTAB-assisted hydrothermal synthesis of Bi₂Sn₂O₇ photocatalyst and its highly efficient degradation of organic dye under visible-light irradiation. *Int J Photoenergy*. 2013;2013. doi:10.1155/2013/394079
39. Dewi WP, Haryati T, Suwardiyanto S, Sulistiyo YA, Andarini N. Variasi Penambahan CTABr Sebagai Template Terhadap Pembentukan TiO₂ Anatase Dari Senyawa Natrium Titanat dan Aplikasinya Sebagai Fotokatalis. *Berk Sainstek*. 2019;7(2):43-48. doi:10.19184/bst.v7i2.12857
40. Tian G, Chen Y, Pan K, et al. Efficient visible light-induced degradation of phenol on N-doped anatase TiO₂ with large surface area and high crystallinity. *Appl Surf Sci*. 2010;256(12):3740-3745. doi:10.1016/j.apsusc.2010.01.016
41. Taba P, Parmitha NY, Kasim S. Synthesis of Silver Nanoparticles Using Syzygium polyanthum Extract as Bioreductor and the Application as Antioxidant. *Indones J Chem Res*. 2019;7(1):51-60.
42. Hikmah N. Pengaruh Penambahan Trietanol Amin (TEA) dalam Green Synthesis Nanopartikel Emas Menggunakan Ekstrak Jantung Pisang (Musa Paradisiaca) dan Sifat Antimikrobanya. Published online 2018.
43. Mbonyiryivuze A, Zongo S, Diallo A, et al. Titanium Dioxide Nanoparticles Biosynthesis for Dye Sensitized Solar Cells application: Review. *Phys Mater Chem*. 2015;3(1):12-17. doi:10.12691/pmc-3-1-3
44. Wahab AW, Karim A, La Nafie N, Nurafni N, Sutapa IW. Synthesis of Silver Nanoparticles Using Muntingia Calabura L. Leaf Extract as Bioreductor and

- Applied as Glucose Nanosensor. *Orient J Chem.* 2018;34(6):3088-3094. doi:10.13005/ojc/340652
45. Taba P, Parmitha NY, Kasim S. Synthesis of Silver Nanoparticles Using *Syzygium polyanthum* Extract as Bioreductor and the Application as Antioxi. *J Chem Res.* 2019;7(1):51-60.
 46. Sidhu AK, Verma N, Kaushal P. Role of Biogenic Capping Agents in the Synthesis of Metallic Nanoparticles and Evaluation of Their Therapeutic Potential. *Front Nanotechnol.* 2022;3(January):1-17. doi:10.3389/fnano.2021.801620
 47. Khadar A, Behara D and, Kumar M. Synthesis and Characterization of Controlled Size TiO₂ Nanoparticles via Green Route using Aloe vera Extract. *Int J Sci Res.* 2016;5(11):1913-1916. www.ijsr.net
 48. Rao KG, Ashok C, Chakra C, Pavani. Green Synthesis of TiO₂ Nanoparticles Using Aloe Vera Extract. *Int J Adv Res Phys Sci.* 2015;2(1A):28-34.
 49. Mujariah, Abram P hengki, Jura MR. The Use of Aloe Vera Gel (*Aloe Vera*) As A Natural Coagulant in Well Water Purification at The Sausu Tambu Village District Sa. *J Akad Kim.* 2016;5(1):16-22.
 50. Pellizzoni M, Ruzickova G, Kalhotka L, Lucini L. Antimicrobial activity of different *Aloe barbadensis* Mill. and *Aloe arborescens* Mill. leaf fractions. *J Med Plants Res.* 2012;6(10):1975-1981. doi:10.5897/JMPR11.1680
 51. Fardsadegh B, Jafarizadeh-Malmiri H. Aloe vera leaf extract mediated green synthesis of selenium nanoparticles and assessment of their in vitro antimicrobial activity against spoilage fungi and pathogenic bacteria strains. *Green Process Synth.* 2019;8(1):399-407. doi:10.1515/gps-2019-0007
 52. Syuadi AF. Sintesis Nanopartikel Titanium Oksida menggunakan Ekstrak Kulit Aloe Vera (*L.*) *Burm.f.* dan Karakterisasinya. Published online 2021.
 53. Muni F, Suriati L, Semariyani AAM. Karakteristik gel lidah buaya sebagai edible coating ditinjau dari suhu dan lama penyimpanan. *J Gema Agro.* 2019;24(2):90-98. doi:10.22225/ga.24.2.1705.90~98
 54. Widiatannur U, Usman T, Rahmalia W. Sintesis Komposit Berbasis TiO₂-kitosan Menggunakan Metode Hidrotemal. *J Chem Process Eng.* 2020;5(2):37-43. doi:10.33536/jcpe.v5i2.555
 55. Ningsih SKW. *Sintesis Anorganik.* jilid 1 (s. (Press TEU, ed.). UNP Press; 2016.
 56. Syuhada N, Yulianto B, Nugraha. Synthesis and Characterization Hierarchical Three-Dimensional TiO₂ Structure via Hydrothermal Method. *IOP Conf Ser Mater Sci Eng.* 2018;367(1). doi:10.1088/1757-899X/367/1/012052
 57. Lukman LK, Kusumawardani C. Optimasi Waktu dan Suhu Hidrotermal pada Sintesis Nanotabung TiO₂ Terdoping Nitrogen untuk Aplikasi Fotokatalis. 2020;9(2):66-72.
 58. Li X, Liu P, Mao Y, Xing M, Zhang J. Preparation of homogeneous nitrogen-doped mesoporous TiO₂ spheres with enhanced visible-light photocatalysis. *Appl Catal B Environ.* 2015;164:352-359. doi:10.1016/j.apcatb.2014.09.053
 59. Setiawati T, I.S. A, G.S S, A.A W. Sintesis Lapisan Tipis TiO₂ Dan Analisis Sifat Fotokatalisnya. *J Sains Mater Indones.* 2006;(Vi):141-146.
 60. Nezar S, Cherifi Y, Barras A, et al. Efficient reduction of Cr(VI) under visible light irradiation using CuS nanostructures. *Arab J Chem.* 2019;12(2):215-224.

doi:10.1016/j.arabjc.2018.01.002

61. Bhati A, Anand SR, Saini D, Gunture, Sonkar SK. Sunlight-induced photoreduction of Cr(VI) to Cr(III) in wastewater by nitrogen-phosphorus-doped carbon dots. *npj Clean Water*. 2019;2(1):1-9. doi:10.1038/s41545-019-0036-z
62. Dozzi MV, Saccomanni A, Selli E. Cr (VI) photocatalytic reduction : Effects of simultaneous organics oxidation and of gold nanoparticles photodeposition on TiO₂. *J Hazard Mater*. 2012;211-212:188-195. doi:10.1016/j.jhazmat.2011.09.038
63. Zheng HQ, He XH, Zeng YN, et al. Boosting the photoreduction activity of Cr(VI) in metal-organic frameworks by photosensitizer incorporation and framework ionization. *J Mater Chem A*. 2020;8(33):17219-17228. doi:10.1039/c9ta13339a
64. Aliah H, Karlina Y. Semikonduktor TiO₂ Sebagai Material Fotokatalis Berulang. *Jur Fis UIN SGD Bandung*. 2015;IX(1):185-203.
65. Rahma C. Sintesis dan Karakterisasi Material Fotokatalis Na₂Ti₆O₁₃ menggunakan Metode Hidrotermal. *J Optim*. 2017;3(4):28-38. doi:10.35308/jopt.v3i4.263
66. Wellia DV, Fitria D, Safni S. C-N-Codoped TiO₂ Synthesis by using Peroxo Sol Gel Method for Photocatalytic Reduction of Cr(VI). *J Pure Appl Chem Res*. 2018;7(1):26-32. doi:10.21776/ub.jpacr.2018.007.01.373
67. Herrmann J-M. Water Treatment By Heterogeneous. In: *Water*. Catalytic Science Series; 1999:171-194. doi:10.1142/9781848160613_0009
68. Sasti HT. Studi Preparasi Dan Karakterisasi Titanium Dioksida Mesopori. Published online 2011.
69. Hui-Lei W, Xiao-Heng L. Synthesis of N-doped Mesoporous Titania with High Visible-light Photocatalytic Activity. *J Inorg Mater*. 2014;29(9):997-1002. doi:10.15541/jim20140125
70. Abdullah M, Khairurrijal K. Review: Karakterisasi Nanomaterial. *J Nano Saintek*. 2009;2(1):1-9.
71. Puspitasari L, Arief S, Zulhadjri. Ekstrak Daun Andalas sebagai Capping Agent dalam Green Hydrothermal. *Chim Nat Acta*. 2019;7(1):20-26. doi:https://doi.org/10.24198/cna.v7.n1.19925
72. Dolat D, Ohtani B, Mozia S, et al. Preparation, characterization and charge transfer studies of nickel - modified and nickel, nitrogen co-modified rutile titanium dioxide for photocatalytic application. *Chem Eng J*. 2014;239:149-157. doi:10.1016/j.cej.2013.11.016
73. Linsebigler AL, Lu G, Yates JT. Photocatalysis on TiO₂ Surfaces: Principles, Mechanisms, and Selected Results. *Chem Rev*. 1995;95(3):735-758. doi:10.1021/cr00035a013
74. Phipps JE, Marcu L. *Lasers in Cardiology*. Woodhead Publishing Limited; 2013. doi:10.1533/9780857097545.4.490
75. Putri VDD, Nasution A. Analisis Penciri Spektral Gugus Fungsi Asam Lemak pada Minyak Goreng Kemasan Dan Minyak Goreng Curah Serta Pengaruh Waktu Pemanasan dengan Teknik FTIR Spectroscopy. *Tek Fis*. Published online 2016:1-6.
76. Gerwert K, Kötting C. Fourier Transform Infrared (FTIR) Spectroscopy. *Encycl*

LIFE Sci. Published online 2010:1-8.
doi:10.1002/9780470015902.a0003112.pub2

77. Setiabudi A, Hardian R, Muzakir A. *Karakterisasi Material: Prinsip Dan Aplikasinya Dalam Penelitian Kimia*. Vol 1. UPI Press; 2012.
78. Alyamani A, M. O. FE-SEM Characterization of Some Nanomaterial. *Scan Electron Microsc.* 2012;(1). doi:10.5772/34361
79. Kim YJ, Park CR. Principle of Field Emission-Scanning Electron Microscopy (FE-SEM) and its Application to the Analysis of Carbon Nanostructures. *Carbon Sci.* 2001;2(3):202-211.
80. Mayeen A, Shaji LK, Nair AK, Kalarikkal N. *Morphological Characterization of Nanomaterials*. Elsevier Ltd.; 2018. doi:10.1016/B978-0-08-101973-3.00012-2
81. Wellia DV. Green Preparation of Visible Light Active Titanium Dioxide Films of Visible Light Active Titanium. Published online 2012. doi:10.32657/10356/50674
82. Sing KSW, Everett DH, Haul RAW, et al. Reporting Physisorption Data For Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity. In: *International Union of Pure and Applied Chemistry*. Vol 57. ; 1985:603-619.
83. Day R., Underwood AL. *Analisis Kimia Kualitatif*. Edisi keli. Erlangga; 1995.
84. Perwira G, Desita R, Rizky IP, Fajrudin A, Pujiastuti A. Analisis Luas Permukaan Arang Aktif dengan Menggunakan Metode BET (SAA). *Univ Negeri Semarang*. Published online 2014:1-9.
85. Jones E, Michael S, Sittampalam GS. *Basics of Assay Equipment and Instrumentation for High Throughput Screening*. Assay Guid Man; 2016. <http://www.ncbi.nlm.nih.gov/pubmed/22553880>
86. Barkul RP, Koli VB, Shewale VB, Patil MK, Delekar SD. Visible active nanocrystalline N-doped anatase TiO₂ particles for photocatalytic mineralization studies. *Mater Chem Phys.* 2016;173:42-51. doi:10.1016/j.matchemphys.2016.01.035
87. Fatimah S dan Y. Pengaruh Konsentrasi Pelarut untuk Menentukan Paduan U-Zr dengan Menggunakan Metode Spektrofotometri Uv-Vis. *Pus Teknol Bahan Nukl.* 2016;9(17):22-33.
88. Low W, Boonamnuayvitaya V. A study of photocatalytic graphene-TiO₂ synthesis via peroxo titanate acid refluxed sol. *Mater Res Bull.* 2013;48(8):2809-2816. doi:10.1016/j.materresbull.2013.04.020
89. Rahim dan Mourisa. Uji Daya Hambat Ekstrak Kulit Lidah Buaya (Aloe Barbadensis Miller) Terhadap Bakteri E.coli. *J Ilm Maksitek.* 2020;5(9):1689-1699.
90. Astuti A, Ningsi S. Sintesis Dan Karakterisasi Nanopartikel Titanium Dioksida (TiO₂) Menggunakan Metode Sonokimia. *J Ilmu Fis | Univ Andalas.* 2017;9(1):26-32. doi:10.25077/jif.9.1.26-32.2017
91. Goutam SP, Saxena G, Singh V, Yadav AK, Bharagava RN, Thapa KB. Green synthesis of TiO₂ nanoparticles using leaf extract of *Jatropha curcas* L. for photocatalytic degradation of tannery wastewater. *Chem Eng J.* 2018;336:386-396. doi:10.1016/j.cej.2017.12.029
92. Kao LH, Hsu TC, Cheng KK. Novel synthesis of high-surface-area ordered

- mesoporous TiO₂ with anatase framework for photocatalytic applications. *J Colloid Interface Sci.* 2010;341(2):359-365. doi:10.1016/j.jcis.2009.09.058
93. Qu Y, Wang W, Jing L, et al. Surface modification of nanocrystalline anatase with CTAB in the acidic condition and its effects on photocatalytic activity and preferential growth of TiO₂. *Appl Surf Sci.* 2010; 257(1):151-156. doi:10.1016/j.apsusc.2010.06.054
 94. Bao Y, Wang T, Kang Q, Shi C, Ma J. Micelle-template synthesis of hollow silica spheres for improving water vapor permeability of waterborne polyurethane membrane. *Sci Rep.* 2017;7(December 2016):1-14. doi:10.1038/srep46638
 95. Kalantari K, Kalbasi M, Sohrabi M, Royaei SJ. Synthesis and characterization of N-doped TiO₂ nanoparticles and their application in photocatalytic oxidation of dibenzothiophene under visible light. *Ceram Int.* 2016;42(13):14834-14842. doi:10.1016/j.ceramint.2016.06.117
 96. Gazulla MF, Rodrigo M, Blasco E, Orduña M. Nitrogen determination by SEM-EDS and elemental analysis. *X-Ray Spectrom.* 2013;42(5):394-401. doi:10.1002/xrs.2490
 97. Thacker M, Chen YN, Lin CP, Lin FH. Nitrogen-doped titanium dioxide mixed with calcium peroxide and methylcellulose for dental bleaching under visible light activation. *Int J Mol Sci.* 2021;22(7). doi:10.3390/ijms22073759
 98. Zhang X, Zhou G, Xu J, Bai G, Wang L. Synthesis and photocatalytic activity of co-doped mesoporous TiO₂ on Brij98/CTAB composite surfactant template. *J Solid State Chem.* 2010;183(6):1394-1399. doi:10.1016/j.jssc.2010.04.016
 99. Jin J, Chen S, Wang J, Chen C, Peng T. One-pot hydrothermal preparation of PbO-decorated brookite/anatase TiO₂ composites with remarkably enhanced CO₂ photoreduction activity. *Appl Catal B Environ.* 2020;263:118353. doi:10.1016/j.apcatb.2019.118353
 100. Cao Y, Li X, Bian Z, Fuhr A, Zhang D, Zhu J. Highly photocatalytic activity of brookite/rutile TiO₂ nanocrystals with semi-embedded structure. *Appl Catal B Environ.* 2016;180:551-558. doi:10.1016/j.apcatb.2015.07.003
 101. Andrieux J, Gardiola B, Dezellus O. Synthesis of Ti matrix composites reinforced with TiC particles: in situ synchrotron X-ray diffraction and modeling. *J Mater Sci.* 2018;53(13):9533-9544. doi:10.1007/s10853-018-2258-8
 102. Wendari TP, Arief S, Mufti N, et al. Structure-property relationships in the lanthanide-substituted PbBi₂Nb₂O₉ Aurivillius phase synthesized by the molten salt method. *J Alloys Compd.* 2021;860:158440. doi:10.1016/j.jallcom.2020.158440
 103. Kusumawardani C. Titanium Dioksida Terdoping Nitrogen : Kajian Tentang Sintesis, Karakteristik dan Aplikasinya. *Pros Semin Nas Penelitian, Pendidik dan Penerapan MIPA, Fak MIPA, Univ Negeri Yogyakarta.* Published online 2009:124-133. <http://eprints.uny.ac.id/12356/1/14>. Kim Cahyorini%28124 - 133%29.pdf.
 104. Dong Y, Zhao Y, Chen Y, et al. Graphdiyne-hybridized N-doped TiO₂ nanosheets for enhanced visible light photocatalytic activity. *J Mater Sci.* 2018;53(12):8921-8932. doi:10.1007/s10853-018-2210-y
 105. Du J, Zhao G, Shi Y, et al. A facile method for synthesis of N-doped TiO₂ nanooctahedra, nanoparticles, and nanospheres and enhanced photocatalytic activity. *Appl Surf Sci.* 2013;273:278-286. doi:10.1016/j.apsusc.2013.02.032

106. Sari RN, Nurhasni N, Yaqin MA. Green Synthesis Nanoparticle ZnO Sargassum sp. Extract and The Products Characteristic. *J Pengolah Has Perikan Indones*. 2017;20(2):238. doi:10.17844/jphpi.v20i2.17905
107. Cheng X, Yu X, Xing Z. Characterization and mechanism analysis of N doped TiO₂ with visible light response and its enhanced visible activity. *Appl Surf Sci*. 2012;258(7):3244-3248. doi:10.1016/j.apsusc.2011.11.072
108. Rasheed RT. Preparation and Characterization of TiO₂ Nanostructure by TiCl₄ Hydrolysis with Additive NaOH. *Al-Mustansiriyah J Sci*. 2018;28(2):100-107. doi:10.23851/mjs.v28i2.506
109. Nolan NT, Synnott DW, Seery MK, Hinder SJ, Van Wassenhoven A, Pillai SC. Effect of N-doping on the photocatalytic activity of sol-gel TiO₂. *J Hazard Mater*. 2012;211-212:88-94. doi:10.1016/j.jhazmat.2011.08.074
110. Dipowardani BT, Sriatun S, Taslimah T. Sintesis Silika Kristalin Menggunakan Surfaktan Cetiltrimetilamonium Bromida (CTAB) dan Trimetilamonium Klorida (TMACl) sebagai Pencetak Pori. *J Kim Sains dan Apl*. 2008;11(1):20-28. doi:10.14710/jksa.11.1.20-28
111. Fatimah S, Haris A. Pengaruh Dopan Zink Oksida pada TiO₂ terhadap Penurunan Kadar Limbah Fenol dan Cr(VI) secara Simultan dengan Metode Fotokatalisis. *J Kim Sains dan Apl*. 2014;17(3):86-89. doi:10.14710/jksa.17.3.86-89
112. Shofiyullah M, Udaibah W, Fitriani IN. Studi Density Functional Theory (DFT) Pengaruh Co-doping Zn dan N pada TiO₂ Anatase. *Walisongo J Chem*. 2020;3(2):92. doi:10.21580/wjc.v3i2.6593
113. Illahi AN, Rouf UA, Maulidianingtyas H, Hastuti E, Prasetyo A, Istighfarini VN. Sintesis dan Karakterisasi Material Fotokatalis Heterojunction Bi₄Ti₃O₁₂/SrTiO₃ dengan metode sonikasi. *J Kim Ris*. 2020;5(1):36. doi:10.20473/jkr.v5i1.20196
114. Xu QC, Wellia D V., Ng YH, Amal R, Tan TTY. Synthesis of porous and visible-light absorbing Bi₂WO₆/TiO₂ heterojunction films with improved photoelectrochemical and photocatalytic performances. *J Phys Chem C*. 2011;115(15):7419-7428. doi:10.1021/jp1090137
115. Sintesis Material Heterojunction Bi₄Ti₃O₁₂/TiO₂ dengan Metode Sonikasi. Published online 2019.
116. Tio FK, Purnawan C, Ayuningtyas AK, Kimia J, Matematika F, Alam P. Reduksi Logam Berat Chromium (VI) Fotokatalis Komposit TiO₂-SiO₂. 2013;13(2):257-264.