

DAFTAR PUSTAKA

1. Kolasinski SL, Neogi T, Hochberg MC, Oatis C, Guyatt G, Block J, et al. 2019 American college of rheumatology/arthritis foundation guideline for the management of osteoarthritis of the hand, hip, and knee. *Arthritis Care Res (Hoboken)*. 2020;72(2):149–62.
2. Bortoluzzi A, Furini F, Scirè CA. Osteoarthritis and its management - Epidemiology, nutritional aspects and environmental factors. *Autoimmun Rev*. 2018;17(11):1097–104.
3. Jeffries MA. Osteoarthritis. In : Efthimiou P, Editor. *Absolute Rheumatology Review*. New York: Springer; 2020. page 51–75.
4. Soeroso J, Isbagio H, Kalim H, Broto R, Pramudiyo R. Osteoarthritis. Dalam: Setiati S, Alwi I, Sudoyo AW, Syam AF, ed. *Buku Ajar Ilmu Penyakit Dalam Jilid III Edisi VI*. Jakarta, Indonesia: Penerbit FKUI Pusat. 2015:3197–209.
5. Kementrian Kesehatan RI. Laporan Nasional RISKESDAS 2018. Lembaga Penerbit Balitbangkes. 2019.
6. Vitaloni M, Bemden AB, Contreras RM, Scotton D, Bibas M, Quintero M, et al. Global management of patient with knee osteoarthritis begins with quality of life assessment: a systematic review. *BMC Musculoskeletal Disord*. 2019;20(1):493.
7. Cui A, Li H, Wang D, Zhong J, Chen Y, Lu H. Global, regional prevalence, incidence and risk factors of knee osteoarthritis in population-based studies. *EClinicalMedicine*. 2020;29–30:100587. Doi: 10.1016/j.eclim.2020.100587.
8. Pozgan U, Caglic D, Nagase H, Turk V, Turk B. Expression and activity profiling of selected cysteine cathepsins and matrix metalloproteinases in synovial fluids from patients with rheumatoid arthritis and osteoarthritis. *Biol Chem*. 2010;391(5):571–9.
9. Robinson WH, Lepus CM, Wang Q, Raghu H, Mao R, Lindstrom TM, et al. Low-derajat inflammation as a key mediator of the pathogenesis of osteoarthritis. *Nat Rev Rheumatol*. 2016;12(10):580–92.

10. Kapoor M, Pelletier JM, Lajeunesse D, Pelletier JP, Fahmi H. Role of proinflammatory cytokines in the pathophysiology of osteoarthritis. *Nat Rev Rheumatol*. 2011;7(1):33–42.
11. Chen Y, Jiang W, Yong H, He M, Yang Y, Deng Z, et al. Macrophages in osteoarthritis: pathophysiology and therapeutics. *Am J Transl Res*. 2020;12(1):261–8.
12. Lv Z, Yang YX, Li J, Fei Y, Guo H, Sun Z, et al. Molecular classification of knee osteoarthritis. *Front Cell Dev Biol*. 2021;9:725568.
13. Attur M, Krasnokutsky S, Zhou H, Samuels J, Chang G, Bencardino J, et al. The combination of an inflammatory peripheral blood gene expression and imaging biomarkers enhance prediction of radiographic progression in knee osteoarthritis. *Arthritis Res Ther*. 2020;22(1):208.
14. Jenei-Lanzl Z, Meurer A, Zaucke F. Interleukin-1 β signaling in osteoarthritis-chondrocytes in focus. *Cell Signal*. 2019;53:212–23.
15. Wojdasiewicz P, Poniatowski LA, Szukiewicz D. The role of inflammatory and antiinflammatory cytokines in the pathogenesis of osteoarthritis. *Mediators Inflamm*. 2014;2014:561459.
16. Goldring MB. The role of cytokines as inflammatory mediators in osteoarthritis: lesson from animal models. *Connect Tissue Res*. 1999;40(1):1–11.
17. Stannus OP, Jones G, Blizzard L. Association between serum levels of inflammatory markers and change in knee pain over 5 years in older adults: a prospective cohort study. *Ann Rheum Dis*. 2013;72:535–40.
18. Galvez I, Torres PS, Hinchado MD. Immune-neuroendocrine dysregulation in patients with osteoarthritis: a revision and pilot study. *Endocr Metab Immune Disord Drug Targets*. 2017;17(1):76–85.
19. Kohn MD, Sasson AA, Fernando ND. Classification in brief: Kellgren-Lawrence classification of osteoarthritis. *Clin Orthop Relat Res*. 2016;474(8):1886–93.
20. Gao K, Zhu W, Li H, Ma D, Liu W, Yu W, et al. Association between cytokines and exosomes in synovial fluid of individuals with knee osteoarthritis. *Mod Rheumatol*. 2020;30(4):758–64.

21. Sugiyanto S, Fatimah F, Budi WS, Suwondo A, Suyanto H. Comparison of joint width determinations in derajat I and II knee osteoarthritis patients using manual and automatic measurements. *J Biomed Phys Eng.* 2020;11(5):631–20.
22. Spitaels D, Mamouris P, Vaes B, Smeets M, Luyten F, Hermens R, et al. Epidemiology of knee osteoarthritis in general practice: a registry-based study. *BMJ Open.* 2020;10(1):e031734.
23. Johnson VL, Hunter DJ. The epidemiology of osteoarthritis. *Best Pract Res Clin Rheumatol.* 2014;28(1):5–15.
24. Loeser RF, Goldring SR, Scanzello CR, Goldring MB. Osteoarthritis: a disease of the joint as an organ. *Arthritis Rheum.* 2012;64(6):1697–707.
25. Schiphof D, Boers M, Zeinstra SM. Differences in descriptions of kellgren and lawrence derajats of knee osteoarthritis. *Ann Rheum Dis.* 2008;67(7):1034–6.
26. Felson DT. Osteoarthritis. In: Fauci AS. *Harrison's Rheumatology.* US:Mc graw hill; 2017.page 234
27. Wu CL, Harasymowicz NS, Klimak MA, Collins KH. The role of macrophages in osteoarthritis and cartilage repair. *Osteoarthritis Cartilage.* 2020;28(5):544–54.
28. Monemdjou R, Fahmi H, Kapoor M. Synovium in the pathophysiology of osteoarthritis. *Therapy.* 2010;7(6):661–8.
29. Primorac D, Molnar V, Rod E, Jelec Z, Cukelj F, Maticic V, et al. Knee osteoarthritis: a review of pathogenesis and state-of-the-art non-operative therapeutic considerations. *Genes (Basel).* 2020;11(854):1–35.
30. Yuan GH, Masuko-Hongo K, Kato T, Nishioka K. Immunologic intervention in the pathogenesis of osteoarthritis. *Arthritis Rheum.* 2003;48(3):602–11.
31. Ansari MY, Ahmad N, Haqqi TM. Oxidative stress and inflammation in osteoarthritis pathogenesis: role of polyphenols. *Biomed Pharmacother.* 2020;129:110452.

32. Houard X, Goldring M, Berenbaum F. Homeostatic mechanisms in articular cartilage and role of inflammation in osteoarthritis. *Curr Rheumatol Rep.* 2013;15(11):375.
33. Rahmati M, Mobasher A, Mozafari M. Inflammatory mediators in osteoarthritis: a critical review of the state-of-the art, prospect, and future challenges. *Bone.* 2016;85:81–90.
34. Fahy N, Farrell E, Ritter T, Ryan AE, Murphy JM. Immune modulation to improve tissue engineering outcomes for cartilage repair in the osteoarthritic joint. *Tissue Eng Part B Rev.* 2015;21(1):55–66.
35. Chow YY, Chin KY. The role of inflammation in the pathogenesis of osteoarthritis. *Mediators Inflamm.* 2020;2020:1–19.
36. Lopes EB, Filiberti A, Husain SA, Humphrey MB. Immune contributions to osteoarthritis. *Curr Osteoporos Rep.* 2017;15(6):593–600.
37. Raghu H, Lepus CM, Wang Q, Wong HH, Lingampalli N, Oliviero F, et al. CCL2/CCR2, but not CCL5/CCR5, mediates monocyte recruitment, inflammation and cartilage destruction in osteoarthritis. *Ann Rheum Dis.* 2017;76(5):914–22.
38. Snelling SJ, Bas S, Puskas GJ. Presence of IL17 in synovial fluid identifies a potential inflammatory osteoarthritic phenotype. *PloS One.* 2017;12(4):e0175109.
39. Sokolove J, Lepus CM. Role of inflammation in the pathogenesis of osteoarthritis: latest findings and interpretations. *Ther Adv Musculoskelet Dis.* 2013;5(2):77–94.
40. Martel-Pelletier J, Pelletier J, Fahmi H. Cyclooxygenase-2 and prostaglandins in articular tissues. *Semin Arthritis Rheum.* 2003;33(3):155–67.
41. Mabey T, Honsawek S. Cytokines as biochemical markers for knee osteoarthritis. *World J Orthop.* 2015;6(1):95–105.
42. Kim JR, Yoo JJ, Kim HA. Therapeutics in osteoarthritis based on an understanding of its molecular pathogenesis. *Int J Mol Sci.* 2018;19(3):674.

43. Penninx BW, Abbas H, Ambrosius W, Nicklas BJ, Davis C, Messier SP, et al. Inflammatory markers and physical function among older adults with knee osteoarthritis. *J Rheumatol*. 2004;31(10):2027–31.
44. Min S, Wang C, Lu W, Xu Z, Shi D, Chen D. Serum levels of the bone turnover markers dickkopf-1, osteoprotegerin, and TNF- α in knee osteoarthritis patients. *Clin Rheumatol*. 2017;36(10):2351–58.
45. Ni S, Miao K, Zhou X, Xu N, Li C, Zhu R, et al. The involvement of follistatin-like protein 1 in osteoarthritis by elevating NF- κ B-mediated inflammatory cytokines and enhancing fibroblast-like synoviocyte proliferation. *Arthritis Res Ther*. 2015;17(1):91.
46. Florian AM. IL-1 and its role in osteoarthritis. *Open J Med*. 2011;1(13):1–6.
47. Schett G, Dayer JM, Manger B. Interleukin-1 function and role in rheumatic disease. *Nat Rev Rheumatol*. 2016;12(1):14–24.
48. Cavalli G, Dinarello CA. Treating rheumatological diseases and comorbidities with interleukin-1 blocking therapies. *Rheumatology (Oxford)*. 2015;54(12):2134–44.
49. Chen CJ. Identification of a key pathway required for the sterile inflammatory response triggered by dying cells. *Nat Med*. 2007;13(7):851–6.
50. De Isla NG, Stoltz JF. In vitro inhibition of IL-1 β catabolic effects on cartilage: A mechanism involved on diacerein anti-OA properties. *Biorheology*. 2008;45(3–4):433–8.
51. Ning L, Ishijima M, Kaneko H, Kurihara H, Arikawa-Hirasawa E, Kubota M, et al. Correlation between both the expression levels of inflammatory mediators and growth factor in medial perimeniscal synovial tissue and the severity of medial knee osteoarthritis. *Int Orthop*. 2011;35(6):831–8.
52. Attur M, Stanikov A, Samuels J, Li Z, Alekseyenko AV, Greenberg JD, et al. Plasma levels of interleukin-1 receptor antagonist (IL-1Ra) predict radiographic progression of symptomatic knee osteoarthritis. *Osteoarthritis Cartilage*. 2015;23(11):1915–24.

53. Beatti KA, Duryea J, Pui M, O'Neill J, Boulos P, Webber CE. Minimum joint space width and tibial cartilage morphology in the knees of healthy individuals: A cross-sectional study. *BMC Musculoskelet Disord.* 2008;9:119.
54. Hassan MH, Elsadek A, Mahmoud MA, Elsadek B. Vitamin D receptor gene polymorphisms and risk of knee osteoarthritis: possible correlations with TNF- α , macrophage migration inhibitory factor, and 25-hydroxycholecalciferol status. *Biochem Genet.* 2022;60(2):611–28.
55. Kadijani AA, Bagherifard A, Mohammadi F, Akbari A, Zandrahimi F, Mirzaei A. Association of serum vitamin D with serum cytokine profile in patients with knee osteoarthritis. *Cartilage.* 2021;13:1610–8.
56. Hamood R, Tirosh M, Fallach N, Chodick G, Eisenberg E, Lubovsky O. Prevalence and incidence of osteoarthritis: a population-based retrospective cohort study. *J Clin Med.* 2021;10(18):4282.
57. Nguyen VN, Huynh QT, Dang TL, Nguyen VT, Le H, Nguyen NC. The relationship between some serum and synovial fluid cytokines and pain level at the early stage of knee osteoarthritis. *Nat Volatiles & Essent Oils.* 2021;8(4):11121–34.
58. Liu C, Gao G, Qin X, Deng C, Shen X. Correlation analysis of C-terminal telopeptide of collagen type II and interleukin-1 β for early diagnosis of knee osteoarthritis. *Orthop Surg.* 2020;12(1):286–94.
59. Muraki S, Akune T, En-yo Y, Yoshida M, Suzuki T, Yoshida H, et al. Joint space narrowing, body mass index, and knee pain: the ROAD study (OAC1839R1). *Osteoarthritis Cartilage.* 2015;23(6):874–81.
60. Garcia-Manrique M, Calvet J, Orellana C, Berenguer-Llergo A, Garcia-Cirera S, Llop M, et al. Synovial fluid but not plasma interleukin-8 is associated with clinical severity and inflammatory markers in knee osteoarthritis women with joint effusion. *Sci Rep.* 2021;11(1):5258.
61. Herikurniawan H, Isbagio H, Soewondo P, Diana N, Setiati S. The correlation between body fat distribution and medial tibiofemoral joint space width in obese knee osteoarthritis patients. *Indonesia Journal of Rheumatology.* 2017;9(1):9–12.

62. Kim MS, Koh IJ, Choi KY, Kim BS, In Y. Changes in joint space width over time and risk factors for deterioration of joint space width after medial opening-wedge high tibial osteotomy. *Arch Orthop Trauma Surg.* 2021. doi: 10.1007/s00402-021-03876-2.
63. Rankothgedera S, Atukorala I, Fernando C, Munidasa D, Wijayaratne L, Udagama P. A potential diagnostic serum immunological marker panel to differentiate between primary and secondary knee osteoarthritis. *PLoS One.* 2021;16(9):e0257507.
64. Bastick A, Belo J, Runhaar J, Bierma-Zeinstra S. What are the prognostic factors for radiographic progression of knee osteoarthritis? A meta-analysis. *Clin Orthop Relat Res.* 2015;473(9):2969–89.
65. Choi MC, Jo J, Park J, Kang HK, Park Y. NF- κ B signaling pathways in osteoarthritic cartilage destruction. *Cells.* 2019;8(7):734.
66. Stannus O, Jones G, Cicuttini F, Parameswaran V, Quinn S, Burgess J, et al. Circulating levels of IL-6 and TNF- α are associated with knee radiographic osteoarthritis and knee cartilage loss in older adults. *Osteoarthritis Cartilage.* 2010;18(11):1441–7.
67. Molnar V, Maticic V, Kodvanj I, Bjelica R, Jelec Z, Hudetz D, et al. Cytokines and chemokines involved in osteoarthritis pathogenesis. *Int J Mol Sci.* 2021;22:9208.