

DAFTAR PUSTAKA

- [1] Chegdani,F., S. Mezghani, M. El Mansori, And A. Mkaddem., 2015 “Fiber Type Effect On Tribological Behavior When Cutting Natural Fiber Reinforced Plastics,”*Wear*,Vol. 332–333, Pp. 772–779.,Doi: 10.1016 / J.Wear .2014.12.039.
- [2] Daniel.,C.,F.Caulfiel.,2005“Wood Thermoplastic Composites Chapter13”.
- [3] Barbero,E.J.,1999“*Introduction To Composite Materials Design*, “ Taylor And Francis, New York,. Pp 2..
- [4] To.,I. Barbero, E.J.,2017, “*Introduction To Composite Materials Design*”, Third Edition. Boca Raton, Taylor & Francis, Crc Press, 2017, Pp 3..
- [5] Joshi.,S.V.,L.T. Drzal,A.,K.Mohanty, And S.Arora,“S.V.Joshi,L.T. Drzal, A. K. Mohanty, Dan S. Arora,. 2014. ‘Are Natural Fiber Composites Environmentally Superior To Glass Fiber Reinforced Composites? Compos. Part, A Appl. Sci Manuf,Vol.35,No.3,Hal.371376,2004, ”Vol.35,No.3, Pp. 371–376,Doi:10.1016/J.Compositesa .2003.09.016.
- [6] Ticoalu.,A T. Aravinthan, And F. Cardona, “A. Ticoalu, T. Aravinthan, Dan F. Cardona.,2010. ‘A Review Of Current Development In Natural Fiber Composites For Structural And Infrastructure Applications,’ South. Reg. Eng. Conf., No. November, Hal. 1–5, 2010.],” No. November, Pp. 113–117.
- [7] Ayensu,A.yensu.,2000‘Interfacial Debonding Of Natural-Fibre,’ Water,.
- [8] Verma,D.P.C.Gope,A.Shandilya,A. Gupta, And M. K. Maheshwari.,2013 “Coir Fibre Reinforcement And Application In Polymer Composites:A Review,” *J. Mater. Environ. Sci.*, Vol. 4, No. 2, Pp. 263–276.
- [9] Wong,J.,2017.“Processing Of High Performance Thermoplastic Composites What Are We Learning About This Week,No.March,Pp.1-41.
- [10] Lotfi,A. H. Li, D. V. Dao, And G. Prusty., 2019 “Natural Fiber–Reinforced Composites: A Review On Material, Manufacturing, And Machinability,”*J. Thermoplast. Compos. Mater.* Doi:10.1177/0892705719844546.
- [11] Faruk, O. A. K. Bledzki, H. P. Fink, And M. Sain., 2014. “Progress Report

- On Natural Fiber Reinforced Composites,” *Macromol. Mater. Eng.*, Vol. 299, No. 1, Pp. 9–26, Doi: 10.1002/Mame.201300008.
- [12] Limited,W.P., *Tsao Cc.*, 2012. *Drilling Processes For Composites*, In: *Hocheng H (Eds). Machining Technology For Composite Materials: Principles And Practices. Woodhead Publishing Limited, Philadelphia, Us. Pp 17-60.*
- [13] Ismail, S.O., H. N. Dhakal, E. Dimla, J. Beaugrand, And I. Popov, 2016. “Effects Of Drilling Parameters And Aspect Ratios On Delamination And Surface Roughness Of Lignocellulosic Hfrp Composite Laminates,” *J. Appl. Polym. Sci.*, Vol. 133, No. 7, Pp. 1–8, Doi: 10.1002/App.42879.
- [14] Aravindh,S. And K. Umanath.,2015. “Delamination In Drilling Of Natural Fibre Reinforced Polymer Composites Produced By Compression Moulding,” *Appl. Mech. Mater.*, Vol. 766–767, Pp. 796–800, Doi: 10.4028/Www.Scientific.Net/Amm.766-767.796.
- [15] Vinayagamoorthy,R. N. Rajeswari, And S. Karthikeyan.,2015. “Investigations Of Damages During Drilling Of Natural Sandwich Composites,” *Appl. Mech. Mater.*, Vol. 766–767, Pp. 812–817, Doi: 10.4028/Www.Scientific.Net/Amm.766-767.812.
- [16] Brinksmeier,E., S. Fangmann, And R. Rentsch.,2011. “Drilling Of Composites And Resulting Surface Integrity,” *Cirp Ann. - Manuf. Technol.*, Vol. 60, No. 1, Pp. 57–60, Doi: 10.1016/J.Cirp 03.077.
- [17] Bajpai P. K. And I. Singh, “Drilling Behavior Of Sisal Fiber-Reinforced Polypropylene Composite Laminates,” *J. Reinf. Plast. Compos.*, Vol. 32, No. 20, Pp. 1569–1576, 2013, Doi: 10.1177/0731684413492866.
- [18] Nassar,M. A., R. Arunachalam, And K. I. Alzebdeh.,2017. “Machinability Of Natural Fiber Reinforced Composites: A Review,” *Int. J. Adv. Manuf. Technol.*, Vol. 88, No. 9–12, Pp. 2985–3004, Doi: 10.1007/S00170-016-9010-9.
- [19] Zitoune,R. V. Krishnaraj, And F. Collombet.,2010. “Study Of Drilling Of Composite Material And Aluminium Stack,” *Compos. Struct.*, Vol. 92, No. 5, Pp. 1246–1255, Doi: 10.1016/J.Compstruct.2009.10.010.
- [20] William,J. D. Callister.,2012 “*Materials Science And Engineering An*

Introduction, '2012, ' Materials Sci. An Eng. An Introd.

- [21] Schwartz, M., 1984. *Handbook Composite Materials Handbook Volume 1., ' Polymer Matrix Composites Guidelines For Characterization*, Vol. 1, No. June. 1984.
- [22] Asim M. *Et Al.*, "A Review On Pineapple Leaves Fibre And Its Composites," Vol. 2015, Pp. 1–16, 2015.
- [23] Gibson, R. F., 1994. *"Principles Of Composite Material Mechanics" Dep. Mech. Eng.*
- [24] Sefadi J. S. And A. S. Luyt, "Morphology And Properties Of Eva / Empty Fruit Bunch Composites," No. November, 2012, Doi: 10.1177/ 08927057 11421806.
- [25] Menargues S. And J. C. Garcí, "Oxidative Degradation Of Eva Copolymers In The Presence Of Mcm-41," Vol. 76, Pp. 138–143, 2006, Doi: 10.1016/J.Jaap.2005.10.004.
- [26] Watson, M. D. And K. B. Wagener, 2000 "Ethylene/Vinyl Acetate Copolymers Via Acyclic Diene Metathesis Polymerization Examining The Effect Of ' Long' Precise Ethylene Run Lengths," Vol. 33, Pp. 5411–5417, .
- [27] Sung, Y. T. C. K. Kum, H. S. Lee, J. S. Kim, H. G. Yoon, And W. N. Kim, 2005 "Effects Of Crystallinity And Crosslinking On The Thermal And Rheological Properties Of Ethylene Vinyl Acetate Copolymer," Vol. 46, Pp. 11844–11848, , Doi: 10.1016/J.Polymer.2005.09.080.
- [28] Hartono, Mochammad Rifai, "Pengenalan Teknik Komposit.," 2016.
- [29] Alsaeed, T. B. F. Yousif, And H. Ku, 2013 "A Review On The Mechanical Properties And Machinability Of Natural Fibre Reinforced Composites," Vol. 3, No. 2, Pp. 152–182.
- [30] Rowell, R. M. 2008. *"Natural Fibres: Types And Properties," Prop. Perform. Nat Compos., Pp. 3-66.*
- [31] Raman Bharath, V. R. B. Vijaya Ramnath, And N. Manoharan, 2015. "Kenaf Fibre Reinforced Composites: A Review," *Arpn J. Eng. Appl. Sci.*, Vol. 10, No. 13, Pp. 5483–5485,
- [32] Holbery J. And D. Houston, 2006 "Natural-Fiber-Reinforced Polymer Composites In Automotive Applications," *Jom*, Vol. 58, No. 11, Pp. 80–86,

, Doi: 10.1007/S11837-006-0234-2.

- [33] Doraiswamy Et Al, "Pineapple Leaf Fibres, Textile Progress," *Text. Prog. Vol. 24 Number 1, Text. Inst.*, Vol. 24, 1993.
- [34] Wijono, C. Purnomo, And A. Nurhidayat, "Optimasi Kekuatan Tarik Serat Nanas (Ananas Comous L. Merr) Sebagai Alternatif Bahan Komposit Serat Alam," *Pros. Semin. Nas. Sains Dan Teknol. Ke-2 Tahun 2011*, No. 2009, Pp. 153–158, 2011.
- [35] Technological,J., 1982. "A Review Of Processing Technology For The Utilisation Of Agro-Waste Fibres," *Agric. Wastes*, Vol. 4, Pp. 461–475.
- [36] Gardetti,M. A., 2016. "Pineapple Leaf Fibre—A Sustainable Luxury And Industrial Textiles," Vol. 2.
- [37] Kengkhetkit,N. And T. Wongpreedee., 2018. "Pineapple Leaf Fiber : From Waste To High-Performance Green Reinforcement For Plastics And Rubbers," .
- [38] Kumar, A Review On Mechanical Properties Of Natural Fiber Reinforced Hybrid Polymer Composites.,” Vol. 6, No. November 2016, 2016.
- [39] Corrêa, H. L.Rodrigues, R. V. And D. Dias, 2020 "Machining Process Of Glass-Fiber-Reinforced Polyamide 6 . 6 Composite : Pathways To Improve The Drilling Of Recycled Polymers Composite : Pathways To Improve The Drilling Of Recycled Polymers,".
- [40] Ozkan, D. M. S. Gok, H. Gokkaya, And A. C. Karaoglanli, 2019 "The Effect Of Cutting Parameters On Tool Wear During The Milling Of Carbon Fiber Reinforced Polymer (Cfrp) Composites," *Medziagotyra*, Vol. 25, No. 1, Pp. 42–46 , Doi: 10.5755/J01.Ms.25.1.19177.
- [41] Tsao, C., 2012. "Drilling Processes For Composites," *Mach. Technol. Compos. Mater.*, Pp. 17–64, Doi: 10.1533/9780857095145.1.17.
- [42] Hocheng,H.,2012."*Machining technology Forcomposite Materials: Principles And Practice.*
- [43] Teti, R., 2012 " *Machining Of Composite Materials. Cirp Annals.*
- [44] Uhlmann, E.F., Sammler, S. Richarz, G. Reucher, R. Hufschmied, And A. Frank., 2016.. "Machining Of Carbon And Glass Fibre Reinforced Composites," Vol. 46, Pp. 63–66, Doi: 10.1016/J.Procir.2016.03.197.

- [45] Altin Karataş., M And H. Gökkaya., 2018., “A Review On Machinability Of Carbon Fiber Reinforced Polymer (Cfrp) And Glass Fiber Reinforced Polymer (Gfrp) Composite Materials,” *Def. Technol.*, Vol. 14, No. 4, Pp. 318–326, Doi: 10.1016/J.Dt.2018.02.001.
- [46] Liu.,M. Y. Tang, And W. L. Cong., 2012. “A Review Of Mechanical Drilling For Composite Laminates,” *Compos. Struct.*, Vol. 94, No. 4, Pp. 1265–1279, Doi: 10.1016/J.Compstruct.2011.11.024.
- [47] Kishore Debnath.,I.S.,2018. "*Primary And Secondary Manufacturing Of Polymer Matrix Composites*".
- [48] Girof, F. Dau, And M. E. Gutiérrez-Orrantia, 2017 “New Analytical Model For Delamination Of Cfrp During Drilling,” *J. Mater. Process. Technol.*, Vol. 240, Pp. 332–343,, Doi: 10.1016/ J.Jmatprotec. 2016. 10. 007.
- [49] Nassar.,M.M.A.,Arunachalam,R.,And,K.I.Alzebdeh.,2017.“Machinability Of Natural Fiber Reinforced Composites : A Review,” Pp. 2985–2986, Doi: 10.1007/S00170-016-9010-9.
- [50] Krishnaraj V. *Et Al.*, 2012 “Composites :Part B Optimization Of Machining Parameters At High Speed Drilling Of Carbon Fiber Reinforced Plastic (Cfrp)Laminates,”Vol.43,Pp.1791–1799,Doi:10.1016/ J.Compositesb.
- [51] Sridharan V. And N. Muthukrishnan, 2013 “Optimization Of Machinability Of Polyester / Modified Jute Fabric Composite Using Grey Relational Analysis (Gra),” Vol. 64, Pp. 1003–1012, 2013, Doi: 10.1016/ J.Proeng. 09.177.
- [52] Print, I. Online, B. Dwi, And I. Hari, 2018. “Metal : Jurnal Sistem Mekanik Dan Termal Pengaruh Parameter Pemotongan Dan Variasi Susunan Serat Terhadap Terbentuknya Delaminasi Pada Proses Menggurdi Material Komposit Serat Nanas,” Vol. 01, Pp. 1–8.
- [53] Astika, I. M. 2012. “Analisa Delaminasi Pada Glass Fiber Reinforced Polymer Komposit Laminat Dengan Pembebanan Fatigue,” *Din. Tek. Mesin*, Vol. 2, No. 1, Pp. 7–14.
- [54] Astika And I. Sukadana, 2009. “Geometri Lubang Pada Glass Fiber Reinforced Polymer Laminat Dipengaruhi Oleh Parameter Proses Gurdi,” *J. Energi Dan Manufaktur*, Vol. 3, No. 1, Pp. 38–42.

- [55] Tsao,C.C. And H. Hocheng, 2004, “Taguchi Analysis Of Delamination Associated With Various Drill Bits In Drilling Of Composite Material,” Vol. 44, Pp. 1085–1090, Doi: 10.1016/J.Ijmachtools.
- [56] Maleki, H. R. Hamed, M. Kubouchi, And Y. Arao, 2018, “Experimental Study On Drilling Of Jute Fiber Reinforced Polymer Composites,” Doi: 10.1177/0021998318782376.
- [57] Debnath, K. I. Singh, And A. Dvivedi, 2014 “Drilling Characteristics Of Sisal Fiber-Reinforced Epoxy And Polypropylene Composites,” *Mater. Manuf. Process.*, Vol. 29, No. 11–12, Pp. 1401–1409, , Doi: 10.1080/10426914.2014.941870.
- [58] Abilash N. And M. Sivapragash, 2016 “Optimizing The Delamination Failure In Bamboo Fiber Reinforced Polyester Composite,” *J. King Saud Univ. - Eng. Sci.*, Vol. 28, No. 1, Pp. 92–102, , Doi: 10.1016/J.Jksues.
- [59] Ibrahim, G. A. J. Iskandar, A. Hamni, S. Maria, And P. Lestari, 2017. “Analisa Keausan Pahat Pada Pemesinan Bor Magnesium Az31 Menggunakan Metode Taguchi,” Vol. 8, No. September.
- [60] Ilham M. And A. Mufarrih, 2018. “Pengaruh Sudut Ujung Pahat Terhadap Delaminasi Pada Penggurdian Komposit Kfrp Effect Of Point Angle On Delamination In Drilling Of Kfrp Composite,” Vol. 8, No. 2.
- [61] Hocheng, H. And. Tsao, C. C 2003 “Comprehensive Analysis Of Delamination In Drilling Of Composite Materials With Various Drill Bits,” Vol. 140, Pp. 335–339, Doi: 10.1016/S0924-0136(03)00749-0.
- [62] Kurniawan I. *Et Al.*, 2019 “Pengaruh Parameter Menggurdi Bertahap Terhadap,” Vol. 9, No. 2, Pp. 245–254.
- [63] Ashik R. S. S. K. P. And R, 2015. “A Review On Mechanical Properties Of Natural Fiber Reinforced Hybrid Polymer Composites K.,’ *J. Reinf. Plast. Compos.*, Vol. 31, No. 11, Pp. 420–426.
- [64] Bartholomew, H. M., Paull, R.E., 2003. “The Pineapple: Botany, Production, And Uses,” *Pineapple Bot. Prod. Uses*, Hal. 121–130, 2003 “Pineapple Bot. Prod. Uses,” *Pineapple Bot. Prod. Uses*, Hal. 121–130. .
- [65] Jayabal S.And U. Natarajan, 2011 “Drilling Analysis Of Coir-Fibre-Reinforced Polyester Composites,” *Bull. Mater. Sci.*, Vol. 34, No. 7, Pp.

- 1563–1567, , Doi: 10.1007/S12034-011-0359-Y.
- [66] Watson M. D. And K. B. Wagener, 2000.“Ethylene / Vinyl Acetate Copolymers Via Acyclic Diene Metathesis Polymerization . Examining The Effect Of ‘ Long ’ Precise Ethylene Run Lengths,” Pp. 5411–5417,.
- [67] L. U. M. A. Devi, S. S. Bhagawan, And S. Thomas, 1996. “Mechanical Properties Of Pineapple Leaf Fiber-Reinforced,” Pp. 3–7, .
- [68] Nanthaya T. W. Kengkhetkit And And T. Amornsakchai, 2007 *Characterization And Properties Of Epoxidised Natural Rubber (Enr-50) / Ethylene Vinyl Acetate (Eva) Blends*, No. November..
- [69] Kumar, D. K. Singh, R. Zitoune, D. Kumar, K. K. Singh, And R. Zitoune, 2016“Experimental Investigation Of Delamination And Surface Roughness In The Drilling Of Gfrp Composite Material With Different Drills Experimental Investigation Of Delamination And Surface Roughness In The Drilling Of Gfrp Composite Material With Different Dr,” Vol. 0340, No. July, , Doi: 10.1080/20550340.2016.1187434.
- [70] Songlin S. A. And D. John, 2017 “An Approach To Evaluate Delamination Factor When Drilling Carbon Fiber-Reinforced Plastics Using Different Drill Geometries : Experiment And Finite Element Study,”Doi: 10.1007/S00170-017-0880-2.
- [71] Ibrahim, G. A. J. Iskandar, A. Hamni, S. Maria, And P. Lestari, 2017 “Analisa Keausan Pahat Pada Pemesinan Bor Magnesium Az31 Menggunakan Metode Taguchi,” Vol. 12, No. 1, Pp. 29–35.
- [72] Interpret All Statistics And Graphs For Moving Average. 2022. Tersedia Pada: <https://support.minitab.com/en-us/minitab/18/help-and-how-to/modeling-statistics/time-series/how-to/moving-average/interpret-the-results/all-statistics-and-graphs/#Mad.DiaksesP> Minitab 18, “No Title.” .
- [73] Velayudham A. And R. Krishnamurthy, 2006 “Effect Of Point Geometry And Their Influence On Thrust And Delamination In Drilling Of Polymeric Composites,” Vol. 185, Pp. 204–209, 2007, Doi: 10.1016/ J.Jmatprotec. .03.146.
- [74] Capello, E. 2004 “Workpiece Damping And Its Effect On Delamination

- Damage In Drilling Thin Composite Laminates,” Vol. 148, Pp. 186–195, ,
Doi: 10.1016/S0924-0136(03)00812-4.
- [75] Durão L. M. *Et Al.*, “Drilling Delamination Outcomes On Glass And Sisal Reinforced Plastics,” Pp. 1–6.
- [76] Chandramohan D, Marimuthu K,” *Drill. Nat. Fiberparticle Reinf. Polym. Compos.*, 2011.
- [77] Arhamnamazi, S. A. F. Aymerich, P. Buonadonna, And M. El Mehtedi, “Assessment Of Drilling-Induced Delamination And Tool Wear In Carbon Fibre Reinforced Laminates,” Pp. 1–12, 2021, Doi: 10.1177/ 0967391 121 102 3057.
- [78] Abdellaoui, H. M. Raji, H. Essabir, And P. Processing, 2019 “Mechanical Behavior Of Carbon/ Natural Fi Ber-Based Hybrid Composites 6,” Doi: 10.1016/B978-0-08-102292-4.00006-0.
- [79] Isbilir O. And E. Ghassemieh, 2012 “Delamination And Wear In Drilling Of Carbon-Fiber Reinforced Plastic Composites Using Multilayer Tialn / Tin Pvd-Coated Tungsten Carbide Tools,” Doi: 10.1177/ 07316844 124 44 653.
- [80] Dwivedi U. K. And N. Chand, 2009 “Influence Of Fibre Orientation On Friction And Sliding Wear Behaviour Of Jute Fibre Reinforced Polyester Composite,” Pp. 93–100, Doi: 10.1007/S10443-008-9079-X.
- [81] Santiuste C. And A. Di, 2017 “Experimental Analysis Of Drilling Induced Damage In Biocomposites,” Doi: 10.1177/0040517517725118.
- [82] Baghaei, B. M. Skrifvars, M. Salehi, T. Bashir, M. Rissanen, And P. Nousiainen, 2014 “Composites : Part A Novel Aligned Hemp Fibre Reinforcement For Structural Biocomposites : Porosity , Water Absorption , Mechanical Performances And Viscoelastic Behaviour,” *Compos. Part A*, Vol. 61, Pp. 1–12, , Doi: 10.1016/ J.Compositesa. 2014. 01.017.