

## DAFTAR PUSTAKA

- Abengmeneng, C. S., Ofori, D., Kumapley, P., Akromah, R., Jamnadass, R., Quain, M. 2016. Genetic relationship among 36 genotypes of *Ceiba pentandra* (L.) as revealed by RAPD and ISSR markers. *American Journal of Agriculture and Forestry* 4(4): 86-96.
- Agoes, A. 2010. *Tanaman Obat Indonesia*. Salemba Medika. Jakarta.
- Alfy, T. E., Sawi, S. E., Tawab, S. A. E., Moawad, D. 2012. Pharmacognistical study of *Chorisia insignis* HBK. frown in Egypt. *Bulletin of Faculty of Pharmacy, Cairo University* 50: 17-39.
- Alvarado, C. R. Alvarado, C. A., Mendoza, O. O. 2002. *Ceiba pentandra* (L.) Gaertn. In: *Vozzo JA (Ed.), Tropical Tree Seed Manual*. USDA, Forest Service Publication. Washington DC, United States 48: 394-396.
- Arsih, S., Fitrianto, N., Azizah, E., Herawati, W., Rochmatino. 2020. Anatomical profile and genetic variability of sweet potato (*Ipomoea batatas*) cultivars in Banyumas, Central Java, based on RAPD markers. *BIODIVERSITAS* 21(4): 1755-1766.
- Asra, R. Syamsuardi, Mansyurdin, Witono, J. R. 2014. The study of genetic diversity of *Daemonorops draco* (palmae) using ISSR markers. *BIODIVERSITAS* 15(2): 109-114.
- Badan Pusat Statistik. 2014a. Luas Areal Tanaman Perkebunan Rakyat Menurut Jenis Tanaman (Ribuan Hektar), 2012-2014.
- \_\_\_\_\_. 2014b. Produksi Perkebunan Rakyat Menurut Jenis Tanaman (Ribuan Ton), 2012-2014.
- \_\_\_\_\_. 2020. Produksi Tanaman Perkebunan Rakyat (Ton), 2020.
- Baker, H. G. 1965. The evolution of the cultivated kapok tree: a probable West African product. In: *Ecology and Economic Development in Africa*. Eds: Brokensha D. Institute of International Studies. University of California. Berkeley. California. 185-217.
- Berger, J. 1969. *Kapok: The World's Major Fibre Crops the Cultivation and Manuring*. 237-238.
- Berthier, K., N. Charbonnel, M. Galan, Y. Chaval, and J. F. Cosson. 2005. Genetic structure of the cyclic fossorial water vole (*Arvicola terrestris*): landscape and demographic influences. *Molecular Ecology* 14: 2861-2871.
- Bocanegra-Gonzalez, K. T., Thomas, E., Guillemin, M. L., de Carvalho, D., Gutierrez, J. P., Alcazar Caicedo, C., Gonzalez, M. A. 2018. Genetic diversity of *Ceiba*

*pentandra* in colombian seasonally dry tropical forest: implications for conservation and management. *Biological Conservation* 227: 29-37.

- Brondani, R. P. V., Gaiotto, F. A., Missiaggia, A. A., Kirst, M., Gribel, R., Grattapaglia, D. 2003. Microsatellite markers for *Ceiba pentandra* (Bombaceae), an endangered tree species of the amazon forest. *Mol. Ecol.* 3: 177-179.
- Bustaman, M. & Moeljopawiro, S. 1998. Utilization of DNA fingerprint technology in agriculture. *Zuriant* 9: 77-90.
- Cascante, A., M. Quesada, J. Lobo, and E. A. Fuchs. 2002. Effects of dry forest fragmentation on the reproductive success and genetic structure of the samanea saman. *Conserv. Biol.* 16: 137-147.
- Cena, C. G., G. E. Morgan, M. D. Malette, and D. D. Heath. 2006. Inbreeding, outbreeding, and enviromental effects on genetic diversity in 46 walleye (*Sander vitreus*) populations. *Molecular Ecology* 15: 303-320.
- Chacon, J. F. 1964. The characteristics of some forest species with a view to their use in the phosphorus industry. *Turrialba* 14(1): 38-39.
- Cheng, Z., Lu, B., Baldwin, B. S., Sameshima, K. and Chen, J. 2001. Comparative studies of genetic diversity in kenaf (*Hibiscus cannabinus* L.) varieties based on analysis of agronomic and RAPD data. *Hereditas* 136: 231-232.
- Chudnoff, M. 1984. Tropical timbers of the world. *Agric. Hndb.* 607. Washington, DC: U.S. Department of Agriculture, Forest Service. 464.
- Dalziel, J. M. 1937. *The Useful Plants of West Tropical Africa*. Crown Agents for Oversea Governments. London. 612.
- Dayarani, M. & Dhanarajan, M. S. 2014. Diversity and phylogenetic analysis of the genus *Musa*. *International Journal of ChemTech Research* 6(4): 2357-2762.
- Doyle, J. J. and Doyle, J. L. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin* 19: 11-15.
- Enechi, O. C., Peter, C., Ugwu, Okechukwu, P. C., Udeh, S. M. C., Omeh, Y. S. 2013. Evaluation of the nutritional potential of *Ceiba pentandra* leaves. *Mintage Journal of Pharmaceutical & Medical Sciences* 2(3): 25-27.
- Finkeldey, R. 2005. An Introduction to Tropical Forest Genetics: Molecular Basic the Gene as A Function Unit. Institute of Forest Genetics and Forest Tree Breeding. Germany.
- Frankham, R. 1996. Relationship of genetic variation to population size in wildlife. *Conserv. Biol.* 10: 1500-1508.
- Fuchs, E. J., J. A. Lobo, and M. Quesada. 2003. Effect of forest fragmentation and floweing phenology on the reproductive success and mating patterns on the

- tropical dry forest tree, *Pachira quinata* (Bombacaceae). *Conserv. Biol.* 17: 149-157.
- Furlan, E. J. Stoklosa, J. Griffith, N. Gust, R. Ellis, R. M., Huggins, and A. R. Weeks. 2011. Small population size and extremely low levels of genetic diversity in island populations of the platypus, *Ornithorhynchus anatinus*. *Ecology and Evolution*. 844-857.
- Gawali, A. 2014. Litterfall and carbon, nutrient returns in stands of *Ceiba pentandra* (L.) Gaertn. sub-humids tropics of Eastern India. *Int. J. For Crop Improv.* 5: 1-8.
- Gawali, A., Putri, S., and Swamy, S. L. 2015. Evaluation growth and yield of wheat varieties under *Ceiba pentandra* (L.) based agrisilviculture system. *Univers. J. Agric. Res.* 3: 173-181.
- Gibbs, P., and Semir, J. 2003. A taxonomic revision of the genus *Ceiba* Mill. (Bombacaceae). *Anales del Jardín Botánico de Madrid* 60(2): 259-300.
- Gomez-Maqueo, X. and Gamboa-deBuen, A. 2022. The biology of the genus *Ceiba*, a potential source for sustainable production of natural fiber. *Plants* 11: 2- 14.
- Grattapaglia, D. 2007. Marker-assisted selection in eucalyptus. In: *Current Status and Future Perspectives in Crops, Livestock, Forestry, and Fish*. Eds: Guimaraes EP, Ruane J, Scherd BD, Sonnino A, Dargie JD. Food and Agriculture Organization of the United Nations. Rome. 252-281.
- Gribel, R., Gibbs, P., Queiroz, A. L. 1999. Flowering phenology and pollination biology of *Ceiba pentandra* (Bombaceae) in central amazonia. *Journal of Tropical Ecology* 15: 247-263.
- Hafizah, R. A. Adawiyah, R., Harahap, R. F., Hannum, S. Santoso, P. C. 2017. Aplikasi marka ISSR pada keanekaragaman genetik durian (*Durio zibethinus* Murr.) di Kabupaten Deli Serdang, Sumatera Utara. *Journal of Biology* 11(1): 49-56.
- Hamrick, J. L. and J. W. Godt. 1989. Isozyme and the analysis of genetic structure in plant population. In D. E. Soltis, and P. S. Soltis (Eds.). *Isozyme in Plant Biology*. Dioscoridos Press. Oregon.
- Handoyo, D., Rosmaina, Zulfahmi. 2013. Kekerabatan genetik tanaman jambu bol (*Syzygium malaccense* (L.) Merr. & Perry) berdasarkan penanda RAPD (Random Amplified Polymorphic DNA). *J. Agrotek. Trop.* 2(1): 6-10.
- Hannum, S., Wahyuningsih, H., Sinaga, R., Pasaribu, N., Hartanto, A. 2020. Genetic diversity among durian (*Durio zibethinus* murr.) populations from Nias Island, Indonesia using RAPD markers. *Applied Ecology and Enviromental Research* 18(5): 7337-7351.
- Hariyati, T., Kusnadi, J., Arumingtyas, E. L. 2013. Genetic Diversity of hybrid durian resulted from cross breeding between *Durio kutejensis* and *Durio zibethinus*

based on Random Amplified Polymorphic DNAs (RAPDs). *American Journal of Molecular Biology* 3: 153-157.

- Hedrick, P. W., and R. Fredrickson. 2010. Genetic rescue guidelines with examples from mexican wolves and florida panthers. *Conserv. Genet.* 11: 615-626.
- Hending, D., Randrianarison, H., Holderied, M., McCabe, G., Cotton, S. 2021. The kapok tree (*Ceiba pentandra* (L.) Gaertn, Malvaceae) as a food source for native vertebrate species during times of resource scarcity and its potential for reforestation in madagascar. *Austral Ecology* 46(8): 1440-1444.
- Herrera, C. M., A. M., Sanchez-Lafuente, M. Medrano, J. Guitian, X. Cera, and P. Rey. 2001. Geographical variation in autonomous self-pollination levels unrelated to pollinator service in *Helleborus foetidus* (Ranunculaceae). *American Journal of Botany* 88: 1025-1032.
- Herrerias-Diego, Y., Quesada, M., Stoner, K. E., Lobo, J. A. 2006. Effects of forest fragmentation on phenological patterns and reproductive success of the tropical dry forest tree *Ceiba aesculifolia*. *Conserv. Biol.* 20: 1111-1120.
- Heyne, K. 1987. *Tumbuhan Berguna Indonesia*. Yayasan Sarana Wana Jaya. Jakarta.
- Hidayati, N. I. 2020. Analisis swot agribisnis kapuk randu di Desa Soekarmojo Kecamatan Purwosari Kabupaten Pasuruan. *AGROMIX* 11(1): 87-100.
- Hikmah, R. U., Retnoningsih, A. Habibah, N. A. 2016. Keragaman durian berdasarkan fragmen internal transcribed spacers (ITS) DNA ribosomal melalui analisis PCR-RFLP. *Jurnal MIPA* 39(1): 11-18.
- Horrison, I., Lavery, and E. Sterling. 2004. Genetic Diversity: Connexions Module: m12158.
- Huda, N. 2017. Pengaruh ekstrak sambiloto (*Andrographis paniculata* Nees.) terhadap siklus estrus mencit (*Mus musculus* L.). *EKSAKTA: Berkala Ilmiah Bidang MIPA* 18(2): 69-76.
- Immanuel, R. R. and Ganapathy, M. 2020. Restoration of soil microbial biomass using multipurpose trees. *Plant Arch.* 20: 2641-2645.
- Izhaki, I., Korine, C., and Arad, Z. 1995. The effect of bat dispersal (*Reusettus aegyptiacus*) on seed germination in eastern mediterranean habitats. *Oecologia* 101: 335-342.
- Jump, A. S., and Penuelas, J. 2006. Genetic effects of chronic habitat fragmentation in a wind-pollinated tree. *PNAS* 103(21): 8096-8100.
- Jose, J. and R. Usha. 2000. Extraction of geminiviral DNA from a high mucilaginous plant (*Abelmoschus esculentus*). *Plan Mol. Biol. Rep.* 18: 349-355.
- Kawar, P. G., Devarumath, R. M., & Nerkar, Y. 2009. Use of RAPD marker for assessment of genetic diversity in sugarcane cultivar. *Indian Journal of Biotechnology* 8: 67-71.

- Kearns, C. A., D. W. Inouye, and N. M. Waser. 1998. Endangered mutualism: the conservation of plant-pollinator interactions. *Annu. Rev. Ecol. Syst.* 29: 83-112.
- Keller, L. F. and Waller, D. M. 2002. Inbreeding effects in wild populations. *Trends Ecol Evol* 17: 230-241.
- Kinho, J., Na'iem, M., Indrioko, S. 2016. Studi keragaman genetik *Diospyros rumphii* Bakh di sulawesi utara berdasarkan penanda isoenzim. *Jurnal Pemuliaan Tanaman Hutan* 10(2): 95-108.
- Kumar, N. S. & Gurusubramanian, G. 2011. Random amplified polymorphic DNA (RAPD) markers and its application. *Science Vision* 11: 116-124.
- Kumari, N. & Thakur, S. K. 2014. Randomly amplified polymorphic DNA-a brief review. *American Journal of Animal and Veterinary Sciences* 9: 6-13.
- Laikre, L. 2010. Genetic diversity is overlooked in international conservation policy implementation. *Conserv. Genet.* 11: 349-354.
- Lanting, M. V., Palaypayon C. M. 2002. Forest Tree Species with Medical Uses. *Ecosystem Research and Development Bureau Department of Enviromental and Natural Resources.* 4031(11): 18.
- Likon, M., Remskar, M., Ducman, V., Svegl, F. 2013. Populus seed fibers as a natural source for production of oil super absorbents. *Journal Enviromental Management* 114: 158-167.
- Little, E. L., Wadsworth, F. H. 1964. Common Trees of Puerto Rico and the Virgin Islands. *Agric. Hndb.* 249. Washington, DC: United States Department of Agriculture, Forest Service. 584.
- Lizawati, Nusifera, S., Neliyati, Alia, Y., Antony. 2019. RAPD-PCR primer selection to analyze genetic diversity of cinnamon plan. *Earth and Enviromental Science* 391: 1-7.
- Lobo, J. A., Quesada, M., and Stoner, K. E. 2005. Effects of pollination by bats on the mating system of *Ceiba pentandra* (Bombaceae) populations in two tropical life zones in Costa Rica. *American Journal of Botany* 92(2): 370-376.
- Loveless, M. D. and Hamrick, J. L. 1984. Ecological determinants of genetic structure in plant populations. *Annual Review of Ecology and Systematics* 15: 65-95.
- Maideliza, T. dan Mansyurdin. 2007. Keragaman alel gadung liar (*Dioscorea bulbifera* L.) di Sumatera Barat. *Makara Sains* 11(1): 23-27.
- Martinez, M. 1936. *Useful Plants of Mexico*. Ediciones Botas. Mexico. 415.
- Muhajirah, E., Kamal, M. M., Butet, N. A., Wibowo, A. 2021. Keragaman genetik populasi giant snakehead (*Channa micropeltes*) menggunakan penanda random amplified polymorphic dna di perairan taman nasional sebangau,

- Kalimantan Tengah. *Journal of Natural Resources and Enviromental Management* 11(1): 141-151.
- Murawski, D. A. and Hamrick, J. L. 1992. Mating system and phenology of *Ceiba pentandra* (bombaceae) in Central Panama. *Journal of Heredity* 83: 401-404.
- Mustajarvi, K., P. Siikamaki, S. Rytkonen, and A. Lammi. 2001. Consequences of plant population size and density for plant-pollinator interactions and plant performance. *Journal Ecology* 89: 80-87.
- Nei, M. 1978. Estimation of average heterozigosity and genetic distance from a small number of individuals. *Genetics* 89(3): 583-590.
- Nei, M. 1987. *Molecular Evolutionary Genetics*. Columbia University Press. New York.
- Nugroho, K., Terryana, R. T., Lestari, P. 2017. Metode ekstraksi DNA cabai (*Capsicum annum* L.) menggunakan modifikasi bufer CTAB (cethyl trimethyl ammonium bromide) tanpa nitrogen cair. *Scripta Biologica* 4(2): 91-94.
- Pratiwi, R. H. 2014. Potensi kapuk randu (*Ceiba petandra* gaertn.) dalam penyediaan obat herbal. *Jurnal WIDYA Kesehatan dan Lingkungan* 1(1): 53-60.
- Probojati, R. T., Wahyudi, D., Hapsari, L. 2019. Clustering analysis and genome inference of pisang raja local cultivars (*Musa* spp.) from java island by random amplified polymorphic DNA (RAPD) marker. *Journal of Tropical Biodiversity and Biotechnology* 4(2): 42-53.
- Quesada, M., Stoner, K. E., Lobo, J.A., Herrerias-Diego, Y., Palacios-Guevara, C., Munguia-Rosas, M.A., O-Salazar, K. A., Rosas-Guerrero, V. 2004. Effects of forest fragmentation on pollinator activity and consequences for plant reproductive success and mating patterns in bat-pollinated bombaceous trees. *Biotropica* 36: 131-138.
- Raju, A. J. S., Srungavarapu, and Rangaiah, K. 2005. Pollination by bats and birds in the obligate outcrosser *Bombax ceiba* L. (Bombaceae), a tropical dry season flowering tree species in the eastern ghats forests of India. *Ornithol Sci* 4: 81-87.
- Rengasamy, R. S., Das, D., Karan, C. P. 2011. Study of oil sorption behavior of filled and structured fiber assemblies made from polypropylene, kapok, and milkweed fibers. *Material Letters* 164: 599-604.
- Rivers, M. C., Brummitt, N. A., Lughadha, E. N., Meagher, T. R. 2011. Genetic variation in *Delonix s.l.* (Leguminosae) in madagascar revealed by aflps: fragmentation, conervation status and taxonomy. *Conserv. Genet.* 12: 1333-1344.

- Rojas-Sandoval, J., Lobo, J. A., Quesada, M. 2008. Phenological patterns and reproductive success of *Ceiba pentandra* (Bombacaceae) in tropical dry and wet forests of costa rica. *Revista Chilena de Historia Natural* 81: 443-454.
- Said, W. M., Nahla, O. M., Ehsan, Khalifa, N. S. 2013. Comparative study of three species of Malvaceae (Bombacoideae and Malvoideae (Malvaceae sensu lato) using morphological, anatomical, and RAPD PCR Analyses. *Advances in Environmental Biology* 7(2): 415-426.
- Satyajeet, K., Rout, S., Nayak, S., and B. R. Sahoo. 2020. Cotton wood tree (*Ceiba pentandra* (L.))-an overview. Jawaharlal Nehru Krishi ViswaVidyalaya: College of Agriculture. 128-131.
- Sevindik, E., Cayir, M. E., Emrebas, T., Filiz, E. 2021. Assessment of phylogenetic relationship of some worldwide-cultivated cotton genotypes (*Gossypium hirsutum* L.) by using ISSR and RAPD markers. *Biologica Nyssana* 12(2): 131-139.
- Sherwin, W. B., Chao, A., Jost, L., Smouse, P. E. 2017. Information theory broadens the spectrum of molecular ecology and evolution. *Trends in Ecology and Evolution* 32: 948-963.
- Syamsuardi, Jamsari, Pohan, D. 2017. Gene flow and genetic diversity in endangered plant population, *Morus macroura* Miq. in West Sumatera.
- Singaravelan, N. and Marimuthu, G. 2004. Nectar feeding and pollen carrying from *Ceiba pentandra* by pteropodid bats. *Journal of Mammalogy* 85(1): 1-7.
- Singaravelan, N., Marimuthu, G., Racey, P. A. 2008. Do fruit bats deserve to be listed as vermin in the indian wildlife (protection) & amended acts? a critical review. *Oryx* 43(4): 608-613.
- Slatkin, M. and Maddison, W. P. 1989. A cladistic measure of gene flow inferred from the phylogenies of alleles. *Genetics* 123: 603-613.
- Standley, P. C. 1931. *The Forests and Flora of British Honduras*. Field Museum of Natural History.
- Sulistiyawati, P dan Widyatmoko. 2017. Keragaman genetik populasi kayu merah (*Pterocarpus indicus* Willd) menggunakan penanda random amplified polymorphism DNA. *Jurnal Pemuliaan Tanaman Hutan* 11(1): 67-76.
- Sundari, Arumingtyas, E. L., Hakim, L., Azrianingsih, R., and Wahyudi, D. 2017. Genetic variability of local durian (*Durio zibethinus* murr.) in Ternate Island based on RAPD Markers. *Plant Cell Biotechnology and Molecular Biology* 18: 68-75.
- Suparningtyas, J. F., Pramudyawardhani, O. D., Purwoko, D., Tajuddin, T. 2018. Analisis filogenetik beberapa klon karet dengan marka AFLP (Amplified

- Fragment Length Polymorphism). *Jurnal Bioteknologi & Biosains Indonesia* 5(1): 8-19.
- Surgun, Y., Col, B., Burun, B. 2012. Genetic diversity and identification of some turkish cotton genotypes (*Gossypium hirsutum* L.) by RAPD-PCR Analysis. *Turkish Journal of Biology* 36(2): 143-150.
- Toledo, V. M. 1977. Pollination of some rain forest plants by non-hovering birds in veracruz, mexico. *Biotropica* 9(4): 262-267.
- Veerakumar, A., Selvakumar, N. 2012. A Preliminary investigation on kapok/polypropylene nonwoven composite for sound absorption. *Indian Journal of Fibre and Textile Research* 37: 385-388.
- Von Carlowitz, P. G. 1986. *Multipurpose Tree and Shrub Seed Directory*. ICRAF. Nairobi. Kenya. 256.
- Voorhoeve, A. G. 1965. *Liberian High Forest Trees*. Center For Agricultural Publications and Documentation. Wageningen. 416.
- Wang, J., Zheng Y., Wang, A. 2012. Super hydrophobic kapok fiber oil-absorbent: preparation and high oil absorbency. *Chemical Engineering Journal* 213: 1-7.9
- Williams, J. G., Kubelik, A. R., Livak, K. J., Rafalski, K. J., & Tingey, S. V. 1990. DNA polymorphisms amplified by arbitrary promoters are useful as genetic markers. *Nucleic Acid Research* 18(22): 6531-6535.
- Winardiantika, Kastono, D., Trisnowati, S., Venti. 2012. Pengaruh waktu pangkas pucuk dan frekuensi pemberian paklobutrazol terhadap pertumbuhan dan pembungaan tanaman kembang kertas (*Zinnia elegans* Jacq.) *Jurnal Budidaya Pertanian* 1(2).
- Wright, S. 1978. *Evolution and the Genetic of Population, Variability Within and Among Natural Populations*. University of Chicago Press. Chicago. p. 213-220.
- Xu, L., Xue, H., Song, M., Zhao, Q., Dong, J., Liu, J., Guo, Y., Xu, T., Cao, X., Wang, F., Wang, S., Hao, S., Yang, H., Zhang, Z. 2013. Variation of genetic diversity in rapidly expanding population of the greater long-tailed hamster (*Tscherskia triton*) as revealed by microsatellites. *PLOS ONE* 8(1): 1-9.
- Yeh, F. C., Yang, R. C., and Boyle, T. 1999. POPGENE version 1.32: Microsoft window-based freeware for population genetic analysis. Edmonton: University of Alberta.