

## DAFTAR PUSTAKA

1. Iolascon G, Giménez S, Mogyorósi D. A review of aceclofenac: Analgesic and anti-inflammatory effects on musculoskeletal disorders. *J Pain Res.* 2021;14:3651–63.
2. Sipos E, Kósa N, Kazsoki A, Szabó ZI, Zelkó R. Formulation and characterization of aceclofenac-loaded nanofiber based orally dissolving webs. *Pharmaceutics.* 2019;11(8).
3. Bushra, R., Shoaib, M. H., Naeem, M. I., & Aslam N. Aceclofenac: a new effective and safe NSAID. *Int J Drug Deliv Technol.* 2013;4(42):1.
4. Goud NR, Suresh K, Nangia A. Solubility and stability advantage of aceclofenac salts. *Cryst Growth Des.* 2013;13(4):1590–601.
5. Kumar S, Gupta A, Mishra C, Singh S. Synthesis, characterization and performance evaluation of aceclofenac-urea cocrystals. *Indian J Pharm Sci.* 2020;82(5):881–90.
6. Vadher AH, Parikh JR, Parikh RH, Solanki AB. Preparation and characterization of co-grinded mixtures of aceclofenac and neusilin US2 for dissolution enhancement of aceclofenac. *AAPS PharmSciTech.* 2009;10(2):606–14.
7. Samal HB, Debata J, Kumar NN, Sneha S, Kumar P. Solubility and Dissolution Improvement of Aceclofenac using  $\beta$ - Cyclodextrin. *Int J Drug Dev.* 2017;
8. Shaik NB, Toleti M, Kanaru D, Kukati L. Solubility Enhancement of Aceclofenac by Solid Dispersion. *Am J PharmTech Res.* 2018;8(3):107–30.
9. Tran P, Pyo YC, Kim DH, Lee SE, Kim JK, Park JS. Overview of the manufacturing methods of solid dispersion technology for improving the solubility of poorly water-soluble drugs and application to anticancer drugs. *Pharmaceutics.* 2019;11(3):1–26.
10. Nurismi E, Rosaini H, Octavia dan MD. Review: Effect of Different Methods on the Multicomponents Crystal Formation from Medicinal Natural Ingredient Compounds. *Int J Pharm Sci Med.* 2021;6(5):32–9.
11. Grothe E, Meekes H, Vlieg E, Ter Horst JH, De Gelder R. Solvates, Salts, and Cocrystals: A Proposal for a Feasible Classification System. *Cryst Growth Des.* 2016;16(6):3237–43.
12. Kumar S, Nanda A. Pharmaceutical cocrystals: An overview. *Indian J Pharm Sci.* 2017;79(6):858–71.
13. Guo M, Sun X, Chen J, Cai T. Pharmaceutical cocrystals: A review of preparations, physicochemical properties and applications. *Acta Pharm Sin B.* 2021;11(8):2537–64.
14. Karimi-Jafari M, Padrela L, Walker GM, Croker DM. Creating cocrystals: A review of pharmaceutical cocrystal preparation routes and applications. *Cryst Growth Des.* 2018;18(10):6370–87.
15. Putri D. Review: Multi-Component Crystals: Cinnamic Acid As A Co-Former. *Int J Pharm Sci Med.* 2021;6(1):92–8.
16. Afzal H, Abbas N, Hussain A, Latif S, Fatima K, Arshad MS, et al.

- Physicomechanical, stability, and pharmacokinetic evaluation of aceclofenac dimethyl urea cocrystals. *AAPS PharmSciTech*. 2021;22(2):68.
17. Sharma G, Saini MK, Thakur K, Kapil N, Garg NK, Raza K, et al. Aceclofenac cocrystal nanoliposomes for rheumatoid arthritis with better dermatokinetic attributes: A preclinical study. *Nanomedicine*. 2017;12(6):615–38.
  18. Kumar S, Gupta A, Prasad R, Singh S. Novel Aceclofenac Cocrystals with l-Cystine: Virtual Coformer Screening, Mechanochemical Synthesis, and Physicochemical Investigations. *Curr Drug Deliv*. 2020;18(1):88–100.
  19. Sevukarajan M, Thanuja B, Sodanapalli R, Nair R. Synthesis and characterization of a pharmaceutical co-crystal:(Aceclofenac:Nicotinamide). *J Pharm Sci Res*. 2011;3(6):1288–93.
  20. Sohrab M, Mahapatra SP, Tiwari S. Enhancement of Dissolution Rate of Aceclofenac by Formation of Aceclofenac-Nicotinic Acid Cocrystal using Water Soluble Polymers like PVPK-30, HPMCE5, SSG and Na-CMC. *Indo Glob J Pharm Sci*. 2015;05(03):154–70.
  21. Verma S, Nanda A, Basu SP. Screening, preparation, and characterization of aceclofenac cocrystals. *Drug Invent Today*. 2019;1(1):81–7.
  22. Verma S, Nanda A, Basu SP. Improvement of solubility and bioavailability of aceclofenac using cocrystallization. *Drug Invent Today*. 2019;1(1):59–63.
  23. Alshaikh RA, Essa EA, El Maghraby GM. Eutexia for enhanced dissolution rate and anti-inflammatory activity of nonsteroidal anti-inflammatory agents: Caffeine as a melting point modulator. *Int J Pharm*. 2019;563:395–405.
  24. Kala S, Innovation DJ-TP, 2016 undefined. Preformulation and characterization studies of aceclofenac active ingredient. *Pharma Innov J* [Internet]. 2016;5(9):110–9. Available from: [www.thepharmajournal.com](http://www.thepharmajournal.com)
  25. Yuliandra Y, Hutabarat LJ, Ardila R, Octavia MD, Zaini E. Enhancing solubility and antibacterial activity using multi-component crystals of trimethoprim and malic acid. *Pharm Educ*. 2021;21(2):296–304.
  26. PubChem.. Bethesda (MD): National Library of Medicine (US), National Center for Biotechnology Information. 2022. Available from: <https://pubchem.ncbi.nlm.nih.gov>
  27. Nugrahani I, Jessica MA. Amino Acids as the Potential Co-Former for Co-Crystal Development: A Review. *Molecules*. 2021 May 28;26(11):3279.
  28. Jelsch C, Devi RN, Noll BC, Guillot B, Samuel I, Aubert E. Aceclofenac and interactions analysis in the crystal and COX protein active site. *J Mol Struct*. 2020;1205.
  29. Vemuri VD, Lankalapalli S. Amino acid based Rosuvastatin cocrystals: Towards the improvement of physicochemical parameters. *J Cryst Growth*. 2021;570:126241.
  30. European Directorate for the Quality of Medicines & Healthcare. Aceclofenac. In: *European Pharmacopeia*. 2010. p. 1306–7.
  31. Rambabu D, Satyanarayana RJ, Saraswatula VG, Ravikumar N, Kamalakaran SA, Gopikrishna G, et al. Novel cocrystals / molecular salts of mesalamine to be used as improved anti-inflammatory drug. *WIPO Pat Appl*. 2012.
  32. Deters BJ, Saleem M. The role of glutamine in supporting gut health and

- neuropsychiatric factors. *Food Sci Hum Wellness*. 2021;10(2):149–54.
33. Wiedmann TS, Naqwi A. Pharmaceutical salts: Theory, use in solid dosage forms and in situ preparation in an aerosol. *Asian J Pharm Sci*. 2016;11(6):722–34.
  34. Serajuddin ATM. Salt formation to improve drug solubility. *Adv Drug Deliv Rev*. 2007;59(7):603–16.
  35. Qiao N, Li M, Schlindwein W, Malek N, Davies A, Trappitt G. Pharmaceutical cocrystals: an overview. *Int J Pharm*. 2011 Oct;419(1–2):1–11.
  36. Desiraju GR. Supramolecular Synthons in Crystal Engineering—A New Organic Synthesis. *Angew Chemie Int Ed English*. 1995;34(21):2311–27.
  37. Pawar N, Saha A, Nandan N, Parambil J V. Solution cocrystallization: A scalable approach for cocrystal production. *Crystals*. 2021;11(3).
  38. Bunaciu AA, Udriștioiu EG, Aboul-Enein HY. X-ray diffraction: instrumentation and applications. *Crit Rev Anal Chem*. 2015;45(4):289–99.
  39. Fatimah S, Ragadhita R, Husaeni DF Al, Nandiyanto ABD. How to Calculate Crystallite Size from X-Ray Diffraction (XRD) using Scherrer Method. *ASEAN J Sci Eng*. 2021;2(1):65–76.
  40. Yaddalapudi S, Palla G, Kaza R. *Journal of Comprehensive Pharmacy*. 2014;1(4):108–18.
  41. Shankland K. An Overview of Powder X-ray Diffraction and Its Relevance to Pharmaceutical Crystal Structures. 2016;293–314.
  42. Zaini E, Afriyani, Fitriani L, Ismed F, Horikawa A, Uekusa H. Improved solubility and dissolution rates in novel multicomponent crystals of piperine with succinic acid. *Sci Pharm*. 2020;88(2).
  43. Kemenkes RI. *Farmakope Indonesia edisi VI*. Departemen Kesehatan Republik Indonesia. 2020. 2371 p.
  44. Yamashita H, Hirakura Y, Yuda M, Teramura T, Terada K. Detection of cocrystal formation based on binary phase diagrams using thermal analysis. *Pharm Res*. 2013;30(1):70–80.
  45. Sathisaran I, Dalvi SV. Engineering cocrystals of poorly water-soluble drugs to enhance dissolution in aqueous medium. *Pharmaceutics*. 2018;10(3).
  46. Schultheiss N, Newman A. Pharmaceutical cocrystals and their physicochemical properties. *Cryst Growth Des*. 2009;9(6):2950–67.
  47. Sari, Y. N., Zaini, E., & Ismed F. Peningkatan Laju Disolusi Piperine dengan Pembentukan Multikomponen Kristal Menggunakan Asam Nikotinat. *J Sains Farm Klin*. 2019;
  48. Sari YN, Zaini E, Ismed F. Peningkatan Laju Disolusi Piperine dengan Pembentukan Multikomponen Kristal Menggunakan Asam Nikotinat. *J Sains Farm Klin*. 2019;6(2):180.
  49. Chadha K, Karan M, Chadha R, Bhalla Y, Vasisht K. Is Failure of Cocrystallization Actually a Failure? Eutectic Formation in Cocrystal Screening of Hesperetin. *J Pharm Sci*. 2017;106(8):2026–36.
  50. Dachriyanus. *Analisis Struktur Senyawa Organik Secara Spektroskopi* Cetakan I. Padang Danalas Univ Press. 2004;
  51. Akhtar K, Khan SA, Khan SB, Asiri AM. *Handbook of Materials Characterization*, Chapter. 2018. 116–117 p.
  52. Shekunov BY, Chattopadhyay P, Tong HHY, Chow AHL. Particle size

- analysis in pharmaceuticals: Principles, methods and applications. *Pharm Res.* 2007;24(2):203–27.
53. Chambers Fox S. Remington Education Pharmaceuticals. Remingt Educ Pharm. 2014;454–8.
  54. Singh N, Singh AP, Singh AP. Solubility: An overview. *Int J Pharm Chem Anal.* 2021;7(4):166–71.
  55. Sanjayamitra P, Ganesh G. Dissolution and Solubility Enhancement Strategies: Current and Novel Prospective. *J Crit Rev.* 2018;5(3):1–10.
  56. Kumar S, Singh P. Various techniques for solubility enhancement: An overview. *Pharma Innov.* 2016;
  57. Savjani KT, Gajjar AK, Savjani JK. Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharm.* 2012;2012(100 mL):1–10.
  58. Shargel L & YA. *Applied Biopharmaceutics & Pharmacokinetics.* 7th ed. New York, NY: Mc Graw Hil; 2012.
  59. McPolin BYO. Excerpt From Validation of Analytical Methods for Pharmaceutical Analysis. Vol. 44, *Validation of Analytical Methods for Pharmaceutical Analysis.* 2009.
  60. Friić T, Childs SL, Rizvi SAA, Jones W. The role of solvent in mechanochemical and sonochemical cocrystal formation: A solubility-based approach for predicting cocrystallisation outcome. *CrystEngComm.* 2009;11(3):418–26.
  61. Susmitha A, Hepcy Kalarani D, Venkatesh P, Ravindra Reddy K. Analytical method development and validation of aceclofenac in pharmaceutical dosage form by UV spectroscopy technique. *Int J Pharm Pharm Sci.* 2013;5(3):150–3.
  62. Harmita H. Petunjuk Pelaksanaan Validasi Metode Dan Cara Perhitungannya. *Maj Ilmu Kefarmasian.* 2004;1(3):117–35.
  63. Bazzo GC, Pezzini BR, Stulzer HK. Eutectic mixtures as an approach to enhance solubility, dissolution rate and oral bioavailability of poorly water-soluble drugs. *Int J Pharm.* 2020;588.
  64. Shiek Abdul Kadhar Mohamed Ebrahim HR, Chungath TT, Sridhar K, Siram K, Elumalai M, Ranganathan H, et al. Development and validation of a discriminative dissolution medium for a poorly soluble nutraceutical tetrahydrocurcumin. *Turkish J Pharm Sci.* 2021;18(5):565–73.
  65. Jacobs A, Amombo Noa FM. Co-crystals and co-crystal hydrates of vanillic acid. *CrystEngComm.* 2015;17(1):98–106.
  66. Chadha R, Kuhad A, Arora P, Kishor S. Characterisation and evaluation of pharmaceutical solvates of Atorvastatin calcium by thermoanalytical and spectroscopic studies. *Chem Cent J.* 2012;6(1).
  67. Yadav A V., Shete AS, Dabke AP, Kulkarni P V., Sakhare SS. Co-crystals: A novel approach to modify physicochemical properties of active pharmaceutical ingredients. *Indian J Pharm Sci.* 2009;71(4):359–70.
  68. Patel RD, Raval MK, Bagathariya AA, Sheth NR. Functionality improvement of Nimesulide by eutectic formation with nicotinamide: Exploration using temperature-composition phase diagram. *Adv Powder Technol.* 2019;30(5):961–73.
  69. Wicaksono, Yudi ; Setyawan DS. Formation of Ketoprofen-Malonic Acid Cocrystal by Solvent Evaporation Method. *Indones J Chem.*

- 2017;17(2):161–6.
70. Oberoi LM, Alexander KS, Riga AT. Study of interaction between ibuprofen and nicotinamide using differential scanning calorimetry, spectroscopy, and microscopy and formulation of a fast-acting and possibly better ibuprofen suspension for osteoarthritis patients. *J Pharm Sci.* 2005;94(1):93–101.
  71. Emami S, Siah-Shadbad M, Barzegar-Jalali M, Adibkia K. Characterizing eutectic mixtures of gliclazide with succinic acid prepared by electrospray deposition and liquid assisted grinding methods. *J Drug Deliv Sci Technol.* 2018;45:101–9.
  72. Krithikadatta J, Valarmathi S. Research methodology in dentistry: Part II - The relevance of statistics in research. *J Conserv Dent.* 2012;15(3):206–13.
  73. Yunita E, Arifah EN, Tamara VF. Validasi Metode Penetapan Kadar Vitamin C Kulit Jeruk Keprok (*Citrus reticulata*) secara Spekteofotometri UV-Vis. *Pharm J Farm Indones (Pharmaceutical J Indones.* 2019;16(1):118.
  74. Mudie DM, Samiei N, Marshall DJ, Amidon GE, Bergström CAS. Selection of In Vivo Predictive Dissolution Media Using Drug Substance and Physiological Properties. *AAPS J.* 2020;22(2).
  75. Alshora DH, Ibrahim MA, Zayed G, Al Rwashed MA, Abou-Taleb HA, Ali MF. The role of sodium lauryl sulfate on formulation of directly compressed tablets containing simvastatin and aspirin: Effect on drugs dissolution and gastric mucosa. *Saudi Pharm J.* 2022;30(5):635–45.
  76. Hasanah U, Ardana M, Rusli R. Pengaruh pH Medium Terhadap Disolusi Ibuprofen dengan Metode Dispersi Padat. *Pros Semin Nas Kefarmasian Ke-1.* 2015;108–13.

