

DAFTAR PUSTAKA

- Abbas, A.K., Lichtman, A.H and Pillai, S. 2016. Cellular and molecular immunology. *Elsevier*. (8):1-12.
- Afriani, Y., S. D. Utari. 2021. *Laporan PKM Uji Fitokimia Minyak Magot dengan Metode GCMS*. Laboratorium Kesehatan Sumatera Barat. Sumatera Barat.
- Al-Lahham S, Rezaee F. 2019. Propionic acid counteracts the inflammation of human subcutaneous adipose tissue: a new avenue for drug development. *Daru*. 27(2): 645-652.
- Anggowsarito, J.L., 2014. Luka Bakar Sudut Pandang Dermatologi. *Jurnal Widya Medika*, 2(2): 115-120.
- Aponno, J. V, Paulina V. Y., Yamlean dan Hamidah S. Supriati. 2014. Uji Efektivitas Sediaan Gel Ekstrak Etanol Daun Jambu Biji (*Psidium Guajava* Linn) Terhadap Penyembuhan Luka Yang Terinfeksi Bakteri *Staphylococcus Aureus* Pada Kelinci (*Orytolagus cuniculus*). *Jurnal Ilmiah Farmasi*.Vol (3): 3A.
- Ariffin NHM, Hasham R. 2016. Potential Dermatological Application on Asian Plants. *Biotechnology and Bioprocess Engineering*. 21: 337-54.
- Azzahrah NF, Jamaluddin AW, Adikurniawan YM. 2019. Efektivitas Patch Sederhana Dari Ekstrak Daun Kayu Jawa (*Lannea coromandelica*) Terhadap Penyembuhan Luka Sayat Pada Mencit (*Mus musculus* L). *Jurnal Farmasi Desember*. 11(2): 169-180.
- Baie SH and Sheikh KA. 2000. The wound healing properties of Channa striatus-cetrimide cream-wound contraction and glycosaminoglycan measurement. *Journal of Ethnopharmacology*. (73) :15-30.
- Balqis, U., R. Marwiyah. 2014. Gambaran Histopathologis Penyembuhan Luka Bakar Menggunakan Daun Kedondong (*Spondias dulcis* F.) dan Minyak Kelapa pada tikus Putih (*Rattus norvegicus*). Skripsi Program Studi Pendidikan Dokter Hewan Fakultas Kedokteran Universitas Syah Kuala. Banda Aceh.
- Barros-Cordeiro KB., Nair Báo S, Pujol-Luz JR. 2014. Intrapuparial development of the Black Soldier Fly, *Hermetia illucens*. *J Insect Sci*. (14): 1-10.
- Besung INK, Astawa NM, Suata K, Suwiti NK. 2016. Relationship between the Macrophage Activity with Interleukin-6 Levels and Titers of Antibodies against *Salmonella typhi*. *J Kedokt Hewan - Indones J Vet Sci*. 10(1): 1–4.

- Burhanudin, F.N. 2014. *Uji Efektifitas Formulasi Gel Ekstrak Daun Cermai (Phyllanthus acidus L.) Terhadap Lama Kesembuhan Luka Bakar Pada Kelinci (Oryctolagus cuniculus) Jantan*. Sekolah Tinggi Ilmu kesehatan Ngudi Waluyo. Semarang.
- Bustanussalam. 2016. Pemanfaatan Obat Tradisional (Herbal) Sebagai Obat Alternatif. *Bio Treds*. 7(1): 20-25.
- Carville K. 2007. *Wound Care: manual. 5th ed.* Osborne Park:Silver Chain Foundation. 20-9.
- Choi, W. H., J. H. Yun., J. P. Chu., and K. B. Chu. 2012. Antibacterial effect of extracts of *Hermetia illucens* (Diptera: Stratiomyidae) larvae against Gram-negative bacteriaa. *Ento Res.* (42): 219–226.
- Chasanah, E., Nurilmala, M., Purnamasari. A. R. 2015. Komposisi Kimia pada Kadar Albumin dan Bioaktivitas Ekstrak Protein Ikan Gabus (*Channa striata*) Alam dan Hasil Budidaya. *Jurnal Pascapanen dan bioteknologi Kelautan dan Perikanan*. (10): 123-132.
- Cickova H., Newton GL., Lacy RC., Kozánek M. 2015. The use of fly larvae for organic waste treatment. *Waste Management*. (35):68-80.
- Collins, N., and Sulewski, C. 2011. *Ostomy Wound Management*. 10-13.
- Daisa, F. Andrie, M., Taurina, W. 2017. The Effectiveness Test of Oil Phase Ointment Containing Snakehead Fish (*Channa striata*) Extract on Open Stage II Acute Wounded Wistar Strain Male Rats. *Majalah Obat Tradisional*. 22(2): 97-102.
- Debats IBIG., Wolfs TGAM., Gotoh T., Cleutjens JPM., Peutz-Kootstra CJ., Van der Hulst RRWJ. 2009. Role of arginine in superficial wound healing in man. *Nitric Oxide*. p. 1–9.
- Diener, S., S. Solano., N.M., Roa Gutiérrez, F., Zurbrügg, C., Tockner, K., 2011. *Biological treatment of municipal organic waste using Black Soldier Fly larvae. Waste Biomass Valorization*. (2):357-363.
- Disnakkeswan. 2021. *Nilai Hematologi Lengkap Mencit*. Dinas Peternakan dan Kesehatan Hewan Sumatera Barat. Padang.
- Dipasquale D, Basiricò L, Morera P, Primi R, Tröscher A, Bernabucci U. 2018. Anti-inflammatory effects of conjugated linoleic acid isomers and essential fatty acids in bovine mammary epithelial cells. *Animal*. 12(10): 2108-2114.

- Doughari, James. 2012. *Phytochemicals : Extraction Methods, Basic Structures and Mode of Action as Potential Chemotherapeutic Agents*. Department of Microbiology School of Pure and Applied Sciences. Federal University of Technology Yola. Nigeria.
- Driemeyer, H. 2016. *Evaluation of black soldier fly (*Hermetia illucens*) larvae as an alternative protein source in pig creep diets in relation to production, blood and manure microbiology parameters*. Stellenbosch University.
- Dubo, F. A. Dawud , I. A. Umar , E. A. Alex1, S. Baiyekusi and U. Farra u. 2019. Lauric Acid Alleviates Inflammation and Structural Changes in the Lungs of Type II Diabetic Male Wistar Rats. *J. Afr. Ass. Physiol.* 7 (2): 88-96.
- Dwita oktiarni, syalfinaf M., suripno. 2012. Pengujian ekstrak daun jambu biji (*Psidium guajava Linn.*) Terhadap penyembuhan luka bakar pada mencit (*Mus musculus*). Universitas bengkulu. Bengkulu,
- Effendi, Z. 2003. *Peranan Leukosit sebagai AntiInflamasi Alergik dalam Tubuh*. Fakultas Kedokteran. Universitas Sumatera Utara.
- Fahmi, R., S. Melta., W Hem., and I W. Subamia. 2009. Maggot Potential to Increase Growth and Improve Health Status of Fish. *J. Ris. Akuakultur* 4(2): 221–32.
- Fatmasari, lisa. 2017. *Tingkat Densitas Populasi, Bobot, Dan Panjang Maggot (*Hermetia Illucens*) pada media yang berbeda*. Lampung.
- Ferreira, A., M. de Souza, B. M. V., Rigotti, M. A., Loureiro, M. R. D. 2012. The Use of Fatty Acids in Wound Care: An Integrative Review of The Brazilian Literature. *Revista da Escola de Enfermagem da USP*. 46(3):752-60.
- Furman, E., E. Leidinger., E.H. Hooijberg, N. Bauer., G. Beddies, and A. Moritz. 2014. A Retrospective Study of 1098 Blood Samples With Anemia From Adult Cats: Frequency, Classification, and Association With Serum Creatinine Concentration. *J. Vet. Intern. Med*: (28) 1391-1397.
- Gangadhar, B., B.S. Anand Kumar., M.R. Raghunath and N. Sridhar. 2018. Pre-pupae (larvae) of black soldier fly a potential alternate protein source for aquaculture feeds. *Aquaculture*. V(22): 1.
- Hairima., M. Andrie., A. Fahrurrojji. 2014. Uji Aktivitas Salep Obat Luka Fase Air Ekstrak Ikan Toman (*Channa micropeltes*) Pada Tikus Putih Jantan Galur Wistar. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*. V (1): 1.

- Hakim, A. R., Prasetya, A., dan Petrus, H.T.B.M. 2017. Potensi Larva Hermetia Illucens sebagai Pereduksi Limbah Industri Pengolahan Hasil Perikanan. *Jurnal Perikanan Universitas Gadjah Mada* 19 (1): 39-44.
- Harmita. 2006. *Analisis Kuantitatif Bahan Baku dan Sediaan Farmasi, Departemen Farmasi*. FMIPA Universitas Indonesia. Jakarta.
- Hashemi Goradel N, Eghbal MA, Darabi M, Roshangar L, Asadi M, Zarghami N, Nouri M. 2016. Improvement of Liver Cell Therapy in Rats by Dietary Stearic Acid. *Iran Biomed J.* 20(4):217-22.
- Hayun, S. Hudiyono, M. Hanafi and A. Yanuar. 2012. Synthesis and COX-2 Inhibitory Activity of 4- [(E)-2-(4-Oxo-3- phenyl-3,4- dihydroquinazolin -2- yl) ethenyl] benzene-1- sulfonamide and Its Analogs. *Pharmaceuticals.* 5: 1282-1290.
- Ivanalee, A. S., I. S. Yudaniyanti., M. N. Yunita., N. Tiakoso., I. S. Hamida., A. L. Saputro. 2018. Efektivitas Sugar Dressing (100% Gula) dalam Meningkatkan Kepadatan Kolagen pada Proses Penyembuhan Luka Bakar Buatan pada Kulit Tikus Putih (*Rattus norvegicus*) Jantan. *Jurnal Medika Veteriner.* 1(3): 134-141.
- Jara, C. P., F. M. Natalia,, P. DP. Thais,, P. DA. Eliana. 2019. Bioactive Fatty Acids in the Resolution of Chronic Inflammation in Skin Wounds. *Wound Healing Society.* V(9): 8.
- Kakel SJ. 2013. The evaluation of traditional and automatic Coulter method in estimation haematological parameters in adult rats. *Beni-Suef University Journal of Basic and Applied Sciences.* 2(1):31–35.
- Khalil M., Marcelletti J., Lee, David, Laura. 2000. Topical Application of Docosanol- or Stearic Acid-Containing Creams Reduces Severity of Phenol Burn Wounds in Mice. *Contact dermatitis.* 43: 79-81.
- Kresno, S. B. 2010. *Imunologi*. Fakultas Kedokteran Universitas Indonesia Press. Jakarta.
- Kumar. V. Cotran. 2007. *Buku Ajar Patologi Anatomi*. EGC. Jakarta.
- Kuppusamy G, Kong CK, Segaran GC, Tarmalingam E, Herriman M, Ismail MF, Mehmood Khan T, Low LE, Goh BH. 2020. Hummingbird-Leaves-Reared Black Soldier Fly Prepubae: Assessment of Nutritional and Heavy Metal Compositions. *Biology (Basel).* 9(9):274.
- Laka, B. C., Christin A. B., Aloysius, m. K. 2021. Aktivitas Kombinasi Minyak Kemiri (*Aleurites Moluccana* L.) dan Minyak Kedelai (*Glycine Max* (L.) Merrill) Sebagai Hair Tonic pada Kelinci Jantan (*Oryctolagus Cuniculus*). *CHM-K Pharmaceutical Scientific Journal.* (4): 2.

- Laut, M., Ndaong, N., Utami, T., Junersi, M., & Bria Seran, Y. 2019. Efektifitas Pemberian Salep Ekstrak Etanol Daun Anting-Anting (*Acalypha indica* Linn.) Terhadap Kesembuhan Luka Insisi pada Mencit (*Mus musculus*). *Jurnal Kajian Veteriner*, 7(1), 1–11.
- Linder, MC. 1992. *Biokimia Nutrisi dan Metabolisme dengan Pemakaian Secara Kimia*. Aminuddin P, Penerjemah. UI Press. Jakarta.
- Liu, X., Chen, X., Wang, H., Yang, Q., ur Rehman, K., Li. W., Cai, M., Li, Q., Mazza, L., Zhang, J. 2017. Dynamic changes of nutrient composition throughout the entire life cycle of black soldier fly. *PLoS ONE*. 12, e0182601.
- Li Q., Zheng L., Qiu N., Cai H., Tomberlin JK., Yu Z. 2011. Bioconversion of dairy manure by Black Soldier Fly (Diptera: Stratiomyidae) for biodiesel and sugar production. *Waste Manag*. 31:1316-1320.
- Ma Q., Cai J., Pan X.-J., Du L, Siao Y.Y, Yong X.L, Qing L.Z, Yu F.C. 2017. Effects of neuro-immuno-modulation on healing of wound combined with local radiation injury in rats. *Chinese Journal of Traumatology*. 20(5): 270–274.
- Madihah, M. et al. 2019. Application of Common Greenbottle Fly (*Lucilia sericata* Meigen , 1826) Larvae Extract for Incision Wound Treatments in Rats Aplikasi Ekstrak Larva Lalat Hijau (*Lucilia sericata* Meigen , 1826) untuk Obat Luka Insisi pada Tikus. *Indonesian Journal of Pharmaceutical Science and Technology*. 1(1): 8–15.
- Makkar HPS., Tran G., Heuze V., Ankers P. 2014. Keadaan seni dalam penggunaan serangga sebagai pakan ternak. *Anim Pakan Sci Technol*. 197: 1 - 33.
- Manan, A. 2007. Pharmacognosy and Pharmacology of Haruan (*Channa striatus*) a medicinal fish with wound healing properties. *Boletin Latinoamericano y del Caribe de Plantas Medicinales y Aromaticas*. 6(3): 52-60.
- Marsela, L., Mangunsong, S. 2021. Efek Ekstrak Metanol Maggot (*H.Illucens*) Terhadap Penyembuhan Luka Terbuka Pada Tikus (*Rattus Novergicus*). *Jurnal Kesehatan Pharmasi (JKPharm)*. 3(2): 99-104.
- McShaffrey D. 2013. *Hermetia illucens- Black Soldier Fly*. Bugguide.
- Milasari, M., Jamaluddin, A. W., & Adikurniawan, Y. M. 2019. Pengaruh Pemberian Salep Ekstrak Kunyit Kuning (*Curcuma longa* Linn) Terhadap Penyembuhan Luka Sayat Pada Tikus Putih (*Rattus norvegicus*). *Jurnal Ilmiah Ibnu Sina*, 4(1), 186–122.
- Michaelsen, K. F., Hoppe, C., Roos, N., Kaestel, P., Stougaard, M., Lauritzen, L., Molgaard, C., Girma, T., Friis, H. 2009. Choice of foods and ingredients for

- moderately malnourished children 6 months to 5 years of age. *Food Nutr. Bull.* 30, S343–S404
- Moenadjat, Y. 2009. *Luka Bakar dan Tatalaksana Edisi ke-4*. FKUI. Jakarta.
- Nazhifah. 2012. *Uji Sensitivitas Isolat Bakteri Dari Pasien Luka Bakar di Bangsal Luka Bakar RSUP DR. M. Djamil Padang*. Universitas Andalas. Padang.
- Newton, GL., Booram, CV., Barker, RW., Hale. 1977. OM Dried *Hermetia illucens* larvae meal as a supplement for swine. *J. Anim. Sci.* 44, 395–400.
- Nicodemus, Andrie, M., & Luliana, S. (2014). Uji Efek Penyembuhan Luka Sayat Ekstrak Ikan Toman (*Channa micropellets*) secara Oral pada Tikus Putih Jantan Wistar. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*. 1(1): 1–14.
- Oonincx, DGAB., Van Broekhoven., S. Van Huis., A. van Loon. 2015. JJA Feed conversion, survival and development, and composition of four insect species on diets composed of food by-products. *PLoS ONE*. 10, e0144601.
- Oswari. 2003. *Bedah dan Perawatannya*. Balai Penerbit FKUI. Jakarta.
- Pubchem. 2022. National Library of Medicine, website, <https://pubchem.ncbi.nlm.nih.gov/>, Diakses pada 15 Februari 2022.
- Potter, P. A., Perry, A. G., Stockert, P & Hall, A. 2006. *Fundamental of Nursing*.
- Putra, R. E., Yenjen, F., Ida, K., Agus, D. P., Mia, R., Elisa, N. R. 2021. Omega-3 Content of Black Soldier Fly Prepupa (*Hermetia illucens*) fed with marine Fsih Offal and Tofu Dreg. *BIOTROPIA*. 28(1): 64-73.
- Priambodo, B. 2018. *Analisa Perbandingan Hasil Pemeriksaan Hematology Analyzer Tipe 3 Part Diff dan 5 Part Diff Di Tinjau Dari Aspek Prinsip Kerja Alat*. Politeknik Kesehatan Jakarta II, Jakarta.
- Rachmawati, dkk. 2010. Perkembangan dan Kandungan Nutrisi Larva *Hermetia illucens* (Linnaeus) (Diptera: Stratiomyidae) pada Bungkil Kelapa Sawit. *Jurnal Entomologi Indonesia*. 7(1): 28-41.
- Rahayu, P., Marcelline, F., Sulistyaningrum, E., 2016. Potential Effect of Striatin (DLBS0333), a Bioactivite Protein Fraction Isolated From *Channa Striata* for Wound Treatment. *Asia Pacific Journal of Tropical Biomedicine*. 6: 1001-1007.
- Rahman, N., Rahman, H., Haris, M., & Mahmood, R. 2017. Wound healing potentials of *Thevetia peruviana*: Antioxidants and inflammatory markers criteria. *Journal Tradit Complement Me.* 7(4).

- Riani, Handayani F. 2017. Perbandingan Efektivitas Perawatan Luka Modern “Moist Wound Healing” dan Terapi Komplementer “NaCl 0,9% + Madu Asli” Terhadap Penyembuhan Luka Kaki Diabetik Derajat II di RSUD Bangkinang. *Jurnal Ners Universitas Pahlawan Tuanku Tambusai*, 1(2): 98-107.
- Ringbom T, Huss U, Stenholm A, Flock S, Skattebol L, Perera P, Bohlin L. 2001. Cox-2 inhibitory effects of naturally occurring and modified fatty acids. *J Nat Prod*. 64(6):745-9.
- Rowan MP., Cancio LC., Elster EA., Burmeister DM., Rose LF., Natesan S. 2015. Burn wound healing and treatment: Review and advancements. *Crit Care*. 19(1):1–12.
- Sabale, P., Bhimani, B., Prajapati, C., Sabale, V. 2012. An Overview of Medicinal Plants as Wound Healers. *Journal Application Pharmaceutical Science*. 2(11): 143-150.
- Saeed NM, El-Demerdash E, Abdel-Rahman HM, Algandaby MM, Al-Abbasi FA, Abdel-Naim AB. 2012. Anti-inflammatory activity of methyl palmitate and ethyl palmitate in different experimental rat models. *Toxicol Appl Pharmacol*. 264(1): 84-93.
- Sadikin. 2001. *Biokimia Darah*. Widya Medika. Jakarta.
- Shafri, M.A., dan Mat, J.A.M. 2012. Therapeutic Potential of Haruan (*Channa striatus*): from food to medicinal uses. *Mal. J. Nutr.* 18:125- 136.
- Samsudin RR, Riesti A, Arimurti R, 2018. Potensi Ekstrak Kulit Jeruk Pacitan (*Citrus sinensis*) Sebagai Stimulus Regenerasi Sel Pada Luka Bakar *Rattus norvegicus*. *Jurnal Labora Medika*, 2(2): 19-23.
- Sjamsuhidajat, R. dan W. de Jong. 2005. *Buku Ajar Ilmu Bedah*. Edisi 2. Buku Kedokteran. Jakarta.
- Singer, A. J. & Dagum, A. B. 2008. Current Management of Acute Cutaneous Wound. *N Engl J Med*. 359, 1037-1046.
- Sinno H, Prakash S. 2013. Complements and the Wound Healing Cascade: An Updated Review. *Plast Surg Int*. 1–7.
- Sitasiwi, A. J., S. Isdadiyanto. 2017. Kadar Hemoglobin Dan Jumlah Eritrosit Mencit (*Mus musculus*) Jantan setelah Perlakuan dengan Ekstrak Etanol Daun Nimba (*Azadirachta indica*). *Jurnal Buletin Anatomi dan Fisiologi*. Vol (2): 2.
- Sminkey, L. Burns. disadur 18 April, 2020, dari World Health Organisation website:https://www.who.int/violence_injury_prevention/other_injury/burns/en

- Sofro, A. S. M. 2012. *Darah*. Pustaka Pelajar. Yogyakarta.
- Spranghers T., Ottoboni M., Klootwijk C., Ovyn A., Deboosere S., De Meulenaer B., Michiels J., Eeckhout M., De Clercq P & De Smet S. 2017. Nutritional Composition of Black Soldier Fly (*Hermetia illucens*) Prepupae Reared on Different Organic Waste Substrates. *Journal of the Science of Food and Agriculture*. 97: 2594–2600.
- Sumoza, N. S., Efrizal., dan Rahayu, R. 2014. Pengaruh Gambir (*Uncaria gambir* R.) Terhadap Penyembuhan Luka Bakar pada Mencit Putih (*Mus musculus* L.) Jantan. *Jurnal Biologi Universitas Andalas*. Volume 3, Nomor 4.
- Sutrisno T, Huda N, Nurlely N, Cahaya N, Srihartika VM. 2016. Efektivitas Gel Kuersetin pada Penyembuhan Luka Bakar Derajat IIA. *Media Pharmaceutica Indonesiana*, 1(1): 1-11.
- Tamara, A., H. J. Yayun., S. R. Mujayanto. 2014. Pengaruh Aplikasi Virgin Coconut Oil Terhadap Peningkatan Jumlah Fibroblas Pada Luka Pasca Pencabutan Gigi pada Rattus Novergicus. *Odonto Dental Journal*. Vol (1).
- Thakur, R., Jain, N., Pathak, R., and Sandhu, S.S. 2011. *Practices in Wound Healing Studies of Plants*. Hindawi Publishing Corporation: 1-17.
- Timmerman., J. C., Long, J. P. & Pittenger, C. B. 1959. Neuromuscular Blocking Properties of Various Antibiotic Agents. *Toxicology and Applied Pharmacology*. (1), 299-304.
- Tomberlin JK., Adler PH., Myers HM. 2009. Development of the Black Soldier Fly (Diptera: Stratiomyidae) in relation to temperature. *Environmental Entomol.* 38:930-934.
- Tomberlin JK, Sheppard DC. 2002. Factors influencing mating and oviposition of Black Soldier Flies (Diptera: Stratiomyidae) in a colony. *J Entomology Sci*. 37:345-352.
- Wardhana, A.H. 2016. Black Soldier Fly (*Hermetia illucens*) sebagai Sumber Protein Alternatif untuk Pakan Ternak. *Wartazoa* Vol. 26 No. 2 Th. 2016, hal. 069-078.
- Wardiny, T.M., Retnani, dan Taryati. 2012. Pengaruh Ekstrak Daum Mengkudu terhadap Profil Darah Puyuh Starter. *JITP*. 2(2): 110-120.
- Wati, W., Ummu, B., & Iskandar, C. D. (2020). Identifikasi dan Jumlah Sel Radang Pada Luka Sayat Mencit (*Mus musculus*) yang diberi Ekstrak Daun Binahong (*Anredadera cordifolia* (Tenore) Steenis). *Jurnal Ilmiah Mahasiswa Veteriner*. V(4): 108–115.

- Williams, J. Z., & Barbul, A. 2003. Nutrition and wound healing. *Surgical Clinics of North America*, 83(3), 571-596.
- Witte, M. B., Barbul, A. 2003. Arginine physiology and its implication for wound healing. *Wound Repair Regen.* 11: 419–423.
- Yang H, Meng L, Ai D, Hou N, Li H, Shuai X, Peng X. 2019. Acetic acid alleviates the inflammatory response and liver injury in septic mice by increasing the expression of TRIM40. *Exp Ther Med.* 17(4):2789-2798.
- Yu, G., Cheng, P., Chen, Y., Li, Y., Yang, Z., Chen, Y., Tomberlin, J.K. 2011. Inoculating poultry manure with companion bacteria influences growth and development of Black Soldier Fly (Diptera: Stratiomyidae) larvae. *Environmental Entomology*, February 2011 40:30-35.
- Zhang, Y., Fang, Y., Yu, W. Lu, H., Peng, Y., Yao, M. 2013. Effects of topical application of oleic acid on wound healing in diabetic mice.
- Zuraini A., Somchit MN., Solihah., MH., Goh YM., Arifah., AK, Zakaria MS, et al. 2006. Fatty acid and amino acid composition of three local Malaysian Channa spp. fish. *Food Chemistry*. 97:674-768.

